KOLAR Document ID: 1434104

				WWC-5		vision of Wa			Well ID		
Original Record Correction LOCATION OF WATER W						Resources App. N Section Number				ge Number	
County: $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$						$\begin{array}{c c} T & S & R & \Box E & \Box W \\ \end{array}$					
2 WELL	ast Name:		First:	Street or Ru	reet or Rural Address where well is located (if unknown, distance and						
Business:					direction from	rection from nearest town or intersection): If at owner's address, check here:					
Address: Address:											
City:			State:	ZIP:							
3 LOCAT	E WELL		OF COM				. 1				
	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)										
SECTIO			3) ft., or 4)		Lon Datu	Longitude:(decimal degrees) Datum: WGS 84 NAD 83 NAD 27					
1	N			WATER LEVEL: ft.			Source for Latitude/Longitude:				
		below land surface, measured on (mo-day-yr)						unit make/model:)	
NW	NE	above land surface, measured on (mo-day-yr)					(WAAS enabled? ☐ Yes ☐ No)				
		Pump test data: Well water was ft. after hours pumping gpm Well water was ft. after hours pumping gpm Estimated Yield:					□ Land Survey □ Topographic Map				
W X	E						Online Mapper:				
SW	SE						6 Elevation:ft. Ground Level TOC				
	S	Bore Hole Diameter: in. to ft. a				Source: Land Survey GPS Topographic Map Other					
1 r		DE LICED	in. to ft.								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
	□ Household										
			7. Aquifer Recharge: well ID				□ Cased □ Uncased □ Geotechnical				
Livesto							12. Geothermal: how many bores?				
	. Irrigation 9. Environmental Remediation: well ID.					a) Closed Loop 🔲 Horizontal 🔲 Vertical					
	3. EFeedlot Soil Vapor					b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter											
Casing diameter in. to											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
$\Box \text{ Steel} \Box \text{ Stainless Steel} \Box \text{ Fiberglass} \Box \text{PVC} \Box \text{ Other (Specify)} \dots \dots$											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft. of GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
		e contaminati		potential source of co							
Septic			Lateral Line			Livestock F		Insectici			
Sewer			Cess Pool	□ Sewage L		Fuel Storag				Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	TO		THO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:		1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged											
under my j	urisdiction ar	d was compl	eted on (n	no-day-year)	and	l this record	l is tru	ue to the best of my	knowled	ge and belief.	
Kansas Wa	ter Well Con	tractor's Lice	ense No	This W	ater Well Re	cord was co	omple	eted on (mo-day-ye	ar)		
under the b	usiness name	Send one copy to	WATER W	ELL OWNER and retain	one for your rea	cords. Fee of ⁹	<u></u> \$5 00 t	for each constructed wel	<u></u> 1	·····	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
		ks.gov/waterwel					-			SA 82a-1212	