KOLAR Document ID: 1635268

				ivision of Wate		W II ID		
		ge in Well Use		sources App. N		Well ID	NT 1	
1 LOCATION OF	WATER WELL:	Fraction		ection Numbe	1		nge Number	
County:		1/4 1/4 1/4		1 4 1 1	T S		□ E □ W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business: direction from nearest town or intersection): If at owner's address, check here:								
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPENDENCE COL	ADI DED MELL		s =	_			
WITH "X" IN	WELL 4 DEPTH OF COMPLETED WELL:							
SECTION BOX:					tude:			
N	2) ft. 3) ft., or 4) ☐ Dry W WELL'S STATIC WATER LEVEL: f				:: □ WGS 84 □ NA		NAD 27	
	□ below land surface, measured on (mo-day-yr)				e for <u>Latitude/Longitud</u> PS (unit make/model: .		,	
NW NE					(WAAS enabled? [· · · · · · · · · · · · · · · · · · ·	
NW NE	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map			
$ \mathbf{w} $	after hours pumping gpm				Online Mapper:			
		Well water was ft.						
SW SE		after hours pumping gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC			
X	Estimated Yield:				Source: Land Survey GPS Topographic Map			
S		in. to		Source				
1 mile III. to II.								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. ☐ Public Water Supply: well ID								
 Domestic: Household 								
	☐ Household 6. ☐ Dewatering: how many wells?				11. Test Hole: well ID			
☐ Livestock					12. Geothermal: how many bores?			
2. ☐ Irrigation	_							
3. ☐ Feedlot					b) Open Loop Surface Discharge Inj. of Water			
4. ☐ Industrial	Recovery				her (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected? \square Yes \square No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft., From ft., From ft., From ft., From ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
	ft. to				ft. to	ft.		
	sible contamination: No							
Septic Tank	☐ Lateral Line		_	Livestock Pe		icide Storage		
Sewer Lines	☐ Cess Pool	<u> </u>				doned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Other (Specify)								
Direction from well? ft.								
10 FROM TO	LITHOLOG		FROM		LITHO. LOG (cont.) o		G INTERVALS	
		-	1		- ()			
			1	1				
			1					
	1		1	1				
			†					
	+		1	†				
			Notes:	1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
under my jurisdiction and was completed on (mo-day-year)								
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
	th and Environment, Bureau of V dheks.gov/waterwell/index.html		OU S W JACKS	n 51., 5une 420,	торска, канзаз 00012-13		SA 82a-1212	
rion do de mup.// www.k	and a second contract of the c					171	J. I U-U I I-II	