

1 LOCATION OF WATER WELL:	Fraction <u>SW 1/4 SE 1/4</u>	Section Number <u>13</u>	Township Number <u>T 32 S</u>	Range Number <u>R 1 E 10</u>
County: <u>Sumner</u>				

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: <u>229 S. Haslet</u> <u>Kyle Everhart</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>229 S. Haslet</u>	Application Number: <u>50</u>
City, State, ZIP Code: <u>Wellington KS 67152</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>43</u> ft. ELEVATION:	
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.	
	WELL'S STATIC WATER LEVEL <u>23</u> ft. below land surface measured on mo/day/yr	
	Pump test data: Well water was ft. after hours pumping gpm	
	Est. Yield gpm: Well water was ft. after hours pumping gpm	
	Bore Hole Diameter in. to ft., and in. to ft.	
WELL WATER TO BE USED AS:		
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial ② Lawn and garden only 10 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes.....No..... <u>X</u> ; If yes, mo/day/yr sample was submitted		
Water Well Disinfected? Yes <u>X</u> No		

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
② PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter <u>5</u> in. to <u>23</u> ft., Dia			Threaded
Casing height above land surface <u>18</u> in., weight <u>160</u> lbs./ft.			Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	② Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS:			
From <u>23</u> ft. to <u>43</u> ft.		From ft. to ft.	
GRAVEL PACK INTERVALS:		From ft. to ft.	
From <u>23</u> ft. to <u>43</u> ft.		From ft. to ft.	

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
GROUT INTERVALS:	From <u>0</u> ft. to <u>20</u> ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	<u>Dont know</u>
Direction from well? How many feet?				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>13</u>	<u>Soil & red clay</u>			
<u>13</u>	<u>19</u>	<u>Sand</u>			
<u>19</u>	<u>22</u>	<u>tan shale</u>			
<u>22</u>	<u>43</u>	<u>Gray shale</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7-24-91</u> and this record is true to the best of my knowledge and belief. Kansas	
Water Well Contractor's License No. <u>506</u>	This Water Well Record was completed on (mo/day/yr) <u>8-24-91</u>
under the business name of <u>Metz Water Well Service</u>	by (signature) <u>Dennis Metz</u>