1			R WELL RECORD	Form WWC-5		82a-1212		
_ (F WATER WELL:	Fraction	11/11 . 11/		tion Numb		hip Number	Range Number
County: OU	rection from nearest to		WW 1/4 NO		14	_ T 3	S S	R / E(W)
	Dellinton	wit of city street a	ludress of well if locate	d within city?				
	LL OWNER: Sand	A Fotocoli.	101) - Rumaio d	Red OA)				
BR# St Addre	ss, Box # : 304 L	A STORE	rt.	W INCOME		Roar	d of Agriculture	Division of Water Resources
City, State, ZIP	Code LOOP	O coton K	5.67152				ication Number:	Division of Wales Floods
LOCATE WE	LL'S LOCATION WITH	DEPTH OF	OMPLETED WELL	20'	# E1 E			
AN "X" IN SE	ECTION BOX:	Denth(s) Ground	water Encountered 1	13	II. CLC	# 2	ft 5	3ft.
. —		WELL'S STATIC	WATER LEVEL 9	93 # 1	elow land	surface measur	red on mo/day/yr	12-14-93
1 i		1						umping gpm
N	W NE							umping gpm
	_	Bore Hole Diam	eter . 7/2 in. to	20'		t., and	ir	i. to
* w 1	- I	1	TO BE USED AS:	5 Public water	r supply	8 Air condit	ioning 11	Injection well
7 1		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewaterir	ng 12	Other (Specify below)
sv	W SE	2 Irrigation	4 Industrial	7 Lawn and	garden onl	y 10 Monitorin	g well	
1 1		Was a chemical/	bacteriological sample	submitted to D	epartment ^a	? YesN	o. 🗶; if yes	, mo/day/yr sample was sub
I	\$	mitted				Water Well Disi	nfected? Yes	(No)
TYPE OF BL	ANK CASING USED:		5 Wrought iron	8 Concre	ete tile	CASIN	G JOINTS: Glue	d Clamped
1 Steel	3 RMP (S	SR)	6 Asbestos-Cement		(specify be			led
2 PVC	4 ABS	. ~1	7 Fiberglass					aded.¥
	ameter 3.37.5							in. to ft.
	bove land surface F.W		.in., weight		-	bs./ft. Wall thick	ness or gauge N	10. Spicio
	EEN OR PERFORATIO			7 PV	_			ent Sen40
1 Steel	3 Stainles		5 Fiberglass		IP (SR))
2 Brass	4 Galvani		6 Concrete tile	9 AB	S		2 None used (or	
	ERFORATION OPENIN			zed wrapped		8 Saw cut		11 None (open hole)
1 Continue		Aill slot		wrapped		9 Drilled h		
2 Louvere		Key punched	7 Torci			,	• • • • • • • • • • • • • • • • • • • •	
SCHEEN-PERF	ORATED INTERVALS:							toft.
0041	E. DAOK INTERVALO	From	ft. to .	8.1	ft., l	From	π	toft.
GHAV	EL PACK INTERVALS			. 9				toft.
E CROUT MAT	TEDIAL: 1 Noot	From	ft. to	(d) Post	<u>-</u>		ft.	
6 GROUT MAT Grout Intervals:	From X Neat	cement 4'	2 Cement grout	, Gento				
	arest source of possible	contamination:	it., Flom	<i>a</i>		vestock pens		Abandoned water well
1 Septic ta	•		7 Dit priva	_	_	•		
2 Sewer li			7 Pit privy 8 Sewage lag			ertilizer storage	15 (Other (specify below)
	tht sewer lines 6 Seep	•	9 Feedyard	joon		secticide storage		other (specify below)
-	well? Suth	page pit	9 Feedyard			many feet?		
	TO T	LITHOLOGIC	LOG	FROM	TO	many leet?	PLUGGING	INTERVALS
0 1.			soil w/conc					
1.0 3.			clay fill			1		
3.5 7.		wn silty		t	!	1.		
		s & iron			Í	1 '		
7.5 11			ilty clay w	/araw al	211			
		g, iron o	vides	ylay Ci	ay			
11' 20			sandy clay					
		med ara	in qtz.&ls	ry grain	_			
	iron ox	ides	4-C 013 .	LA GLALI				/
7 CONTRACT	OR'S OR LANDOWNE	R'S CERTIFICAT	ION: This water well w	vas (I) constru	त्वता (३) -	reconstructed o	r (3) plugged up	der my jurisdiction and was
completed on /s	mo/day/year) . 12-14:	-43						nowledge and belief. Kansas
Water Well Con	itractor's License No.	539	Thic Water V	Vell Record wa	and tills f	ed on (mo/day/s	(r) 12-28-	93
	ess name of AF						nas Bu	
								copies to Kansas Department
INSTRUCTION	 Use typewriter or ball point 	PLEASE PHESS I	THINLI and PHINI Clearly.	ease IIII in Dianks,	underline of (sincle the correct ans	wers, send top three	copies to Nansas Department