1 LOCATION OF W	ATED WELL	FRACTION	Water Well Recor	rd Form WWC-5	KSA 82a-1212		
					Section Number	Township Number	Range Number
Sumn	***	NW 1/4		NW 1/4	15	T 32 s	R 1W E/W
Distance and direction	n frem nearest town or city	y street address of well if loca	ted within city?				
#8 Pin		ellington,					
2 WATER WELL	OWNER: MILI	LER, Robert					
RR#, ST. ADRESS	s, box#: #8 E	Pinecrest				Board of Agric	ulture, Divivsion of Water Resource
CITY, STATE, ZI	PCODE: Well	lington, Ka	nsas		67152	Application	n Number:
	LOCATION WITH	4 DEPTH OF COM	IPLETED WELL	65	ft. EL	EVATION:	
AN "X" IN SECTION	ON BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.
t X	<del>-  </del>	WELL'S STATIC W	ATER LEVEL 2	1 FT.	BELOW LAND SU	RFACE MEASURED ON mo/d	iay/yr 09/01/1992
		Pump test		water was	ft.	after hour	rs pumping gpm
NW-	NE	Est. Yield		water was	ft.		·
		Bore Hole Diameter	12 in.				
w	E	WELL WATER TO I		to 65 5 Public water	ft.,	and	in. to ft. 11 Injection well
			3 Feedlot	6 Oil field wa		8 Air conditioning 9 Dewatering	12 Other (Specify below)
sw sw		1 Domestic	4 Industrial			J	12 Other (Specify Below)
<b>f</b>		2 Irrigation		7 Lawn and g		10 Monitoring well	
+	S	Was a chemical/bacte	riological sample s	submitted to De	•		f yes, mo/day/yr sample was
		submitted			Wa	ter Well Disinfected?	Yes X No
	ASING USED:		5 Wrought iron	-	Concrete tile	CASING JOINTS	: Glued 🗶 Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cem	ent 9	Other (Specify	below)	Welded
2 PVC	4 ABS		7 Fiberglass	S	DR-26		Threaded
Blank casing Diar	neter 5	in. to 45	ft., Dia	in.	to	ft., Dia	in. to ft.
Casing height abo	ove land surface 1	L2 in.,	weight	2.35	lbs. / ft.	Wall thickness or gauge	
TYPE OF SCRE	EN OR PERFORA	TION MATERIAL:			PVC	10 Asbesto	os-cement
1 Steel	3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (	(specify)
2 Brass	4 Galvanized stee	el	6 Concrete tile	9	ABS	12 None u	ısed (open hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed						8 Saw cut	11 None (open hole)
1 Continous slot	3 Mill sl	lot	6 Wii	re wrapped			
2 Louvered shutt	er 4 Key p	unched	7 Tor	ch cut		10 Other (specify)	
SCREEN-PERFO	DRATION INTERV	VALS: from 45		t. to 65	A F		ft. to ft.
SCREEN-1 ERIV	JANION MILER				ft., Fro		
from GRAVEL PACK INTERVALS: from 24				ft. to	ft., From		ft. to ft.
				ft. to 65	ft., Fro		ft. to ft.
C CDOUT MA	PERILI. 1 Neet	cement 2 (		ft. to	ft., Fro	4 Other	ft. to ft.
6 GROUT MAT Grout Intervals:			Cement grout				
		ft. to 24	ft., From	ft.	to 10 Livest	ft., From	ft. to ft.
What is the nearest source of possible contamination:					•	14 Abandon water well	
1 Septic tank 4 Lateral lines			• •		11 Fuel s	•	15 Oil well/Gas well
2 Sewer lines	8 Sewage la	12 Important actions					
3 Watertight sev	wer lines 6 Seep	page pit	9 Feedyard		15 Hisec	uciue storage	
Direction form w						How many feet?	
FROM TO		LITHOLOGIC LOG		FROM	TO	PLUGGING	GINTERVALS
0 3	topsoil						***
3 38	clay						
38 52	fine sar	nd					
52 60	fine sar	nd and medi	um sand			and the last	
60 65	grey sha	ale				The same of the sa	
						# 47 ENTORS AND COM	Will G As attent many
						MAY 0	7 1993
						COLUMN TOWN ALL	OF MAATES
						BUREAU OF WATER	
							7112000
7		·					
CONTRACT	OR'S OR LANDOWNE	ER'S CERTIFICATION: Th	is water well was	(1) construct	ed, (2) reconst	ructed, or (3) plugged u	under my jurisdiction and
							ge and belief. Kansas Water
vveii Contracto	or's License No		ı nıs Water Well	Record was o	ombieted on (i	mo/day/yr)Ω	/3./V.V./Z.J
		arn Well C	Dums Cam	rico T	2		
Unider the bus	iness name of从i	arp Well &	Pump Ser	vice, I	n.C by (sig	nature) Jane 1	Grederick