			WELL RECORD					
LOCATION OF WA	TER WELL:	Fraction	NW-7	1	ction Number		1	nge Number
ounty: Sumner stance and direction	from nearest town or	NE ¼		NW 1/4	14	т 32	S R	1 E <b>W</b>
	st 15th Street	•		,				
WATER WELL OW		Country N				01040007	NATI-T O	
#, St. Address, Bo			arkets			01948027	MW-2	f Water Resource
y, State, ZIP Code		, Kansas	67217			ŭ		T TTAICE T ICSOUTCC
X   X   X   X   X   X   X   X   X   X	Dept WEL  NE NE E  NE SE E  WEL  WAS  MITTER  WAS  A ABS  A	h(s) Groundwa L'S STATIC W Pump t Yield . N/A Hole Diamete L WATER TO 1 Domestic 2 Irrigation a chemical/ba d 5 7 7 TERIAL: 1 5 eel	ater Encountered VATER LEVEL est data: Well v gpm: Well v er 8 • 25 in. BE USED AS: 3 Feedlot 4 Industrial cteriological samp 6 Wrought iron 6 Asbestos-Ceme 7 Fiberglass ft., Dia h, weight 6 Fiberglass 6 Concrete tile	1	70	ft. Diaft., Diaft. Wall thickness or ga 10 Asbesto 11 Other (s	ft. 3	gpm gpm gpm ft. well pecify below)  r sample was sub No X Clamped X ft. ft.
IEEN OR PERFO	RATION OPENINGS A			auzed wrapped		8 Saw cut		e (open hole)
1 Continuous sid	ot 3Mill slot	į		ire wrapped		9 Drilled holes		
	•			• • •				
2 Louvered shut REEN-PERFORATI	ED INTERVALS: F	rom	ft. to	0	ft., Fro	m	ft. to	
GRAVEL PA	ED INTERVALS: F CK INTERVALS: F  E T Neat cemer	rom 12 rom 11 rom 11 rom 2	ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	22 0	ft., Fro ft., Fro ft., Fro onite 4	m	ft. to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro	ED INTERVALS: F  CK INTERVALS: F  F  .: ①Neat cemer m0ft. to	rom. 12 rom. 11 rom. 11 rom 11 9	ft. to  ft. to  ft. to  ft. to  ft. to  ft. to	22 0	ft., Fro ft., Fro ft., Fro onite 4 to11	m	ft. to	
GRAVEL PA GROUT MATERIAL out Intervals: From	ED INTERVALS: F CK INTERVALS: F  : 1 Neat cemer m 0 ft. to curce of possible conta	rom. 12 rom. 11 rom. 12 rom. 2 9 mination:	ft. to	22 22 22 22 0 3Bent	ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives	mm mm Othertt., Fromtstock pens	ft. to	
GRAVEL PA GROUT MATERIAL out Intervals: Froi at is the nearest so 1 Septic tank	ED INTERVALS: F CK INTERVALS: F  : 1 Neat cemer m 0 ft. to curce of possible conta 4 Lateral line	rom. 12 rom. 11 rom. 12 rom. 2 9 mination:	ft. to ft	22 22 22 22 20 3Bent	ft., Fro ft., Fro ft., Fro onite 4 to. 11 10 Lives	mm mm Othertt., Fromttock pens storage	ft. to	
GRAVEL PA GROUT MATERIAL out Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines	ED INTERVALS: F CK INTERVALS: F  .: 1 Neat cemer m 0 ft. to purce of possible conta 4 Lateral line 5 Cess pool	rom. 12 rom. 11 rom. 12 rom. 9 mination:	Cement grout  ft. to	22 22 22 22 20 3Bent 9 ft.	ft., Fro ft.	m	ft. to	
GRAVEL PA GROUT MATERIAL ut Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew	ED INTERVALS: F CK INTERVALS: F  : 1 Neat cemer m 0 ft. to curce of possible conta 4 Lateral line	rom. 12 rom. 11 rom. 12 rom. 9 mination:	ft. to ft	22 22 22 22 20 3Bent 9 ft.	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	
GRAVEL PA GROUT MATERIAL ut Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS: F  CK INTERVALS: F  Description: F  CK INTERVALS: F  Neat cemer  M 0 ft. to  Durce of possible conta  4 Lateral line  5 Cess pool  Ver lines 6 Seepage p	rom. 12 rom. 11 rom. 11 rom. 9 mination:	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftftftftftftftft.
GRAVEL PA GROUT MATERIAL ut Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS: F  CK INTERVALS: F  Description: F  CK INTERVALS: F  Neat cemer  M 0 ft. to  Durce of possible conta  4 Lateral line  5 Cess pool  Ver lines 6 Seepage p	rom. 12 rom. 11 rom. 12 rom. 9 mination:	Cement grout  ft. to	22 22 22 22 20 3Bent 9 ft.	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftftftftftftftft.
GRAVEL PA GROUT MATERIAL tut Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well? ROM TO 0.0 0.3	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  Decrease of Possible contary of Pos	rom. 12 rom. 11 rom 12 rom 9 mination:	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftft. ftft.  water well s well cify below)
GRAVEL PA GROUT MATERIAL at Intervals: From the is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew fiction from well? GOM TO 0.0 0.3 0.3 6.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  Description: F  Chark Interval In	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftftftftftftftf
GRAVEL PA GROUT MATERIAL ut Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO 0.0 0.3 6.0 7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftftftftftftftf
GRAVEL PA GROUT MATERIAL ut Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO 0.0 0.3 6.0 7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  Description: F  Chark Interval In	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftft ftft ft  water well s well cify below)
GRAVEL PA GROUT MATERIAL ut Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO 0.0 0.3 6.0 7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftft ftft ft  water well s well cify below)
GRAVEL PA GROUT MATERIAL ut Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO 0.0 0.3 6.0 7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	f
GRAVEL PA GROUT MATERIAL at Intervals: Froi t is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO 0 0.3 6.0 7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	f
GRAVEL PA GROUT MATERIAL at Intervals: Froi t is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO 0 0.3 6.0 7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	f
GRAVEL PA GROUT MATERIAL at Intervals: From this is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew cotion from well? OM TO 0.0 0.3 0.3 6.0 0.7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftft ftft ft water well s well cify below)
GRAVEL PA GROUT MATERIAL at Intervals: From this is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew cotion from well? OM TO 0.0 0.3 0.3 6.0 0.7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftft ftft ft  water well s well cify below)
GRAVEL PA GROUT MATERIAL at Intervals: From this is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew cotion from well? OM TO 0.0 0.3 0.3 6.0 0.7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftft ftft ft water well s well cify below)
GRAVEL PA GROUT MATERIAL tut Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO 0.0 0.3 6.0 7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftft ftft ft  water well s well cify below)
GRAVEL PA GROUT MATERIAL out Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew exciton from well? ROM TO 0.0 0.3 0.3 6.0 6.0 7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftftftftftftftf
GRAVEL PA GROUT MATERIAL out Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew exciton from well? ROM TO 0.0 0.3 0.3 6.0 5.0 7.0	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1.    Character 1.	rom. 12 rom. 11 rom  it 2 mination: is it  THOLOGIC LO	Cement grout  ft. to	22	ft., Fro ft., Fro ft., Fro ft., Fro onite to. 11 10 Lives 11 Fuel 12 Fertil 13 Insec	m	ft. to	ftft ftft ft  water well s well cify below)
GRAVEL PA GROUT MATERIAL out Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0.0 0.3 0.3 6.0 0.0 7.0 7.0 22.0  CONTRACTOR'S Completed on (mo/day/	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1	rom. 12 rom. 11 rom  It 2	Cement grout  ft. to  ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyard  CG  CClay  7  This water well	22	ft., Fro ft., Fro ft., Fro ft., Fro onite 4 to	m	ed under my jur my knowledge a	ftft  ftft  water well s well cify below)
GRAVEL PA GROUT MATERIAL tut Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0.0 0.3 0.3 6.0 7.0 22.0  CONTRACTOR'S Completed on (mo/day/	ED INTERVALS: F  CK INTERVALS: F  CK INTERVALS: F  December 1	rom. 12 rom. 11 rom. 11 rom it 2 gmination: is it  FHOLOGIC LC Silty Fat Fat Clay  ERTIFICATION /94	Cement grout  ft. to  ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyard  CG  CClay  7  This water well	22 22 22 23 24 25 26 27 28 29 11 12 13 14 15 16 16 17 18 18 18 19 19 10 10 11 12 13 14 15 16 17 18 18 18 19 19 19 10	ft., Fro ft., Fro ft., Fro ft., Fro onite 4 to	m	ft. to	from the second of the second