WATER WELL R	ECORD	Form WWC	-5	Divisio	n of Water	r Resources; A	App. No.		···	
1 LOCATION OF V		Fraction		Section N	lumber	Township				
County: Barber		SE 1/4 SE 1/4 N	IE 1/4	21		·	S	R10w	E/W	
Distance and direction from nearest town or city street address of well if located within city?					Global Positioning Systems (decimal degrees, min. of 4 digits)					
1/2E of Sharon, KS					Latitude:					
2 WATER WELL OWNER: Borris Landis					Longitude:					
RR#, St. Address, Box # : 1402 Bross					Elevation: Datum:					
City, State, ZIP Code : Longmont, CO 80501					Data Collection Method:					
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL63						victilou.		-		
LOCATION	, but in or com	ELILD WEEL								
WITH AN "X" IN SECTION BOX:	X: WELL'S STATIC WATER LEVEL14 ft. below land surface measured on mo/day/yr11/.21/.06									
N	Pump test data: Well water was									
Est. Yield. 60gpm: Well water was										
W NW NE	E - 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well										
SW SE	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs									
Sample was submitted										
S	NICED 5 W				G 1 G 77 T 4	~			•	
5 TYPE OF CASING	GUSED: 5 Wrought I MP (SR) 6 Asbestos-	compant 0 Otho	crete tile	· halarri	CASINO	3 JOINTS <u>: </u>	<u>Glued</u>	Clampe	d	
2 PVC 4 A		Cement 9 Otne	r (specify	delow)		·	Weided		•••••	
	5 in. to43	ft Diameter	i	in. to	ft	Diameter		in. to	ft.	
Blank casing diameter										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)										
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped <u>8 Saw Cut</u> 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From 43 ft. to 63 ft., From ft. to ft. From ft. to ft.										
CD AVEL DA	From	ft. to	62	ft.,	From		ft. to		ft.	
GRAVEL PACK INTERVALS: From 20 ft. to 6.3 ft., From ft. to ft. From ft. to ft., From ft. to ft.										
п., гот п. т.										
6 GROUT MATERIA										
Grout Intervals: I	From 3 ft. to	63 ft., From		ft. to	ft	, From		ft. to	ft.	
	rce of possible contaminati		10.1.		12.7	.: : 1 . 0.		1604 (
1 Septic tank 2 Sewer lines	4 Lateral lines 5 Cess pool		10 Livest 11 Fuel st			ecticide Stor andoned wa		16 Other (sp below)	secity	
	er lines 6 Seepage pit			iorage zer Storage		l well/gas w				
				_		_				
FROM TO	LITHOLOGIC		FROM	I TO				ERVALS		
			63		bent	onite				
			3	0	top:	soil				
	andis Trust A-21									
C.	touling Duilling C								•	
	Sterling Drilling Company P. O. Box 1006								•	
	Pratt, KS 67124									
	WUCE NO OFILE								,	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 11/21/06 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No186 This Water Well Record was completed on (mo/day/year) 11/27/06										
under the business name of Kelly's Water Well Service, Inc. by (signature) Kathyn & Hoad INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top										
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone										
785-296-5522. Send on http://www.kdheks.gov/wate		ER and retain one fo	or your re	ecords. Fe	e of \$5.0	00 for each	constructed	<u>i</u> well. Vis	sit us at	