

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

21524

1 LOCATION OF WATER WELL: County: Barber Fraction 1/4 NW 1/4 NW 1/4 NW 1/4 Section Number 25 Township No. T 32 S Range Number R 10 E W Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: 1/2 South, 2 1/2 East of Sharon Global Positioning System (GPS) information: Latitude: Longitude: Elevation: Datum: Collection Method: Est. Accuracy:

2 WATER WELL OWNER: Richard Hendricks RR#, Street Address, Box #: 4654 SE Catalpa Road City, State, ZIP Code : Sharon, Ks. 67138 3 LOCATE WELL WITH AN "X" IN SECTION BOX: N W E S 4 DEPTH OF COMPLETED WELL 87 ft. Depth(s) Groundwater Encountered (1) 11 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 11 ft. below land surface measured on mo/day/yr. 7-25-12 Pump test data: Well water was 43 ft. after 3 hours pumping 1119 gpm EST. YIELD 1271 gpm Well water was 47 ft. after 3 1/2 hours pumping 1271 gpm Bore Hole Diameter 40 in. to 87 ft., and in. to ft. WELL WATER TO BE USED AS: Irrigation Industrial Domestic-lawn & garden Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted. Water well disinfected? Yes No

5 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 16 in. to 87 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 18 in., Weight Sch 40 lbs./ft., Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None Louvered shutter Key punched Wire wrapped Saw cut Other SCREEN-PERFORATED INTERVALS: From 87 ft. to 67 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 87 ft. to 20 ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From 20 ft. to 0 ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None Direction from well Distance from well

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows: 0-3 Sandy top soil, 3-19 Sandy reddish brown clay, 19-26 Soft gray clay, 26-50 Sand & gravel- small & loose, 50-55 Sandy reddish brown clay, 55-70 Sand & gravel- fine to small, 70-85 Sand & gravel- small & loose, 85-87 Red bed

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 7-25-12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 8-21-12 under the business name of Rosencrantz-Bemis by (signature) Tom Albrecht

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.