

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

Well ID

MW7

Original Record Correction Change in Well Ust

1 LOCATION OF WATER WELL: County Barber Fraction NW 1/4 NE 1/4 SW 1/4 NW 1/4 Section Number 21 Township Number T 32 S Range Number R 10 E W

2 WELL OWNER: Last Name: Rucker First: M Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): ~104' SE of 103 E. Washington St., Sharon KS

3 LOCATE WELL WITH "X" IN SECTION BOX: NW NE SW SE

4 DEPTH OF COMPLETED WELL: 14.89 ft Depth(s) Groundwater Encountered: 1) 14.89 ft 2) ft 3) ft, or 4) Dry Well

5 Latitude: 37.24908 (decimal degrees) Longitude: 98.41948 (decimal degrees) Horizontal Datum: X WGS 84 NAD 83 NAD 27

6 Elevation 98.37 ft Ground Level X TOC Source X Land Survey GPS Topographic Map

7 WELL WATER TO BE USED AS: 1 Domestic: Household Lawn & Garden Livestock Irrigation Feedlot Industrial

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 2 in. to 4.89 ft

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete: 0-0.5' Grout intervals: From 0.5 ft. to 3 ft.

Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well

10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 12/30/15

TRITERRA

LAND SERVICES

P.O. Box 546
Clearwater, Kansas 67026
Cell (316) 648-3617 Fax (620) 584-4371
E-mail: triterrals@yahoo.com

SURVEYING OF MONITORING WELLS SERVICE STATION SHARON, KANSAS

The above site is in Section 21, Township 32 South, Range 10 West of the Sixth Principal Meridian, Barber County, Kansas. The Southeast corner of Section 21 was assigned coordinates of 00.00 North and 00.00 West.

A BM for vertical control was not available, therefore a control point was established with an assigned value of 100.00' MSL. It is described as a chiseled 'X' on the old elevated sign base located west of the SW corner of the building.

The Latitude and Longitude were recorded from a GPS unit. The site is located on the 7.5' quad map titled "Sharon South".

ID	NORTH	WEST	LATITUDE	LONGITUDE	ELEVATION
SE CORNER 21-32S-10W	00.00	00.00			
Control Point	3843.32	4674.08	37.24953	98.42009	100.00
MW-1 NE NW SW NW	3795.19	4628.55	37.24938	98.41991	RIM 99.61 TOC 99.29
MW-2 NW NE SW NW	3867.33	4546.45	37.24960	98.41965	RIM 100.18 TOC 99.85
MW-3 NW NE SW NW	3808.32	4553.85	37.24940	98.41965	RIM 99.66 TOC 99.08
MW-4 NE NW SW NW	3860.80	4695.67	37.24957	98.42017	RIM 99.57 TOC 99.04
MW-5 NW NE SW NW	3725.02	4599.85	37.24921	98.41985	RIM 98.55 TOC 98.09
MW-6 NW NE SW NW	3762.45	4444.44	37.24931	98.41931	RIM 99.20 TOC 98.72
MW-7 NW NE SW NW	3686.80	4492.51	37.24908	98.41948	RIM 98.77 TOC 98.37
MW-8 NW NE SW NW	3763.36	4321.96	37.24931	98.41889	RIM 99.78 TOC 99.18
MW-9 NW NE SW NW	3901.19	4347.42	37.24968	98.41898	RIM 99.96 TOC 99.56

