WATER	R WELL	RECO	ORD		Form WW	C-5]	Division of Wate	r Resources; App. No.		
	ATION O		ER WEL	L:	Fraction		Sec	ction Number	Township Number	Range Number	
	y: Barb				SE 1/4 SW 1/4		<u></u>	12	T 32 S	R 11	
	ice and dire		om neare	est town or c	eity street address of	well if		oai Positioning titude:	Systems (decimal deg	rees, min. of 4 digits)	
1 mil	e east	of	Isabe:	1 Rd. a	nd US HWY 1	60					
		WELLOWNER: Kelly Hrencher						Longitude: Elevation:			
	St. Addres				US HWY 160			tum:			
City,	State, ZIP	Code			Lodge, KS	67104	l		Method:		
3 LOC	ATE WEL	L'S 4	4 DEPTI	H OF COM	PLETED WELL .	6.7		ft.	victiou.		
	ATION		. 22111								
WITI	H AN "X"		Depth(s) Groundwater Encountered (1)								
SECT	TION BOX	ζ: '	WELL'S STATIC WATER LEVEL16ft. below land surface measured on mo/day/yr61.506.								
	N	_	Pump test data: Well water was								
	Est. Yieldgpm: Well water wasft. afterhours pumpinggpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										
w NW	1 Demostic 2 Feedlet (Oil field water graphs 0 Deventoring 12 Other (Specify below)										
"	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well										
cu.											
Sample was submitted											
S											
	OF CASI	ING US	ED:	5 Wrough		oncrete tile		CASIN	G JOINTS: Glued	•	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded											
Plank casing diameter 8											
Casing height above land surface in., Weight lbs./ft. Wall thickness or guage No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless Steel 5 Fiberglass GVC 9 ABS 11 Other (Specify)											
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 5 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From 6.7 ft. to 47 ft., From ft. to ft.											
From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From67 ft. to											
From ft. to ft., From ft. to ft.											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
What is	the nearest	source	of possibl	le contamin	ation:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other									16 Other (specify		
I	Sewer lines			Cess pool	8 Sewage lagoon	11 Fuel			bandoned water well	below)	
					9 Feedyard	12 Fertil			il well/gas well 9		
FROM	TO	1:9		ITHOLOG		FRO		TO	PLUGGING INT		
0	5	Fin		d and s		20	V1		tonite chips	- "	
5	20		ty cl		3110			0 50	conrec chips		
20	67			grave	1						
					-10.1						
							_				

7 CONT	L FRACTOI	R'S AD	LANDO	WNFD'S	TERTIFICATION	· This water	er we	all was 112 ones	tructed (2) reconstruc	ted or (3) plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)6-1506 and this record is true to the best of my knowledge and belief.											
Kansas	Water Wel	l Contra	ctor's Lic	cense No	6.6.5 This Wa	ater Well R	ecor	d was complete	d on (mo/day/year)	7-1-06	
under th	e business	name o	_f Pra	itt Wel	l Environme	ntal	by (signature)	Tava Con	u	
INSTRUC	CTIONS: Us	se typewr	ter or ball	point pen. PL	EASE PRESS FIRMLY	and <u>PRINT</u> cle	arly.	Please fill in blar	ks, underline or circle the	correct answers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at											
http://www.kdhe.state.ks.us/geo/waterwells.											