County: Barber   SE NE 1/4 NW 1/4 NE 1/4   11   T 32   S   R 1/2  Distance and direction from nearest town or city street address of well if located within city?  West Edge of Medicine Lodge, Kansas  WATER WELL OWNER: Graves Drilling Co., Inc.  RR#, St. Address, Box #: 910 Union Center Board of Agriculture, Division of W. Application Number: T81—  City, State, ZIP Code: Wichita, Kansas 67202 Application Number: T81—  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 112. ft. 2. ft. 2. ft. 3.  WELL'S STATIC WATER LEVEL. 1.2. ft. 2. ft. 3.  WELL'S STATIC WATER LEVEL. 1.2. ft. dolow land surface measured on mo/day/yr 1.2/2  Pump test data: Well water was ft. after hours pumping  Est. Yield .60. gpm: Well water was ft. after hours pumping  Est. Yield .60. gpm: Well water was ft. after hours pumping  WELL WATER T0 BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  Was a chemical/bacteriological sample submitted to Department? Yes. No if yes, mo/day/yr se water was  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINS: Glued  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  7 Fiberglass Threaded  7 Five Stank casing diameter in. to	water Resource 1–967  /29/81  yell ecify below)  r sample was so Clamped  (open hole)
WATER WELL OWNER:  WATER WELL OWNER:  R##, St. Address, Box #:  910 Union Center  Wich, State, ZIP Code:  Wichita, Kansas 67202  Application Number:  Depth(s) Groundwater Encountered 112, ft. 2. ft. 3.  WELL'S STATIC WATER LEVEL 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	water Resource 1–967  /29/81  yell ecify below)  r sample was so Clamped  (open hole)
West Edge of Medicine Lodge, Kansas  WATER WELL OWNER:  3#, St. Address, Box #:  910 Union Center  Wichita, Kansas 67202  Application Number:  T81-  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  WELL'S STATIC WATER LEVEL.  Pump test data: Well water was ft. after hours pumping bore hole blameter. 8. in. to 50. ft., and in. to was a chemical/bacteriological sample submitted to Department? Yes.  No  TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR)  2 PVC  2 PVC  3 ABS  3 Similess steel 5 Fiberglass  4 Galvanized steel 6 Concrete tile 9 ABS  1 Steel 3 Stainless steel 5 Fiberglass  4 Galvanized steel 6 Concrete tile 9 ABS  1 Done Hole Diameter 1.2 in., weight 2.8 BMP (SR)  2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS  1 Continuous slot 3 Mill slot 6 Wire wapped 9 Interestly in Continuous slot 3 Mill slot 6 Wire wapped 9 Interestly in Continuous slot 3 Mill slot 6 Wire wapped 9 Interestly in Continuous slot 3 Mill slot 6 Wire wapped 9 Details in to 50 Other (specify) contents on the continuous slot 3 Mill slot 6 Wire wapped 9 Details in to 50 Other (specify) contents of the continuous slot 3 Mill slot 6 Wire wapped 9 Details in to 50 Other (specify) contents of the continuous slot 3 Mill slot 6 Wire wapped 9 Details in to 50 Other (specify) contents of the continuous slot 3 Mill slot 6 Wire wapped 9 Details in to 50 Other (specify) contents of the continuous slot 3 Mill slot 6 Wire wapped 9 Details in to 50 Other (specify) contents of the continuous slot 3 Mill slot 6 Wire wapped 9 Details in to 50 Other (specify) contents of the continuous slot 5 Details in to 50 Other (specify) contents of the continuous slot 5 Details in to 50 Other (specify) contents of the continuous slot 5 Details in to 50 Other (specify) contents of the continuous slot 5 Details in to 50 Other (specify) contents of the continuous slot 5 Details in to 50 Other (specify) contents of the contents	1-967  /29/81  gpi well ecify below) r sample was sulvo Clamped
WATER WELL OWNER:  ##. \$1. Address, Box #:  910 Union Center  910 Union Center  Wichita, Kansas 67202  Application Number:  T81-  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  WELL'S STATIC WATER LEVEL  Pump test data: Well water was  F. Yield 60. gpm: Well water was  F. Yield 60. gpm: Well water supply  WELL WATER TO BE USED AS:  1 Domestic 3 Feedlot 6 Oli field water supply  Water Well Disinfected? Yes No  TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR)  1 Steel 3 RMP (SR)  1 Steel 3 SMMP (SR)  1 Steel 3 Stainless steel 5 Fiberglass  ank casing diameter 5. in. to 0. ft., Dia in. to ft., Dia in. to ft., Dia in. to ft. Dia saing height above land surface.  1 Steel 3 Stainless steel 5 Fiberglass  A Galvanized steel 6 Concrete tile 9 ABS  2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS  1 Continuous slot 3 Mill slot 6 Wire wrapped  10 Continuous slot 3 Mill slot 6 Wire wrapped  PREEN-PERFORATED INTERVALS: From 30 ft. to 50 ft., From ft. to ft. co ft. to ft. to ft. co	1-967  /29/81  gpi well ecify below) r sample was sulvo Clamped
Board of Agriculture, Division of W. Application Number: T81—  No. State, ZIP Code:  Wichita, Kansas 67202  Board of Agriculture, Division of W. Application Number: T81—  DEPTH OF COMPLETED WELL: 50. ft. ELEVATION: Unknown  Depth(s) Groundwater Encountered 11.2 ft. below land surface measured on mo/day/yr 12./2.  Pump test data: Well water was ft. after hours pumping  Pump test data: Well water was ft. after hours pumping  Bore Hole Diameter 8. in. to 50. ft., and in. to in. to  WELL WATER T0 BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  Was a chemical/bacteriological sample submitted to Department? Yes No if yes, mo/day/yr se  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clar  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	1-967  /29/81  gpi well ecify below) r sample was sulvo Clamped
No.   State, ZIP Code     Wichita, Kansas   67202	1-967  /29/81  gpi well ecify below) r sample was sulvo Clamped
Depth of Completed well.   SO   ft. ELEVATION: Unknown   Depth of Completed well.   SO   ft. ELEVATION: Unknown   Depth of Completed   112   St.   S	yell ecify below) r sample was sulto Clamped
Depth(s) Groundwater Encountered 11.2	yell ecify below) r sample was solo Clamped
WELL'S STATIC WATER LEVEL 1.2 ft. below land surface measured on mo/day/yr 1.2/2  Pump test data: Well water was ft. after hours pumping  Bore Hole Diameter 8 i.i. to 50 ft., and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specific 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well 3 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Water Well Disinfected? Yes No mitted 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded  Alax casing diameter in. to ft., Dia in. to ft., Dia in. to asing height above land surface 1.2 in, weight 2.8 lbs./ft. Wall thickness or gauge No Sch. APE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Sch. 12 None used (open hole) CREEN-PERFORATION OPENINGS ARE: 5 Gauzed wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 12 CREEN-PERFORATED INTERVALS: From 30 ft. to .50 ft., From ft. to ft. to ft. to ft. ft. bis ft. ft. ft. ft. ft. ft. ft. ft. ft.	yell ecify below) r sample was sulo Clamped
Pump test data: Well water was ft. after hours pumping set. Yield 60 gpm: New Yell of the set only in to yell water supply go pumping set. Yield 60 gpm: No Set only in to yell yell yell yell yell yell yell yel	yell ecify below) r sample was su No Clamped
Est. Yield 60 gpm: Well water was	yell ecify below) r sample was sulo Clamped
Est. Yield 60. gpm: Well water was ft. after hours pumping Bore Hole Diameter 8. in. to 50. ft., and in. to well WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specific 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well was a chemical/bacteriological sample submitted to Department? Yes. No. ; if yes, mo/day/yrs mitted water Well Disinfected? Yes No water Well Disinfected? Yes No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Casing 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Melded Threaded In. to asing height above land surface. 1.2 in., weight 2.8 lbs./ft. Wall thickness or gauge No. School School Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (or Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From ft. to .50 ft., From ft. to .	veil ecify below) r sample was so No Clamped
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specific Content of the Content	well ecify below) r sample was so lo Clamped h
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify Lawn and garden only 10 Observation well was a chemical/bacteriological sample submitted to Department? Yes	r sample was sundo Clamped
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	r sample was su
Was a chemical/bacteriological sample submitted to Department? Yes	r sample was sundo
TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	Clamped
TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	no. 40.
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	h. 40.
2 PVC ank casing diameter 5 4 ABS 30 7 Fiberglass 7 Fiberglass 7 Fiberglass 7 Fiberglass 7 Fiberglass 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 1 None (of 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 10 CREEN-PERFORATION INTERVALS: From 10 Other (specify) 10 Other (specify) 11 None (of 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 10 Other (specify) 10 Other (specify) 11 Other (specify) 11 Other (specify) 12 None (of 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 10 Other (specify) 10 Other (specify) 11 Other (specify) 11 Other (specify) 12 None (of 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 10 Other (specify) 11 Other (specify) 12 None (specify) 13 Other (specify) 13 Other (specify) 14 None (specify) 15 Other (specif	h. 40
ank casing diameter	no. 40
ank casing diameter in. to ft., Dia in. to ft., Dia in. to sasing height above land surface 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No Sch. YPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (or 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) CREEN-PERFORATED INTERVALS: From 30 ft. to .50 ft., From ft. to	h. 40
YPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	(open hole)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	(open hole)
2 Brass       4 Galvanized steel       6 Concrete tile       9 ABS       12 None used (open hole)         CREEN OR PERFORATION OPENINGS ARE:       5 Gauzed wrapped       8 Saw cut       11 None (o         1 Continuous slot       3 Mill slot       6 Wire wrapped       9 Drilled holes         2 Louvered shutter       4 Key punched       7 Torch cut       10 Other (specify)         CREEN-PERFORATED INTERVALS:       From       30       ft. to       50       ft., From       ft. from       ft. to	(open hole)
CREEN OR PERFORATION OPENINGS ARE:         5 Gauzed wrapped         8 Saw cut         11 None (o           1 Continuous slot         3 Mill slot         6 Wire wrapped         9 Drilled holes           2 Louvered shutter         4 Key punched         7 Torch cut         10 Other (specify)           CREEN-PERFORATED INTERVALS:         From         30         ft. to         50         ft., From         ft. to	
1 Continuous slot         3 Mill slot         6 Wire wrapped         9 Drilled holes           2 Louvered shutter         4 Key punched         7 Torch cut         10 Other (specify)           CREEN-PERFORATED INTERVALS:         From         30         ft. to         50         ft., From         ft. to	
2 Louvered shutter       4 Key punched       7 Torch cut       10 Other (specify)         CREEN-PERFORATED INTERVALS:       From       30       ft. to	
CREEN-PERFORATED INTERVALS: From	, <b>, , , , , , , , , , ,</b> , , , ,
From ft to ft From ft to	
10.11	
GRAVEL PACK INTERVALS: From	
From ft. to ft., From ft. to	1
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
rout Intervals: Fromft. to10ft., Fromft. toft., Fromft. to	
that is the nearest source of possible contamination:  10 Livestock pens  14 Abandoned was	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas w	well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify	ify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
irection from well? East How many feet? 60	
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG  O 5 Clay	
5 50 Sand and Gravel	
	· · · · · · · · · · · · · · · · · · ·
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed or (3) plugged under my juriedia.	sdiction and wa
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdic impleted on (mo/day/year)	idiction and wa
mpleted on (mo/day/year)	nd belief. Kansa
mpleted on (mo/day/year)	sdiction and wand belief. Kansa