CORRECTION(S) TO WATER WELL RECORD (WWC-5)

| (to rectify lacking or incorrect information) County: Banben |
|---|
| Y 41 |
| Section-Township-Range: 12-12-32w, Logan Co. 12-32s-12w |
| Fraction (1/4 1/4 1/4): |
| Other changes: Initial statements: T-R-5 out of onder. Clearly in |
| Medicine Ludge, so not sure how they got county wrong. |
| Changed to: |
| Comments: |
| rerification method: |
| initials: date: |

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

| | | | WELL RECORD | | | | | NW-6 |
|--|---|--|---|----------------------------|--|--|--|---|
| OCATION OF WA | TER WELL: | Fraction | | Sec | tion Number | Township N | | Range Number |
| ance and direction | n from nearest town or | city street add | ess of well if loca | ted within city? | | <u> T /2 </u> | | $R 32 E_{\Lambda}$ |
| | Y - BETULEN | | +MAIN- | 51 5-14h | 760 | MEDICIN | E ZUD | C C |
| VATER WELL OV | | ARKE | CORP | | | | | |
| f, St. Address, Bo State, ZIP Code | | DICINE | FOULE | 7 | [7/A// | Board of Application | Agriculture, D | ivision of Water Resou |
| | OCATION WITH A | EDTU OF COL | LODGE | 15.3 | .//04 | Application | n Number: | |
| "X" IN SECTIO | LOCATION WITH 4 D | th(a) Cravedova | PLETED WELL. | ے ہے۔ | . ft. ELEVA | TION: | | |
| | N Dept | I'S STATIC M | ATED LEVEL | 0/ / | ft. / | 2 | ft. 3. | - 04 400 901 |
| i | | LO STATIC W | et data: Well we | .04.0 It. be | elow land sui | face measured or | n mo/day/yr 🕻 | 96-14-94 |
| NW | NE Fst | Yield — | onm: Well wa | ter was | τπ. a | tter | . hours pun | nping g |
| | Bore | Hole Diameter | 8. 62 5 in t | /57.3 | ft | and — | . Hours pur | to . **. g |
| w * | I WEL | L WATER TO | BE USED AS: | 5 Public water | | 8 Air conditioning | | njection well |
| SW | 1 | 1 Domestic | 3 Feedlot | | | | | Other (Specify below) |
| 3W | | 2 Irrigation | 4 Industrial | 7 Lawn and g | arden only | 1 <u>0 Monitorina wel</u> | I , | . |
| 1 | Was | a chemical/bac | teriological sample | submitted to De | partment? Y | es No | X ; If yes, i | mo/day/yr sample was |
| | S mitte | | | | Wa | ter Well Disinfecte | ed? Yes 🕳 | No 🗶 |
| YPE OF BLANK | | | Wrought iron | 8 Concre | | | | Clamped |
| 1 Steel | 3 RMP (SR) | | Asbestos-Cemen | | specify below | | | d |
| 2 PVC | 4 ABS | | Fiberglass | · · *** · · · | · · · · · · · · · · · · | | Thread | ded 🗶 |
| ing height above I | r Z in. to land surface Z | 4 | . π., Dia . | Sc.H 4 | — | π., Dia . | Ir | 1. to . * . |
| | OR PERFORATION MA | | , weight | 7 PV(| | | or gauge No. bestos-cemen | |
| 1 Steel | 3 Stainless stee | | Fiberglass | | ⊭ P(SR) | | | |
| 2 Brass | 4 Galvanized ste | _ | Concrete tile | 9 ABS | | | ne used (ope | |
| REEN OR PERFO | RATION OPENINGS A | | | zed wrapped | | 8 Saw cut | ` . | 11 None (open hole) |
| 1 Continuous slo | ot 3 Mill slot | ţ | | e wrapped | | 9 Drilled holes | | trans (apan nais) |
| 2 Louvered shut | tter 4 Key pu | nched | 7 Toro | ch cut | | 40 Other / | | |
| SAKD | ACK INTERVALS: F | rom | ft. to | /ST | ft., From | n | ft. to | - |
| SAKD ORAVEL PA GROUT MATERIAL | FACK INTERVALS: FFL: 1 Neat cemer | from | ft. to ft. to ft. to ft. to ft. to | /57.3 3 Bentor | ft., From tt., From tt., From tt. | m — Other | ft. to ft. to ft. to ft. to | . |
| GROUT MATERIAL ut Intervals: Fro | F ACK INTERVALS: F | from from from from from from from from | ft. to ft. to ft. to ft. to ft. to | /57.3 3 Bentor | ft., From | Other | ft. to | . |
| GROUT MATERIAL out Intervals: Fro | ACK INTERVALS: F L: 1 Neat cemer om. 64 | from | ft. to ft. to ft. to ft. to Cement grout ft., From | /5.3 | ft., Froi ft., Froi ft., Froi nite 4 o. 4 | Other | ft. to ft. to ft. to | ft. to andoned water well |
| GROUT MATERIAL From the street services in the nearest services. | ACK INTERVALS: F F L: 1 Neat cemer om 64 ft. to | from | ft. to ft. to ft. to ft. to Cement grout ft., From | /57.3 3 Bentor ft. t | ft., Froi ft., Froi hite 4 o. 4/ 10 Lives | on | ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. to ft. | ft. to andoned water well |
| GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines | ACK INTERVALS: F L: 1 Neat cemer om. 64 to to ource of possible conta 4 Lateral line | from | ft. to ft. to ft. to ft. to ft. to ft. to Cement grout ft., From . Z | /57.3 3 Bentor ft. t | | Other ft., From tock pens storage | ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. to ft. | ft. to |
| GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? | ACK INTERVALS: F L: 1 Neat cemer om. 6. ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p | from | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | /57.3 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? | ACK INTERVALS: F L: 1 Neat cemer om. 6. ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p | from | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | /57.3 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. to ft. | ft. to andoned water well well/Gas well ner (specify below) |
| GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight seve ction from well? | ACK INTERVALS: F L: 1 Neat cemer om. 6. ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p | from | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| GROUT MATERIAL at Intervals: Fro at is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight seve ction from well? OM TO 1.5 5 3 | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p | from 2 (from 2 | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| GROUT MATERIAL at Intervals: Fro the is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? IOM TO INS 3 TO INS 5 TO INS TO | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S | from 2 (from 2 | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| GROUT MATERIAL at Intervals: Fro the is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? TO T | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p | from 2 (from 2 | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| ARD ORANGE PARTIES PAR | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S | from 2 (from 2 | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| ROUT MATERIAL It Intervals: Fro t is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevetion from well? OM TO - //S - 3 - 75 - 75 - 3 | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S | from 2 (from 2 | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| ROUT MATERIAL It Intervals: Fro It is the nearest so I Septic tank I Sewer lines I Watertight sevention from well? I TO | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S | from 2 (from 2 | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| CRAVEL PARTIES AND CONTROL OF THE PARTIES AND CONTROL OF T | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S | from 2 (from 2 | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| ARD ORANGE PARTIES PAR | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S | from 2 (from 2 | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| GROUT MATERIAL at Intervals: Fro the is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? TO T | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S | from 2 (from 2 | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev action from well? ROM TO 1 15 3 3 5 7 7 5 3 | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S | from 2 (from 2 | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev action from well? ROM TO 1 15 3 3 5 7 7 5 3 | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S | rom | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| GROUT MATERIAL at Intervals: Fro the is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? TO T | ACK INTERVALS: F L: 1 Neat cemer om. 64 ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S | rom | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard | 3 Bentor ft. t | ft., From tt., F | Other ft., From tock pens storage zer storage ticide storage ny feet? | ft. to | ft. to andoned water well well/Gas well ner (specify below) |
| GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev ction from well? FOM TO 1 1/5 5 3 7 7 7 753 7 753 7 753 7 753 | ACK INTERVALS: F L: 1 Neat cemer om. 64. ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAND S SILT | from | ft. to ft. from ft., From From Freedyard G | 3 Bentor ft. t | ft., Froi ft., Froi ft., Froi nite 4 o | other ft., From tock pens storage zer storage tricide storage ny feet? | ft. to | ft. to |
| GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight seve ction from well? IOM TO 1.5 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | ACK INTERVALS: F L: 1 Neat cemer om. G.L. ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI' SAIL CLAY-S. SAND S SILT OR LANDOWNER'S C | rom. — from. — | ft. to ft. from ft., From From Freedyard G | 3 Bentor ft. to | tt., From tt., F | on | ft. to | ft. to |
| GONTRACTOR'S colleted on (mo/day | ACK INTERVALS: F L: 1 Neat cemer om. 6. ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI' SAIL CLAY-S. SAWD S SILT OR LANDOWNER'S C 1/(year) D6- | rom. — from. — | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard G | 3 Bentor ft. to | tted, (2) reco | on tock pens storage ticide storage pry feet? | ft. to ft | ft. to |
| GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev ection from well? ROM TO L 1.5 5 3 7 15.3 D 15.3 | ACK INTERVALS: F L: 1 Neat cemer om. 6. ft. to ource of possible conta 4 Lateral line 5 Cess pool wer lines 6 Seepage p LI SAIL CLAY-S SAID S SILT OR LANDOWNER'S C I/year) 6. | rom. — from. — | ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard G : This water well This Water | 3 Bentor ft. to | tted, (2) reco | on tock pens storage ticide storage my feet? Pinstructed, or (3) prod is true to the bean (mo/day/yr) | ft. to ft | ft. to |

MW-6