City, State, ZIP Code : Wichita, Kansas 67202 Application Number: Unknown LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth of Completed Well 32 ft. Elevation: Unknown	Resources wnft. 81gpmgpmft. low)
Distance and direction from nearest town or city street address of well if located within city? 1 S of Medicine Lodge, Kansas WATER WELL OWNER: Graves Drilling Co., Inc. RR#, St. Address, Box #: 910 Union Center Board of Agriculture, Division of Water R Application Number: Unknown LOCATE WELL'S LOCATION WITH A AN 'X' IN SECTION BOX: Depth(s) Groundwater Encountered 1. 1. ft. below land surface measured on morday/yr 6/29/8 WELL'S STATIC WATER LEVEL 1. ft. below land surface measured on morday/yr 6/29/8 Pump test data: Well water was ft. after hours pumping Est. Yield 60. gpm: Well water was ft. after hours pumping 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No. (Figure 1) Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued 1. Threaded 1. Threaded 1. Threaded 1. Threaded 1. 1. Threaded	Resources wnft. 81gpmgpmft. low)
MATER WELL OWNER: Graves Drilling Co., Inc. RR#, St. Address, Box #: 910 Union Center City, State, ZIP Code: Wichita, Kansas 67202 LOCATE WELL'S LOCATION WITH Depth of CoMPLETED WELL. 32 ft. ELEVATION: Unknown Depth(s) Groundwater Encountered 1. 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 1 ft. below land surface measured on moldaylyr 6/29/8 Pump test data: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 50 gpm: Well water was ft. after hours pumping Est. Yield 50 gpm: Well water was ft. after hours pumping Est. Yield 50 gpm: Well water was ft. after hours pumping Est. Yield 50 gpm: Well water was ft. after hours pumping Est. Yield 50 gpm: Well water was ft. after hours pumping Est. Yield 50 gpm: Well water was ft. after hours pumping Est. Yield 50 gpm: Well water was ft. after hours pumping Est. Yield 50 gpm: Well water was ft. after hours pumping Est. Yield 50 gpm: Well water supply 8 Air conditioning 11 Injection well 1 Demestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped Water Well Disinfected? Yes No Welded 2 PVC 4 ABS 7 Fiberglass Threaded Elank casing diameter 5 in. to 12 ft. Dia in. to ft. Dia in. to Casing height above land surface 12 in., weight 2 * 8 lbs/ft. Wall thickness or gauge No Sch. All YPPC 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	wnft. 81gpmft. low)ft.
WATER WELL OWNER: Graves Drilling Co., Inc. RR#, St. Address, Box #: 910 Union Center City, State, ZIP Code: Wichtta, Kansas 67202 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 1. ft. below land surface measured on mo/daylyr 6/29/8 WELL'S STATIC WATER LEVEL 1. ft. below land surface measured on mo/daylyr 6/29/8 WELL'S STATIC WATER LEVEL 1. ft. below land surface measured on mo/daylyr 6/29/8 Bore Hole Diameter 8. in. to 32. ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after ft. afte	wnft. 81gpmft. low)ft.
Board of Agriculture, Division of Water R Application Number: Unknow LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 1. 1. ft. below land surface measured on mo/day/yr 6/29/8 Pump test data: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water was ft. after hours pumping Est. Yield 60 gpm: Well water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes No. if yes, mo/day/yr sample water well Disinfected? Yes No. TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Casing diameter 5 in to 12 ft., Dia in to ft., Dia in to Casing height above land surface 12 in, weight 2 ft., Dia in to ft., Dia in to 12 no. septiment 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)	wnft. 81gpmft. low)ft.
City, State, ZIP Code : Wichita, Kansas 67202 Application Number: Unknown LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 32 ft. ELEVATION: Unknown Depth(s) Groundwater Encountered 1	wnft. 81gpmft. low)ft.
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 1. ft. below land surface measured on mo/day/yr 6/29/8 Pump test data: Well water was ft. after hours pumping Est. Yield 60. gpm: Well water was ft. after hours pumping Bore Hole Diameter 8. in. to 32. ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes. No. If yes, mo/day/yr sample mitted Water Well Disinfected? Yes No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Pump test data: Well water was ft. after hours pumping 11 Injection well 12 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes. No. If yes, mo/day/yr sample water Well Disinfected? Yes No. TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Casing height above land surface. 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No. Sch. ATTYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)	81 ft. 81 gpm ft. (9) ft.
WELL'S STATIC WATER LEVEL 1. ft. below land surface measured on mo/day/yr 6/29/8 Pump test data: Well water was ft. after hours pumping Est. Yield 60. gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in. to 32 ft., and in. to in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 12 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well was a chemical/bacteriological sample submitted to Department? Yes	81 gpm ft. low) gwas sub-
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	hole)
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From. 12. ft. to. 22. ft., From. ft. to. From. .10. ft. to. .32. ft., From. .10. <td< th=""><th> ft.</th></td<>	ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals: FromQft. to1Qft., Fromft. toft., Fromft., Fromft.	ft. 🔪
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we	/ell
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 1 <u>5 Oil well/Gas well</u>	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below	w) [
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	w) [
Direction from well? East How many feet? 60	
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG	
0 3 Clay	;
3 27 Sand and Gravel	
27 32 Shale	j
	//
	4
	\ <u>\</u>
	۾ [
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and this record is true to the best of my knowledge and belief. Water Well Contractor's License No. 186	f. Kansas