		TER WELL RECORD	Form WWC-5	KSA 82a-			
LOCATION OF WATER County: Comanche	l Ct.t	1/4 SW 1/4		on Number 11	Township Num	ber Range S R 17W	Number E/W
Sounty: Odination from	n nearest town or city street	74 74	74			3 H	<u></u> ⊏/ V V
11 E of Coldwa		address of won in local	ou mann only .				
WATER WELL OWNER	N	Drilling Comp	any				
R#, St. Address, Box #	. Box 3				Board of Agri	culture, Division of Wa	ter Resource
City, State, ZIP Code	Andor	ver, Kansas 67	022		Application N	umber: Unk	nown
	TION WITH 4 DEPTH OF	COMPLETED WELL	107				
AN "X" IN SECTION BO	X: Depth(s) Grou	ndwater Encountered	57	ft. 2		ft. 3	.
	WELL'S STAT	IC WATER LEVEL	57 ft. bel	ow land surf	ace measured on m	o/dav/vr 7/2	2/81
i i	1 1	mp test data: Well wat					
NW	NIE I	O gpm: Well wat				, , ,	-
		meter8in. to					
₩ 	———— F1	R TO BE USED AS:	5 Public water			11 Injection well	
-	i 1 Domest	tic 3 Feedlot	6 Oil field water	r supply	9 Dewatering	12 Other (Specify	below)
SW	SE 2 Irrigation	n 4 Industrial	7 Lawn and ga	rden only 1	0 Observation well		
	Was a chemic	al/bacteriological sample	submitted to Dep	artment? Ye	s <u>.No</u>	; If yes, mo/day/yr sa	mple was sul
<u> </u>	mitted			Wat	er Well Disinfected?	Yes No	
TYPE OF BLANK CASI	NG USED:	5 Wrought iron	8 Concret	e tile	CASING JOINT	S: Glued Clar	nped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (s	pecify below)	Welded	
2 PVC	4 ABS	7 Fiberglass				Threaded	
Blank casing diameter	5in. to .8.7	ft., Dia	in. to .		ft., Dia	in. to	ft.
Casing height above land	surface	in., weight	2•8	Ibs./f	t. Wall thickness or	gauge No Sch	• . 40
TYPE OF SCREEN OR PI	ERFORATION MATERIAL:		7 PVC		10 Asbest	os-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP	(SR)	11 Other	(specify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		12 None	used (open hole)	
SCREEN OR PERFORATI	ON OPENINGS ARE:	5 Gau	zed wrapped		8 Saw cut	11 None (o	en hole)
1 Continuous slot	3 Mill slot	6 Wire	wrapped		9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torc					
SCREEN-PERFORATED I							
		ft. to .					
GRAVEL PACK I	JAN : 14	10 ft. to .	τοι				
	110111	ft. to		ft., Fron			n
GROUT MATERIAL:	Neat cement 103.1	2 Cement grout	3 Denion	<u>1e</u> 4	otner		
		π., From	π. π. π. 	10 15:000	II., From	14 Abandoned wa	
	of possible contamination:	Z Die ne I	a 0 1	11 Euclid	ock pens		
	4 Lateral lines 5 Cess pool	7-Pit phy	Sedrack V S	12 Fortilis	ter storage	16 Other (specify	
2 Sewer lines3 Watertight sewer lines		9 Feedyard	Water T Eleg	12 Incort	inida ataraga	To Other (specify	JeiOW)
Direction from well?	East	Yd II.	Water SPL.	How man	- h()		
FROM TO	Litierogi	IC LOG	FROM	TO		THOLOGIC LOG	
	Lay	The second secon	_ * N W d				
TANT			zxireme g				
	and and Gravel		2010/023				- All Control
		HARPIN PROPERTY OF THE PROPERT					
		A SAMPLE AND A STATE OF THE STA					
					The state of the s		140-140-
							1410-1410-1410-1410-1410-1410-1410-1410
							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
7 CONTRACTOR'S OR I	ANDOWNER'S CERTIFICA	ATION: This water well v	was (1) construct	ed. (2) reco	nstructed, or (3) plus	ged under my jurisdic	tion and was
CONTRACTOR'S OR L	_ANDOWNER'S CERTIFICA	22/81				ged under my jurisdio	
completed on (mo/day/yea	r)	22/81		and this reco	d is true to the best		
completed on (mo/day/yea Nater Well Contractor's Lid ander the business name of	r)	22/81 186 This Water \ ter Wells	Well Record was	and this record completed of by (signat	on (mo/day/yr)	of my knowledge and I 8/25/81	pelief. Kansa
completed on (mo/day/year Vater Well Contractor's Licender the business name of NSTRUCTIONS: Use type	r)	22/81 186 This Water \ ter Wells ASE PRESS FIRMLY at	Well Record was	completed of by (signat Please fill in	d is true to the best on (mo/day/yr) ure) blanks, underline dr	of my knowledge and 8/25/81	pelief. Kansa