3	WAT	ER WELL RECORD FO	orm WWC-5	KSA 82a-	212		
LOCATION OF WATER WELL:			Secti	on Number	Township Numbe	—	umber
County: Comanche		4 SW 1/4 NW		34	т 32	s) R 17	EW)
Distance and direction from neare	st town or city street	address of well if located v	within city?				
9 miles SE of Col	dwater, KS				· · · · · · · · · · · · · · · · · · ·		*****
WATER WELL OWNER:		ration, Inc.			#1-3	4 Einsel Iture, Division of Wate	
RR#, St. Address, Box # :	9400 N Broad	way, Ste. 400					
City, State, ZIP Code		<i>1</i> •			Application Num		
LOCATE WELL'S LOCATION V							
AN "X" IN SECTION BOX:		dwater Encountered 1					
		C WATER LEVEL 3					
NW NE		np test data: Well water v					
	Est. Yield 1	.50. gpm: Well water v	vas	ft. aft	er hou	ars pumping	gpm
<u> </u>	Bore Hole Dian	neter $9\frac{1}{2}$ in. to	100	ft., aı	nd	in. to	
w	WELL WATER	TO BE USED AS: 5	Public water	supply 8	Air conditioning	11 Injection well	
	1 Domestic	3 Feedlot 👩	Oil field water	er supply 9	Dewatering	12 Other (Specify	below)
SW SE	2 Irrigation	4 Industrial 7	Lawn and ga	arden only 10	Monitoring well	,	
	Was a chemical	/bacteriological sample sub	mitted to Dep	partment? Yes	NoX;	If yes, mo/day/yr sam	ple was sub
S	mitted			Wate	r Well Disinfected? Y	es X No	
TYPE OF BLANK CASING US	ED:	5 Wrought iron	8 Concret	te tile	CASING JOINTS:	Glued X Clamp	oed
1 Steel 3 RM	P (SR)	6 Asbestos-Cement	9 Other (s	specify below)		Welded	
PVC 4 ABS	S	7 Fiberglass				Threaded	<i></i>
Blank casing diameter 5	in. to100) ft., Dia	in. to .		ft., Dia	in. to	ft.
Casing height above land surface.							
TYPE OF SCREEN OR PERFOR			(7)PVC		10 Asbestos		
1 Steel 3 Sta	inless steel	5 Fiberglass	8 RMF		11 Other (sp	pecify)	
	vanized steel	6 Concrete tile	9 ABS			ed (open hole)	
SCREEN OR PERFORATION OP		5 Gauzed	wrapped	/	8 Saw cut	11 None (ope	n hole)
1 Continuous slot	3 Mill slot	6 Wire wr		•	9 Drilled holes	(,
2 Louvered shutter	4 Key punched	7 Torch c			10 Other (specify)		
SCREEN-PERFORATED INTERV		60 ft. to					
SOMECHY EM SHAMES MALENTA		ft. to					
GRAVEL PACK INTERV							
GRAVEL FACK INTERV		ft. to					
GROUT MATERIAL: (1)		2 Cement grout				110	
Grout Intervals: From	ft to	20 ft From	ft t/		ft From	ft to	
What is the nearest source of pos				10 Livesto		14 Abandoned wate	
1 Septic tank 4		7 Pit privy			orage	-	
•	Cess pool	8 Sewage lagoor		12 Fertiliz	•	16 Other (specify be	
3 Watertight sewer lines 6	•	9 Feedyard	'		cide storage	To Other (specify be	310 44)
		9 reedyald			•		
FROM TO SOUT	LITHOLOGIC	CLOG T	FROM	How many		ING INTERVALS	
0 30 Sandy			1110111				
30 45 Clay	CIGY						
45 57 Sandy	Clay						
57 78 Sand	Стау						777722222222222222222222222222222222222
				-			
78 85 Clay							
85 100 Red							
						A PAI	
CONTRACTOR'S OR LANDON	WNER'S CERTIFICATION	FION: This water well was	(1) construc	ted. (2) recon	structed, or (3) plugge	ed under my jurisdicti	on and was
CONTRACTOR'S OR LANDON		,					
completed on (mo/day/year)	.06-12-91			and this record	I is true to the best of		
ompleted on (mo/day/year) Vater Well Contractor's License N	.06-12-91 KWWCL-430	O This Water Well	Record was	and this record	is true to the best of the molday/yr)	my knowledge and be	
ompleted on (mo/day/year)	.06-12-91 b. KWWCL-430 bward Drlg.Co) This Water Well Box 806 Beaver	Record was	and this record completed or 32by (signatu	I is true to the best of the (mo/day/yr)	my knowledge and be 6-12-91	elief. Kansas