WATER Original				Form WV			sion of Wate urces App. N	i	Well ID		
1 LOCAT				L: Fr	action	Sect	ion Numbe			nge Number	
County	: Co	AAA.	wekz	50	11/4 SE 1/4 NW1/		30	т 32	S R	8 □ E I W	
2 WELL	OWNER	: Last l	Name:	r Control Fi	rst: 3//			where well is locat			
2 domest.	WELL OWNER: Last Name: Street or Rural Address where well is located (if unknown, distance a direction from nearest town or intersection): If at owner's address, check her										
Address: 2634 N. Dublin Circle From Coldwater Ks 3 South											
City:	Wis	biti	A	State: /< 5 Z	IP: 67226	The Es	1954				
3 LOCATI	~		1		ETED WELL:			1			
WITH "								ıde:			
	Depth(s) Groundwater Encountered: 1)						Longi	itude: 1: □ WGS 84 □ 1	JAT) 92 🖂	(decimal degrees)	
7	WELL'S STATIC WATER LEVEL:							e for Latitude/Longit		NAD 21	
			below la	and surface, me	asured on (mo-day	-yr).4.2.2.1.7		PS (unit make/mode			
NW	above land surface, measured on (mo					(11-1-10 4-1111-11 11-11					
	Pump test data: Well water was						☐ Land Survey ☐ Topographic Map				
W		Е	after					nline Mapper:			
sw	SE		Well water was f after hours pumping								
				stimated Yield:\$.\$\times_1gpm			6 Elevation:ft. Ground Level				
	S Bore Hole Diameter:					ft. and	Source: Land Survey GPS Topographic Map				
1 mile in. to ft.											
7 WELL WATER TO BE USED AS:											
1. Domestic:	11 2										
	☐ Household 6. ☐ Dewatering: how many wells?										
	☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID 【Livestock 8. ☐ Monitoring: well ID										
2. ☐ Irrigati							12. Geothermal: how many bores?				
3. Feedlo							b) Open Loop Surface Discharge Inj. of Water				
4. Industr				Recovery	☐ Injection			ther (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes Po If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other											
Casing diameter											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify) ☐											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:											
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot											
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From 1.2.0. ft. to 1.4.2. ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.											
					., From	. ft. to	ft., From	ft. to	ft.		
Nearest sou		ssible c									
☐ Septic				Lateral Lines	☐ Pit Privy		Livestock Pe		ecticide Storaş		
Sewer		r I inac		Cess Pool	☐ Sewage L ☐ Feedyard		Fuel Storage		andoned Wate		
Colon (Specific)											
Direction fro	om well?		vorth		. Distance from v		80		. ft.		
10 FROM	ТО		I	ITHOLOGIC	CLOG	FROM	TO	LITHO. LOG (cont		NG INTERVALS	
O	60	,	Whit	E C/AY	2						
60	65		SAMO	. /							
45	100	>	whit	E CIMY	<i>f</i>						
100	115		SAND			·					
115	135		6.00	& COLA	VE1 3/16		~~~~				
_135	140	have	Uhitz	E Carp Ary							
						Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was @constructed, _ reconstructed, or _ plugged											
under my	KACTU uriediatie	on and	Was comp	JWNER'S C leted on (mo	day-year)	IN: I his water	this record	is true to the best of	f my knowle	i, or ∐ plugged	
under my jurisdiction and was completed on (mo-day-year)											
under the business name of LEGIS WAFER WEILSERVICE											
	CTIONS: S	end one c	opy to WATER	R WELL OWNER	and retain one copy for y	our records. Submit	fee of \$5.00 for	r each constructed well alo	ng with one (white	e) copy to Kansas	
	Department	of Health	h and Environn	ent, Bureau of Wa	ter, Geology Section, 100	00 SW Jackson St., S	Suite 420, Topek	ka, Kansas 66612-1367. T	lephone (785) 29	6-3565.	
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2									vised 9/10/2012		