WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

ft. 1800 Direction SW Type Parm Well disinfected upon completion? Yes X No 17. Pump: Not installed Manufacturer's name Layne & Bowler Manufacturer's name Layne & Bowler Model number 77207 WL HP 75 Volts 480 Length of drop pipe 180 ft. capacity 800 p.m. Type: Submersible X Turbine Jet Reciprocating Centrifugal Other Other 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne Western Co. 102 Business name License No. Address Wichita, Kansas Signed Signed Date Address Signed Date Address Date Date Address Date											
Comanche 1/4 (1/4 NW 1/4 5 t 3 3 c) per defect of the measure has a sign of the state of the sta	1 Jackin of well	County	Fraction		Section number		Township number Range number				
1-1/2 Mi	1. Location of well:	Comanche	1/4 C1/4 NW	1/4	!	5	т 32 s	R 18	* /W		
Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: Statch map: S	1-1/2 Mi. N. of Coldwater, Kansas R.R. or Street oddress of well location if in city:						Box 9				
Well No. 1 at TH 1-76	l		ketch map:				6. Bore hole dia, 30 in.				
So Type and color of material Sandy soil Sandy soil Med. to co. sand & gravel Clay Med. to co. sand & med. gravel Med. to co. sand & med. gravel Clay Med. to co. sand & med. gravel	136/	 NE					- - '		rotary		
So Type and color of material Sandy soil Sandy soil Med. to co. sand & gravel Clay Med. to co. sand & med. gravel Med. to co. sand & med. gravel Clay Med. to co. sand & med. gravel							X Irrigation Air conditioning Stock Lawn Oil field water Other				
1. 1. 1. 1. 1. 1. 1. 1.							Threaded Welded Surfacein.				
Sandy soil 0 2	1						Di 16 in. t 145 ft. dept	th Wall Thickness: inch	es or		
Med. to co. sand & gravel 2 60	5. Type and color of	material			From	То	10. Screen: Manufacturer's n	ame Doerr	<u> </u>		
Med. to co. sand & gravel Clay Med. to co. sand & gravel Poly to the state of th	Sandy soi	1			0	2	Type Steel	Dia. 16"			
Med. to co. sand & gravel 92 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 109 1	Med. to c	o. sand & gravel			2	60	Set between145	ft. and16			
Solution	Clay				60	92	Gravel pack? Yes Size ran			1/4	4
Clay 109 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120	Med. to co	o. sand & gravel			92	109		face Date 3/28			
Med. to co. sand & gravel 120 169 169 190 169 190 Med. to co. sand & med. gravel 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214 190 214	Clay				109	120	12. Pumping level below land	surfaces:	.p.m.		
Clay Med. to co. sand & med. gravel 190 214 14. Well head completion: Pitless adapter 12 Inches above grade 15. Well grouted? Yes. With: Net cement Bentonite X Concrete Depth: From O fr. to 10 fr. Depth: From O fr. to 10 f	Med. to co	o. sand & gravel			120	1 6 9	ft. after h	rs. pumping g	.p.m.		
Med. to co. sand & med. gravel 190 214 214 225 Med. to co. sand & med. gravel w/clay Med. to co. sand & med. gravel w/clay 225 251 Red shale 251 255 Med. to co. sand & med. gravel w/clay 251 255 Med. to co. sand & med. gravel w/clay 251 255 Med. to co. sand & med. gravel w/clay 251 255 Med. to co. sand & med. gravel w/clay 251 255 Med. to co. sand & med. gravel w/clay 252 251 Med. to co. sand & med. gravel w/clay 253 255 Med. to co. sand & med. gravel w/clay 254 255 Med. to co. sand & med. gravel w/clay 255 255 Med. to co. sand & med. gravel w/clay 256 255 Med. to co. sand & med. gravel w/clay 257 255 Med. to co. sand & med. gravel w/clay 258 251 Med. to co. sand & med. gravel w/clay 259 251 Med. to co. sand & med. gravel w/clay 250 251 Med. to co. sand & med. gravel w/clay 251 255 Med. to co. sand & med. gravel w/clay 251 255 Med. to co. sand & med. gravel w/clay 252 251 Med. to co. sand & med. gravel w/clay 253 255 Med. to co. sand & med. gravel w/clay 254 255 Med. to co. sand & med. gravel w/clay 255 251 Med. to co. sand & med. gravel w/clay 265 251 Med. to co. sand & med. gravel w/clay 266 251 276 252 Med. to co. sand & med. gravel w/clay 276 252 Med. to co. sand & med. gravel w/clay 278 252 Med. to co. sand & med. gravel w/clay 278 252 Med. to co. sand & med. gravel w/clay 278 252 Med. to co. sand & med. gravel w/clay 278 252 Med. to co. sand & med. gravel w/clay 278 252 Med. to co. sand & med. gravel w/clay 278 252 Med. to co. sand & med. gravel w/clay 278 252 Med. to co. sand & med. gravel w/clay 279 252 Med. to co. sand & med. gravel w/clay 279 252 Med. to co. sand & med. gravel w/clay 270 27 W. HP 7 75 volt 480 Monofacturer's name Layrne & Bowler Monofacturer's name Layrne & Bowler 279 20 Western Co. log w/clay 20 Med. to co. sand & med. gravel w/clay 20 Med. to co. sand & med. gravel w/clay 20 Med. to co. sand & med. gravel w/clay 20 Med. to co. sand & med. gravel w/clay 20 Med. to co. sand & med. gravel w/clay 20 Med. to	Clav				169	190	13. Water sample submitted:				
Med. to co. sand & med. gravel w/clay 225 251 Med shale 255 251 255 16. Negrest source of possible contamination: Farm well disinfected upon completion? Yes X No 17. Pump: Model number 77207 WL Hp 75 Volts 480 Length of drop pipe 180 ft. capacity 800g.p.m. Type: Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Type: Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Type: Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Type: Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Type: Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Type: Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Type: Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 800g.p.m. Type: Length of drop pipe 180 ft. capacity 8	Med. to c	o. sand & med. o	gravel		190	214	14. Well head completion:				
Med. to co. sand & med. gravel w/clay 225 251 Red shale 251 255 Red shale 251 255 Red shale 251 255 10. Negret yource of possible contamination: Fig. 16.00 Direction SW Type Farm Well disinfected upon completion? Yes X No 17. Pump: Manufacturer's name LayThe & Bowler Model number 77207WL Hp 75 Volts 480 Length of drop pipe 180 ft. capacity 800 g.p.m. Type: Submersible X Turbine Submersible X Turbine Reciprocating Other	Clay				214	225		LZ Inches above gro	ade		
Red Shale 251 255 10. Negrey over of possible conformation: ft. 1600 Direction Sw Type Farm Well disinfected upon completion? ves X No	Med. to co	o. sand & med. o	ravel w/clay		225	251	With: Neat cement		ncrete	٦.	_
17. Pump: Not installed Manufacturer's name Layne & Bowler Model number 77207WL HP 75 Volts 480 Length of drop pipe 180 ft. capacity 800 p.m. Type: Submersible X Turbine Reciprocating Other Submersible Centrifugal Other Other 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne Western Co. 102 Business name License No. Address Wichita, Kansas Signed S	Red shale				251	255					
Manufacturer's name Layne & Bowler Model number 77 2 07 WL HP 75 Volts 480 Length of drop pipe 180 ft. capacity 800g.p.m. Type: Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Is submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Type: Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Type: Submersible X Turbine Lot Reciprocating Other Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Topography: Layne Western Co. 102 Business name Address Wichita, Kansas Signed Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Layne Reciprocating Other Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m. Submersible X Turbine Length of drop pipe 180 ft. capacity 800g.p.m							· · · · · · · · · · · · · · · · · · ·		<u>_N</u>		
Type: Submersible Jet Reciprocating Centrifugal 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne Western Co. 102 Business name Address Wichita, Kansas Signed Signed Date 5447							Manufacturer's name Lay Model number 77207WI	ne & Bowle	480	ٳؖ	É,
Submersible X Turbine License No. Signed Sign							Length of drop pipe	_ ft. capacity <u>80Q</u>	.p.m.	1	{}_
(Use a second sheet if needed) CentrifugalOther 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Hill							Submersible			,	
Topography: Hill Slope Slope Upland This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne Western Co. 102 Business name Wichita, Kansas Signed Signed Signed Signed		(Use a second sh	eet if needed)				_		ting	Se l	4
Topography: Hill Slope Slope License No. Address Wichita, Kansas Signed Signed Signed Signed	18. Elevation:	19. Remarks:							port	1	<u> </u>
Business name Slope	Topography:								,	<u>51</u>	()
X Upland Signed San CKall Date 5/170							Business name	Licens	e No.	- I < L	5
	3						Signed Lany Ck	LaDO Data 5	11/2	۱ء اج(E