WATER WELL RECORD	Form WWC-5	Division of Wate	er Resources; App. No. L		
1 LOCATION OF WATER WELL:	Fraction		Township Number		
County: Comanche	SE 1/4 SE 1/4 MW1/4	13	T 32 S	R 19 E/W	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)					
located within city? Latitude:					
10cated within city? SW Border City of Coldwater, KS 2 WATER WELL OWNER: B: Walligan RR#, St. Address, Box #: 1088 S. Washington City State ZIP Code		Longitude:			
2 WATER WELL OWNER: B: U Milligan		Elevation:			
City, State, ZIP Code :	. Washington	Datum:			
Lolding	<i>セ</i> と、	Data Collection	Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL					
LOCATION Depth(s) Groundwater Encountered (1) 35.5 ft. (2) ft. (3) ft.					
SECTION BOX: WELL'S STATIC V	WATER LEVEL	it. below land surface	e measured on mo/day	/yr//.8. /	
	Pump test data: Well water wasft. after				
WELLWATED TO	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
WELL WATER TO BE USED AS: 3 Fublic water supply 8 Air conditioning 17 injection went with the conditioning 17 injection went 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No					
Sample was submitted					
S					
5 TYPE OF CASING USED: 5 Wroug	tht Iron 8 Concrete til	e CASIN	G JOINTS: Glued.	CClamped	
1 Steel 3 RMP (SR) 6 Asbest		fy below)		• •	
2 PVC 4 ABS 7 Fiberg	lass		Threade	d	
Blank casing diameter 5 in. to	00 ft., Diameter 5	. in. to 110115 ft.	. Diameter	in. toft.	
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MA	TERIAL:				
		ABS			
	oncrete tile 8 RM (SR) 1	0 Asbestos-Cement	12 None used (oper	ı hole)	
SCREEN OR PERFORATION OPENINGS A					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From					
GRAVEL PACK INTERVALS: From					
rioni					
6 GROUT MATERIAL: 1 Neat cement	2 Cement grout 3 Bentonite	, 4 Other			
Grout Intervals: From ft. to	2.1 ft., From 5.5	ft. to 65	ft., From	ft. toft.	
What is the nearest source of possible contami					
1 Septic tank 4 Lateral line		estock pens 13 Ir	secticide Storage	16 Other (specify	
2 Sewer lines 5 Cess pool	2 2	_	bandoned water well	below)	
3 Watertight sewer lines 6 Seepage p			oil well/gas well		
Direction from well?					
FROM TO LITHOLOG		* 	PLUGGING INT		
0 3 Sandy So,	1 41		et cementa	d sand w/cla	
	Atemented sand	2 55 41			
5 12 med sand + sa	endstone pebbles 5	5 85 7	an + white	Clay	
12 15 tinesand	. 6	5 82 46	ne sand		
15 22 white clay	8	2 88 Fin		·Clay,	
	an clay 8			sand	
26 32 tan clay	10	2 1/2 sa	nd some f	ine	
	nd + clay !!	115 8	ine, sand		
	///	118 30	ind,		
39 48 fine sand 118 122 Light tan clay					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)					
under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No					
under the business name of by (signature) by (signa					
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone					
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					