


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

<input checked="" type="checkbox"/> Location of well:	County Comanche	Fraction SW 1/4 NW 1/4 SE 1/4	Section number 33	Township number T 32E	Range number S R 20W E/W
<input checked="" type="checkbox"/> Distance and direction from nearest town or city: Street address of well location if in city: from nwc corner of city, 2 m. west, 1/4 m. north			3. Owner of well: Protection Cemetery R.R. or street: Protection, Ks. 67127 City, state, zip code:		
<input checked="" type="checkbox"/> Locate with "X" in section below: Sketch map: 			6. Bore hole dia. 8.75 in. Completion date _____ Well depth 106 ft. 4-14-79		
5. Type and color of material			7. <input checked="" type="checkbox"/> Cable tool ___ Rotary ___ Driven ___ Dug ___ Hollow rod ___ Jetted ___ Bored ___ Reverse rotary		
			8. Use: ___ Domestic ___ Public supply ___ Industry ___ Irrigation ___ Air conditioning ___ Stock <input checked="" type="checkbox"/> Lawn ___ Oil field water ___ Other		
From To			9. Casing: Material RMP Weight: (Above or below) _____ Threaded ___ Welded ___ Surface 16 in. RMP 1 PVC _____ Weight _____ lbs./ft. Dia. 5 in. to 106 ft. depth Wall Thickness: inches or Dia. _____ in. to _____ ft. depth gage No. .850		
			10. Screen: Manufacturer's name Jess & Lowell Type RMP Dia. 5 in. Slot/gauze 200 Length 10 ft. Set between 96 ft. and 106 ft. _____ ft. and _____ ft. Gravel pack? yes Size range of material 1/16-3/4		
Topsoil			11. Static water level: _____ mo./day/yr. 29 ft. below land surface Date 4-19-79		
Rocky clay			12. Pumping level below land surfaces: _____ ft. after _____ hrs. pumping _____ g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield 5 g.p.m.		
Red clay			13. Water sample submitted: _____ mo./day/yr. Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____		
Gray clay (same as I use for drilling)			14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 16 inches above grade		
Clay, reddish to red			15. Well grouted? yes With: ___ Neat cement ___ Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 16 ft. to 5 ft.		
Soft clayey sandstone with some water			16. Nearest source of possible contamination: ft. _____ Direction _____ Type none Well disinfected upon completion? <input checked="" type="checkbox"/> Yes ___ No		
Very hard red siltstone			17. Pump: _____ Not installed Manufacturer's name _____ Model number 1 1/3 HP 115 Volts Length of drop pipe 80 ft. capacity 4 g.p.m. Type: ___ Submersible ___ Turbine <input checked="" type="checkbox"/> Jet ___ Reciprocating ___ Centrifugal ___ Other		
Soft red clay			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Wymer Blacksmith Shop 228 Business name _____ License No. _____ Address Box 172, Protection, Ks. Signed Hermeth & Wymer Date 4-29-79 Authorized representative		
Liver mud (very soft sandstone)			20. (Continued)		
Red clay					
(Use a second sheet if needed)					
18. Elevation:		19. Remarks:			
Topography: ___ Hill <input checked="" type="checkbox"/> Slope ___ Upland ___ Valley					

32 20 W 33 NE 1/4 1/4 1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5