USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

LEXINGTON

WATER WELL RECORD KSA 82a-1201-1215

DCC

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number							
1. Location of well:	Clark	SN 1/4 SN 1/4 SI	g 1/4	132		T 32s s	R 21W	E/W						
2. Distance and direction from nearest town or city: 3. Owner of well: Kana														
						tection, Ks. 673	.37							
	west of	Protection, Ks.	City, st	tate, zip	ode:									
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 2.75 in. Completion date								
T N						7. X Cable tool Rotary Driven Dug								
						Hollow rod Jetted Bored Reverse rotary								
!						8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other								
SW SE														
									9. Casing: Material Height: Above or below Threaded Welded Surface in. RMP PVC Weight lbs./ft.					
						1 M	Aile ————							
						5. Type and color of	f material			From	То	Dia in. to 58 ft. dep	th gage No. <u>•250</u>	
						10. Screen: Manufacturer's Jess & Lowell	nome							
To p soil				0	3	Type RMP	Dia. 5							
sendy clay, gray color				3	8	Slot/gauze	Length 16	<u></u>						
						Set between	_ft. and 58	ft·						
E COLOR	ry redellay			(8)	40	Gravel pack? Yes Size ro	inge of material 1/16	-374						
mad as	The agreement of an			40	48	11. Static water level:ft, below land su								
190 801	it squaxzo oley			-#(40	ft. below land su	rface Date 70200	79						
red very dine sond				48	56	12. Pumping level below lan								
very fine sand, mixed red, brown and white				56	58	ft. after								
		-				Estimated maximum yield	_							
						13. Water sample submitted:	·	/day/ут.						
BROCK 8							Date							
gicoto U						14. Well head completion: Pitless adapter	nches above g	rade						
		<u></u>				15. Well grouted?	···							
						With: Negt cement	Bentonite C	oncrete -						
						Depth: From ft. to		 -						
Pre- og well						16. Nearest source of possible fraction								
	9					Well disinfected upon comple		No						
						17. Pump:	Not installed	7						
				ļ		Manufacturer's name	rmotor Hwind	1						
						Length of drop pipe	ft. capacity							
						Туре:		\						
						Submersible Jet	Turbine							
	(Use a second :	sheet if needed)				Jet Centrifugal	Reciprod Other	uiing S						
18. Elevation: 19. Remarks:						20. Water well contractor's	certification:							
	Three feet of	6 5/8 iron pip				This well was drilled under m		report						
set in concrete at top of well					is true to the best of my know		28 =							
to hold pump andprotect casing.					Wymer Blacksmi Business Protection		'							
Slope				a.,		Address	/ 111. / -	—— ≤ !						
Upland	HOPO		(940		Signed Authorized rep	presentative	-ee-791						