

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

DTB D

26001 SE

1. Location of well:	County Clark	Fraction SE 1/4 NW 1/4 SE 1/4	Section number 16	Township number T 32 S R	Range number 23 E/W
2. Distance and direction from nearest town or city: 7 miles NE of Ashland, Kansas			3. Owner of well: Young, Cooper, and Herrman Livestock Exchange Building Room 29, Wichita, Ks. 67200		
4. Locate with "X" in section below:		Sketch map:			
5. Type and color of material		From	To	6. Bore hole dia. 9.75 in. Completion date 6-2-78 Well depth 255 ft.	
Surface		0	3	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Red clay and rock		3	20	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Green clay		20	30	9. Casing: Material pvc Height: above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 1.8 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight 1.8 lbs./ft. Dia. 5 in. 255 ft. depth; Wall Thickness: inches or Dia. 0.250 in. to 0.250 ft. depth; gage No. 0.250	
Hard flint rock		30	33	10. Screens: Manufacturer's name Johnson Screen Press and Lowell Type RMP Dia. 5 in. Slot/gauze .06-.10 Length 20 ft. Set between 235 ft. and 255 ft. Set between 235 ft. and 255 ft. Gravel pack <input checked="" type="checkbox"/> yes Size range of material 1-1/8	
Red clay and red bed		33	200	11. Static water level: 184 ft. below land surface Date 6-2-78 mo./day/yr.	
Red bed with layers of sand stone and liver mud		200	255	12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield ____ g.p.m.	
Block 3'				13. Water sample submitted: ____ mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date ____	
Block 3'				14. Well head completion: nc <input type="checkbox"/> Pitless adapter ____ Inches above grade	
Block 3'				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 13 ft.	
Block 3'				16. Nearest source of possible contamination: nc ft. ____ Direction ____ Type ____ Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Block 3'				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name ____ Model number ____ HP ____ Volts ____ Length of drop pipe ____ ft. capacity ____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
Block 3'				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Hodde Drilling Co. 302 Business name RR # 3 Dodge City, Ks License No. ____ Address Wichita, Ks Signed Hodde Date 6-2-78 Authorized representative	
18. Elevation:	19. Remarks:		20. Water well contractor's certification:		
Topography: <input checked="" type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	TOPD		2160 2157		

32
 23
 16
 E/2 NW/4 SE
 1/4 1/4 1/4