

1 LOCATION OF WATER WELL: County: Clark Fraction NW 1/4 NE 1/4 NW 1/4 Section Number 2 Township Number T 32 S Range Number R 29 E 10

Distance and direction from nearest town or city street address of well if located within city?

1.8 mi E + 3/4 N from Meade

2 WATER WELL OWNER: Phil Bidenour RR#, St. Address, Box #: City, State, ZIP Code: Cimarron, KS 67835 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram showing a 4-section grid with NW, NE, SW, SE quadrants. An 'X' is marked in the NW quadrant.] 4 DEPTH OF COMPLETED WELL: 160 ft. ELEVATION: WELL'S STATIC WATER LEVEL: 76 ft. below land surface measured on mo/day/yr 8-26-97

DEPTH OF COMPLETED WELL: 160 ft. ELEVATION: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. Pump test data: Well water was 155 ft. after 1 hours pumping 3 gpm Est. Yield 3 gpm Well water was ft. after hours pumping gpm Bore Hole Diameter: 8 3/4 in. to 160 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 Brass 4 Galvanized steel 6 Asbestos-Cement 9 Other (specify below) Welded Threaded 7 Fiberglass 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) Blank casing diameter: 5 in. to 120 ft. Dia. in. to ft. Dia. in. to ft. Casing height above land surface: 24 in. weight lbs./ft. Wall thickness or gauge No. 200 lb

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 6 Wire wrapped 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From top ft. to 20 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage

Direction from well? N

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	20	clayey			
20	80	brown clay			
80	160	blue clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-27-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 101 This Water Well Record was completed on (mo/day/yr) 8-28-97 under the business name of Bartel Well Drilling, Inc. by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.