

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Meade		NW 1/4 NE 1/4 NW 1/4	11	T 32 S	R 28 EW
Distance and direction from nearest town or city street address of well if located within city? 623 East Carthage, Meade, KS.					
2 WATER WELL OWNER: City of Meade		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #: Municipal Plant 623 E. Carthage		Application Number:			
City, State, ZIP Code: Meade, KS. 67864					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 20' ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 14' ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL Dry ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm; Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8 1/2" in. to 20' ft., and in. to ft.			
WELL WATER TO BE USED AS:		5 Public water supply    8 Air conditioning    11 Injection well 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 Lawn and garden only    10 Monitoring well    Vapor Ext.			
Was a chemical/bacteriological sample submitted to Department? Yes No X		If yes, mo/day/yr sample was submitted			
Water Well Disinfected? Yes No					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
2 PVC		4 ABS		6 Asbestos-Cement	
Blank casing diameter 2.375 in. to 10' ft., Dia		7 Fiberglass		8 Concrete tile	
Casing height above land surface Flush ft. in., weight lbs./ft.		9 Other (specify below)		9 Other (specify below)	
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC		10 Asbestos-cement	
1 Steel		3 Stainless steel		11 Other (specify)	
2 Brass		4 Galvanized steel		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped		8 Saw cut	
1 Continuous slot		6 Wire wrapped		11 None (open hole)	
2 Louvered shutter		7 Torch cut		9 Drilled holes	
3 Mill slot		10 Other (specify)			
4 Key punched					
SCREEN-PERFORATED INTERVALS:		From 20' ft. to 10' ft.		From ft. to ft.	
GRAVEL PACK INTERVALS:		From 20' ft. to 9' ft.		From ft. to ft.	
From ft. to ft.		From ft. to ft.		From ft. to ft.	
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout		3 Bentonite	
Grout Intervals: From 9' ft. to 4' ft.		4 Other		4 Other	
What is the nearest source of possible contamination:		7 Pit privy		10 Livestock pens	
1 Septic tank		8 Sewage lagoon		11 Fuel storage	
2 Sewer lines		9 Feedyard		12 Fertilizer storage	
3 Watertight sewer lines				13 Insecticide storage	
4 Lateral lines				14 Abandoned water well	
5 Cess pool				15 Oil well/Gas well	
6 Seepage pit				16 Other (specify below)	
Direction from well? West		How many feet? 130'			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	.50	Gravel ls.rx.			
.50	6	Dk brn clay, moist to dry, no odor, low plasticity.			
6	13	Tan clayey silt w/ trace amt of caliche stringers, moist, no odor.			
13	20	Gray -blk. sandy clay to sandy silt, strong odor, wet at 14'. highly plastic, fine grained.			
Flush Mt. OK'D by Don Taylor					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-18-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) 10-25-96 under the business name of JB Environmental Drilling by (signature) James Bieker					