WATE	R WEI	LL RECORD	Form WWC-	5	Division of Water Res	sources App. No)	
	ATION ty: Mea	OF WATER WELL:	Fraction SW 1/4 NW 1/4 NE 1/4 N	IE ¼	Section Number To	wnship No. 32 S	Range Number R 28 □E ☑W	
			if unknown, distance & direc		Global Positioning Sys			
			owner's address, check here	Latitude: .37.28486. (in decimal degrees)				
923	W Cart	hage Ave. Meade, KS	•	Longitude: 100.34879 (in decimal degrees)				
020 17 Saratago / 1101 misass, 110					Elevation: 2509.53			
2 WATER WELL OWNER: Meade Coop Flevator & Supply -					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
Micado Coop Elevator a Cappiy				Collection Method: GPS unit (Make/Model:)				
City State 7ID Code				☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey				
City	, 5, 2	meade,	KS 67864		Est. Accuracy: $\square < 3 \text{ m}$,	☐ 3-5 m. ☐	5-15 m. $\square > 15$ m	
3 LOCATE WELL								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .74							
SEC	Depth(s) Groundwater Encountered (1).7.55							
	WELL'S STATIC WATER LEVEL. 39:10ft. below land surface measured on mo/day/yr. 5/18/12							
Pump test data: Well water wasft. after								
NW NE EST TIELDgpm. well water was								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Demostic Description Difficult content country Description Delication Content to the last content to the l								
SW SE								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2 in. to .75 ft., Diameter in. to ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface0.39 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 42 ft. to75 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site								
		n well			rom well			
FROM	TO 1	Crushed rock	IC LOG FRO	JIVI	TO LITHO. LOG (cont.) or PLU	GGING INTERVALS	
1	17	Crushed rock						
17	38	Clay, silty Clay, sandy		 -	MW33R	***		
38	59	Clay, sality			INIVASSIK			
59	75	Clay						
-		- City						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .5/29/.12								
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (moday/year) 7/24/12								
under the business name of Coranco Great Plains, Inc. by (signature)								
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								