WATE	R WEI	LL RECORD	Form WWC-5		Division of Water	r Resources App. N	0.	
1 LOC	ATION	OF WATER WELL:	Fraction		Section Number	Township No.		
County: Meade			SE 14 NE 14 NW 14 NE	1/4	10	T 32 S	R 28 □E ☑W	
Stree	t/Rural A	Address of Well Location; i	f unknown, distance & direction	n G	Global Positioning System (GPS) information:			
from	nearest t	own or intersection: If at o	owner's address, check here	. I	Latitude:37.28476 (in decimal degrees)			
923	W Cart	hage Ave. Meade, KS	· —		Longitude: 100.34919 (in decimal degrees)			
525 11 56141085 1151 115665 116					Elevation: .2509.2	27	`	
						4, 🔲 NAD 83, 🗀		
l			Coop Elevator & Supply -					
RR#, Street Address, Box #: PO Box			220		GPS unit (Make/Model:)			
City, State, ZIP Code : Meade.			KS 67864 Digital Map/Photo, Topographic Map,		c Map, 🔽 Land Survey			
				<u> </u>	Est. Accuracy: -	3 m, 🔲 3-5 m, 🗀	5-15 m, □>15 m	
3 LOCATE WELL 75								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 75								
SECTION BOX: Depth(s) Groundwater Encountered (1).7.55							(3) ft.	
	WELL'S STATIC WATER LEVEL55.85ft. below land surface measured on mo/day/yr6/18/12							
Pump test data: Well water wasft. after hours pumping gpm								
EST. YIELDgpm. Well water wasft. afterhours								
w		E Bore Hole Diam		8.25 in. toft., andin. toft.				
 +			TO BE USED AS: Public	water s	supply 🔲 Ge	othermal 🔲 🛚	njection well	
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
			bacteriological sample submitte			Yes 🗹 No		
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☐ Yes ☑ No								
5 TVDI	OFC	ASING USED:	▼ PVC □ Other					
						•••••		
CASIN	G JOIN I	.S: Glued Glan	nped Welded M Threa	iaea	a D	•		
Casing diameter .2								
Casing height above land surface0.53								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 42 ft. to 75 ft., From ft. to ft.								
GRAVELTACK INTERVALS. FIGHT								
From								
1 — — — — — — — — — — — — — — — — — — —								
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ▼ Other (specify below)								
Septic tank								
Sewer lines								
Direction from well Distance from well								
FROM	TO	LITHOLOG					IGGING INTERVALS	
0	1		1 ROM	++	C LITTO, LC	o (com.) or r de	COLINO INTERVALO	
1	5	Crushed rock		+				
		Clay, silty		-	1.000		3 T 41 W	
5	20	Clay, silty		-	MW26R			
20	43	Silt, clayey						
43	74	Clay, silty						
74	75	Sand, clayey						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .5/30/.12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day war) 7/24/12								
under the business name of Coranco Great Plains, Inc. by (signature)								
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								