

WATER WELL RI		<b>** ** C-3</b>			ion of Water		W 11 ID		
		ge in Well Use			rces App. No.		Well ID	NY 1	
		Fraction		Section	on Number	Township Numb		ige Number	
County:		4 1/4	D 1	1 A 1 1 1	T S	R	□E □W		
2 WELL OWNER: La Business:	First:		Street or Rural Address where well is located (if unknown, distance and						
Address:	direction from nearest town or intersection): If at owner's address, check here:				meck nere:				
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	4 DEPTH OF COM	PI FTFD WFI I •		ft	5 Letitud	e:		(daaimal daamaa)	
WITH "X" IN	Depth(s) Groundwater			11.					
SECTION BOX:		3) ft., or 4)							
N	WELL'S STATIC WA								
			measured on (mo-day-yr)			GPS (unit make/model:)			
NW   NE	above land surface,	measured on (mo-day-yr) ater was ft.			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
	_								
E E		oumpinggpm			☐ Online Mapper:				
SW   SE		vater was							
	Estimated Yield:	s pumping	gpm	n 6 Elevation:ft. ☐ Ground Level ☐ TOC					
S	Bore Hole Diameter:		ft and						
mile		in. to		D Other					
7 WELL WATER TO					l .				
1. Domestic:		ater Supply: well ID			10. □ Oil F	ield Water Supply: 1	ease		
☐ Household		g: how many wells?.				le: well ID			
☐ Lawn & Garden	7. 🗌 Aquifer Re	echarge: well ID				d Uncased			
☐ Livestock		g: well ID				mal: how many bore			
2.  Irrigation		al Remediation: well l				ed Loop   Horizon			
3. ☐ Feedlot	☐ Air Sparge		Extraction	xtraction b) Open Loop ☐ Surface Discharge ☐ Inj. of Wat 13. ☐ Other (specify):					
4. Industrial	Recovery								
Was a chemical/bacter		itted to KDHE? $\Box$	Yes \[ \]	No I	If yes, date sa	ample was submitte	ed:		
Water well disinfected?									
8 TYPE OF CASING									
Casing diameter									
Casing height above land s			lbs.	/ft.	Wall thickne	ss or gauge No			
TYPE OF SCREEN OR						(0 :0)			
	less Steel ☐ Fiber anized Steel ☐ Conc		used (emen	hala)	☐ Other	(Specify)	••••	• • • • • • • • • • • • • • • • • • • •	
☐ Brass ☐ Galva SCREEN OR PERFORA			used (open	noie)					
			orch Cut	□ Dri	lled Holes - F	Other (Specify)			
	☐ Key Punched ☐ W				ne (Open Hole				
SCREEN-PERFORATE	D INTERVALS: From	n ft. to	ft., Fro	— om	ft. to	ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: From									
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
	☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)									
10 FROM TO	LITHOLOG		FROM			THO. LOG (cont.) o		GINTERVALS	
10 110111 10	EIIIOEO	310 200	TRON	_	10 21	THO. EOG (cont.) o	r Le Gon (	SHVIERVIES	
				$\top$					
				$\neg$					
Notes:									
11 CONTRACTOR'S	OR LANDOWNER'S	S CERTIFICATIO	N: This w	ater v	well was 🔲	constructed, rec	onstructed,	or plugged	
under my jurisdiction an	d was completed on (m	no-day-year)		and th	is record is t	rue to the best of m	ıy knowledş	ge and belief.	
Kansas Water Well Con	tractor's License No	This W	ater Well	Kecoi	ra was comp	ieted on (mo-day-y	ear)	•••••	
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1155527	

## Litholgy

From	То	LithologicLog
0	2	SURFACE
2	20	BROWN CLAY
20	30	GRAY-BROWN CLAY
30	42	BROWN CLAY FEW CALICHE
42	70	BROWN-WHITE CLAY
70	76	LIGHT GRAY CLAY
76	85	SAND SILTY
85	109	SAND FINE TO MEDIUM, SOME CLAYS
109	119	SAND FINE TO MED, FEW COARSE
119	127	BROWN CLAY
127	160	SAND, FINE TO MED, COARSE FEW SMALL GRAVEL
160	175	BLUE CLAY, FEW BLUE SANDS
175	179	BROWN CLAY
179	186	SAND, SILTY
186	203	BROWN CLAY, FEW LIMEROCK
203	212	BLUE & BROWN CLAY
212	220	BLUE CLAY
220	240	BROWN CLAY, FEW LIMEROCK
240	247	SAND, SILTY

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1155527

## Litholgy

From	То	LithologicLog
247	253	BROWN CLAY
253	266	FINE TO MED, COARSE
266	280	BROWN CLAY, LIMEROCK, SOME CEMENTED SAND
280	286	SAND FINE TO MED, COARSE FEW SMALL GRAVEL
268	316	LIMEROCK, WHITE-BROWN CLAY, FEW SAND
316	321	SAND, FINE TO MED, COARSE
321	344	SAND FINE TO MED, FEW CLAY,FEW LIMEROCK
344	368	BROWN CLAYS, LIMEROCK, FEW SANDS
368	373	SAND SILTY, THIN CLAY
373	380	BROWN & TAN ROCK
380	386	CEMENTED SAND
386	392	RED SHALE