KOLAR Document ID: 1362612

WATER WEI		ECORD Correction	Form V	WWC-				sion of Wate arces App. N			] Well II	<sup>D</sup> [	
1 LOCATION				Fraction				ion Numbe		Township Numb			ge Number
County:	01 111	TILIK WEL		1/4	1/4 1/4	1/4	Beet	ion i vanio		T S	R	turre	□E □W
2 WELL OWN	ER: La	st Name:		First:		Street or	Rura	al Address	whe	ere well is located		wn,	
Business:						direction f	rom ne	earest town or	r inte	rsection): If at owner	r's addres	ss, c	heck here:
Address: Address:													
City:			State:	ZIP:									
3 LOCATE WEI	L												
WITH "X" IN					D WELL:		ft.						
SECTION BOX	<b>X</b> :				red: 1) ft., or 4) [		.11			e:			
N					it., or 4) [ EL:		:11			WGS 84  □ NAI		_l N⊿	AD 27
					d on (mo-day					<u>Latitude/Longitude</u> unit make/model:	•		,
NW NE -					d on (mo-day					WAAS enabled?			
		_			1				☐ Land Survey ☐ Topographic Map				
w <mark>X      </mark>	E	after			;		Om Online Mapper:						
SW SE -		ofter			· · · · · · · · · · · · · · · · · · ·								
		Estimated Y			,	gpiii	6 Elevation:ft. Groun			und	Level   TOC		
S	_				ı. to	ft. and		Sourc	<u>e</u> : 🗌	Land Survey	GPS 🔲	To	pographic Map
1 mile					n. to					Other			
7 WELL WATE	R TO	BE USED A	AS:										
1. Domestic:					y: well ID					eld Water Supply: 16			
Household					nany wells?								
Lawn & Garde	en			_	well ID					Uncased (			
☐ Livestock 2. ☐ Irrigation					Oation: well II					al: how many bores			
3. ☐ Feedlot			] Air Sparge		Soil Vapor								
4. ☐ Industrial			Recovery		Injection					(specify):			
Was a chemical/l	bacteri	ological san	nple subm	itted to	KDHE? □	Yes $\square$	No	If yes, date	e sar	nple was submitte	d:		
Water well disinfe					· <u>—</u>	_		<i>J</i> ,		r			
8 TYPE OF CAS	SING	U <b>SED:</b> □ S	teel PV	C 🔲 Oth	er	Ca	ASIN	G JOINTS	S: 🗆	Glued Clamped	d □ Wel	ided	☐ Threaded
Casing diameter													
Casing height above					ght	lbs	./ft.	Wall thick	kness	s or gauge No			
TYPE OF SCREE										g (c)			
		less Steel mized Steel	☐ Fiber ☐ Conc	_	☐ PVC ☐ None ι	uand (amam	holo)		ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	•••••
SCREEN OR PE					☐ Nolle (	iseu (open	noie)						
☐ Continuous S		☐ Mill Slot		auze Wraj	oped $\Box$ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
☐ Louvered Shu		☐ Key Puncl						one (Open H					
SCREEN-PERFO	RATE	D INTERVA	ALS: From	1	ft. to	ft., Fr	om	ft. to	o	ft., From	ft.	. to .	ft.
GRAVE	L PAC	K INTERV	ALS: Fron	1	ft. to	ft., Fr	om	ft. t	o	ft., From	ft.	. to	ft.
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.													
Nearest source of p				. It., Fron	1	It. to		It., From	••••	It. to	It.		
Septic Tank	JUSSIDIE		Lateral Line	s I	☐ Pit Privy		ПΙ	ivestock Pe	ens	☐ Insection	cide Stor:	age	
Sewer Lines			Cess Pool		Sewage La	igoon		Fuel Storage		☐ Abando			Vell
☐ Watertight Sev			Seepage Pit	[	☐ Feedyard			Fertilizer Sto		e □ Oil We	:ll/Gas W	ell	
Other (Specify)  Direction from well?													
			ITHOLOG							ft. HO. LOG (cont.) or		INIC	CINTEDVALC
10 FROM TO	,		ATHOLOG	FIC LUG	<u> </u>	FRO	VI	TO	LH	HO. LOG (cont.) of	PLUGG	IIIC	INIERVALS
						<u> </u>							
						1							
						Notes	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water We	ell Cont	ractor's Lice	ense No		This W	ater Well	Reco	ord was coi	mple	eted on (mo-day-y	ear)		
under the business	s name	of	****		ED 1			1 5 21				<u></u>	
KS Department of F	S Health an	end one copy to d Environment	OWATER W . Bureau of V	ELL OWN Vater, Geol	NEK and retain ogy Section 10	one for you 000 SW Jac	r recor kson S	as. Fee of \$5 st., Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-136	и. 57. Teleph	ione	785-296-3565
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> <a href="https://www.kdheks.gov/waterwell/index.html">KSA 82a-1212</a>													

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1362612

## Litholgy

From	То	LithologicLog
0	2	surface
2	36	brown sandy clay
36	60	sand fine to med, coarse small to med
60	63	blue gray clay
63	127	brown clay, lime rock, few sand
127	180	sand fine to med coarse, few small gravel, few clay
180	207	sand fine to med coarse
207	240	sand fine to small some med, few thin clay
240	285	sand fine to med, few coarse, few clay
285	313	sand fine to small, few med, few clay
313	314	hard ledge
314	389	sand fine to med, few coarse, few clay, few ledges
389	409	brown clay, lime rock
409	424	sand fine to med, few clays
424	460	brown clay, lime rock
460	474	sand, very fine clays
474	483	brown clay
483	495	brown clay, fine sands
495	503	brown clay, lime rock

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1362612

## Litholgy

From	То	LithologicLog
503	520	red bed