			WATE	ER WELL RECORD	Form WWC-5	KSA 82a-	1212	
LOCATI	ON OF WAT	TER WELL:	Fraction	C-SW 14	077	tion Number 23	Township Number	Range Number
County: M	and direction	from nearest tow			/-		lains go East t	H EXV
				location.	alog min ony	I I OM I M	armo go naoc c	
		NER: Boyd						
RR#, St.	Address, Bo	x# : RFD P	Plains, K	ansas 678	69		Board of Agriculture,	Division of Water Resources
	, ZIP Code	:					Application Number:	
LOCAT	E WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL	340	ft. ELEVA	ΓΙΟΝ:	
→ AN "X"	IN SECTION	N BOX:	Depth(s) Ground	dwater Encountered	1162	ft. 2		3
ī	ا يم	1	WELL'S STATIC	WATER LEVEL	1,7,8 ft. t	elow land surf	ace measured on mo/day/yr	5/8/83
	<b>X</b> 1	<u> </u>	Pur	np test data: Well v	vater was	ft. af	ter hours po	ımping gpm
	NW						ter hours po	
<u>.</u>	i		Bore Hole Diam	neter9in.	to 340	ft., ε	and	ı. to
e w	1	1	WELL WATER	TO BE USED AS:	5 Public water	er supply	8 Air conditioning 11	Injection well Other (Specify below)
7	CV.	!	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)
	2M	SE	2 Irrigation	4 Industrial	7 Lawn and	garden only 1	Observation well	
1 1	<b>x</b>		Was a chemical	/bacteriological samp	ole submitted to D	epartment? Ye	s; If yes	s, mo/day/yr sample was sub-
<u> </u>			mitted			Wat	er Well Disinfected? Yes	No
5 TYPE	OF BLANK (	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOINTS: Glue	dClamped
1 St	eel	3 RMP (SF	₹)	6 Asbestos-Ceme	ent 9 Other	(specify below	,	ded
2 P\		4 ABS		7 Fiberglass				aded
							ft., Dia	
Casing he	ight above la	and surface	. 28	in., weight 2.•	78	lbs./f	t. Wall thickness or gauge N	lo <b>.</b>
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:		_ 7 PV	<u>'C</u>	10 Asbestos-cem	ent
1 St	eel	3 Stainless	steel	5 Fiberglass	8 RM	MP (SR)	11 Other (specify	)
2 Br	ass	4 Galvanize	ed steel	6 Concrete tile	9 AE	S	12 None used (o	pen hole)
SCREEN	OR PERFO	RATION OPENING	GS ARE:	5 G	auzed wrapped		8 Saw cut	11 None (open hole)
1 Co	ontinuous slo	ot 3 Mi	ill slot	6 W	ire wrapped		9 Drilled holes	
2 Lo	uvered shut	ter 4 Ke	ey punched		orch cut		10 Other (specify)	
SCREEN-	PERFORAT	ED INTERVALS:	From 2.8	3.0 ft. to	o 3. <b>40</b>	ft., Fron	n ft.	to
								toft.
(	GRAVEL PA	CK INTERVALS:	From. 160	🤾 ft. to	o <b>34.0</b>	ft., Fron	n ft.	toft.
			From	ft. to		ft., Fron		
6 GROU	T MATERIAL			2 Cement grout				
Grout Inte	rvals: Fro	m	ft. to 1.0	ft., From	ft.	to	ft., From	ft. toft.
What is th	ne nearest so	ource of possible	contamination:					Abandoned water well
1 Septic tank 4 Lateral li			al lines	7 Pit privy		11 Fuels	storage 15 (	Dil well/Gas well
	ewer lines	5 Cess	•	8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)		
3 W	atertight sew	er lines 6 Seepa	age pit	9 Feedyard	d	13 Insect	ticide storage	Other (specify below)
	from well?	Southeas				How mar		
FROM	TO		LITHOLOGIC	LOG	FROM	то	LITHOLOG	GIC LOG
0	2	surface	8					
2	32	clay						
32	36	caliche				-	******	
36	48	sandy cl		-		ļ		
48	74		to large	sand				
74	83	caliche						
83	105	sandy c						
105	243		to large	sand				
243	300	fine s						
300	340	medium	n to lar	ge sand				
						-		
			···			ļ ļ.		
							***************************************	
7 CONT	RACTOR'S	OR LANDOWNER	R'S CERTIFICAT	TION: This water we	ll was (1) constru	icted, (2) reco	nstructed, or (3) plugged un	der my jurisdiction and was
							rd is true to the best of my ki	
							on (mo/day/yr) . Mar.ch	
under the	business na	me of Carli	le Water	Well Servi	ce, Inc.	by (signat	ure)	
INSTRUC	TIONS: Use	typewriter or ball	point pen, <i>PLEA</i> .	SE PRESS FIRMLY	and <i>PRINT</i> clear	ly. Please fill ir	blanks, underline or circle th	ne correct answers. Send top
three copi	es to Kansas	Department of He	ealth and Environ	ment, Division of Env	ironment, Enviror	mental Geolog	y Section, Topeka, KS 66620	. Send one to WATER WELL