OCATION OF W		Fraction		1 600	tion Number	Townshir		Hanne Number
inty: Mende		Fraction 1/4	NE 14 SE	Sec 1/4	34	T 3	Number S	Range Number
ance and direction	on from nearest town	n or city street add	dress of well if located					
315 and	154W	at Mead	le :					
	WNER: Irvin							
, St. Address, E						Board o	of Agriculture. D	Division of Water Resour
State, ZIP Code	e Plains	KS 6786	1			Applica	tion Number:	
OCATE WELL'S	LOCATION WITH 4	DEPTH OF CO	MPLETED WELL	240	. ft. ELEVA	TION:		
YPE OF BLANK 1 Steel PVC k casing diametering height above E OF SCREEN 1 Steel 2 Brass REEN OR PERFO	CASING USED: 3 RMP (SR 4 ABS er 5 Iand surface OR PERFORATION 3 Stainless 4 Galvanize ORATION OPENING	Pump Est. Yield	VATER LEVEL	ft. bur was fr w	elow land sur ft. a ft. a ft., r supply er supply arden only epartment? You Wa te tile (specify below Ibs./	face measured fter	hours pur hours pur hours pur hours pur in. 12 (well	mping 30 gpmping gpt to njection well Other (Specify below) mo/day/yr sample was s No Clamped ded ded n. to
						•		11 None (open noie)
1 Continuous s				wrapped		9 Drilled hole		
2 Louvered shi	utter 4 Key	y punched	7 Torch	cut		10 Other (spe	CITV)	
	TED INTEDVALO		A)O	7110		, , ,		
REEN-PERFORA	TED INTERVALS:	110111	&O ft. to	240	ft., Fro	m	ft. to)
		From	ft. to	240	ft., Fro	m <i>.</i>	ft. to) <i>.</i>
	TED INTERVALS:	From	ft. to	240	ft., Fro ft., Fro	m	ft. to)
GRAVEL P	ACK INTERVALS:	From	ft. to	240 240	ft., From ft., From ft., From	m	ft. to)
GRAVEL P	AL: 1 Neat ce	From	ft. to ft. to ft. to Cement grout	240 240	ft., From the first f	ກ	ft. to)
GRAVEL P	AL: 1 Neat co	From	ft. to ft. to ft. to Cement grout	240 240	ft., From the first f	ກ	ft. to)
GRAVEL P	AL: 1 Neat ce	From	ft. to ft. to ft. to Cement grout	240 240	ft., From tt., From tt., From tt., From tt., From tt., From tt.	ກ	ft. to)
GRAVEL P	AL: 1 Neat co	From From Promet From Promet From Promet From Promet From Promet From Promet From Prometer From Prom	ft. to ft. to ft. to Cement grout	240 240	ft., From tt., From tt., From tt., From tt., From tt., From tt.	m	ft. to	. ft. to
GRAVEL P ROUT MATERIA It Intervals: From the second seco	AL: 1 Neat com. To p f source of possible c	From From Promet From Promet From Promet From Promet From Promet From Promet From Prometer From Prom	ft. to ft. to ft. to Cement grout ft., From	240 240 3 Benton ft. t	tt., From tt., F	m	ft. to ft	ft. to pandoned water well well/Gas well her (specify below)
GRAVEL P ROUT MATERIA t Intervals: Fr t is the nearest 1 Septic tank 2 Sewer lines	AL: 1 Neat cerom. To possible course of possible course 4 Lateral	From From From From From From From From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	240 240 3 Benton ft. t	ft., Froi ft., Froi nite 4 do	m	ft. to ft	oft. to
GRAVEL P ROUT MATERIA t Intervals: Fr t is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se	AL: 1 Neat ce from Top	From From From From From From From From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago	240 240 3 Benton ft. t	ft., From tt., From t	m	ft. to ft	ft. to pandoned water well well/Gas well her (specify below)
GRAVEL P ROUT MATERIA t Intervals: Fr t is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well?	AL: 1 Neat ce from Top	From From Promett to 1.18. Contamination:	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 240 3 Benton ft. t	ft., From tt., From t	m	ft. to ft	tt. to pandoned water well well/Gas well her (specify below)
GRAVEL P ROUT MATERIA It Intervals: Fr It is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO	AL: 1 Neat ce from Topf source of possible ce 4 Lateral 5 Cess pewer lines 6 Seepa	From From Promett to the contamination: I lines bool ge pit	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	tt. to pandoned water well well/Gas well her (specify below)
GRAVEL P ROUT MATERIA It Intervals: Fr t is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO	AL: 1 Neat ce from Top	From. From. From ement to to 18 contamination: I lines pool ge pit	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	tt. to pandoned water well well/Gas well her (specify below)
GRAVEL P FROUT MATERIA Intervals: Frict is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 5	ACK INTERVALS: AL: 1 Neat cerom. To pf source of possible cerom. 5 Cess pewer lines 6 Seepa	From From Promet to to 18 From Promet to 18 From	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	ft. to pandoned water well well/Gas well her (specify below)
GRAVEL P GROUT MATERIA Let Intervals: Free tries the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? COM TO 5 18 18	AL: 1 Neat ce from Top	From From Promett to 18 From Pro	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	off. to pandoned water well I well/Gas well her (specify below)
GRAVEL P GROUT MATERIA to Intervals: From the is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? GOM TO 5 18 18 100 100 100 100 100 100 100 100 1	AL: 1 Neat ce from Top	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	off. to pandoned water well I well/Gas well her (specify below)
GRAVEL P GROUT MATERIA at Intervals: From the ist the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OO S 1 8 100 100 100 100 100 100 100	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	off. to pandoned water well I well/Gas well her (specify below)
GRAVEL P GROUT MATERIA Intervals: From the intervals: From the second	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	off. to pandoned water well I well/Gas well her (specify below)
GRAVEL P ROUT MATERIA It Intervals: Fr It is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O S I I I	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	tt. to pandoned water well well/Gas well her (specify below)
GRAVEL P ROUT MATERIA It Intervals: Fr It is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O S I I I	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	ft. to
GRAVEL P ROUT MATERIA It Intervals: Fr It is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O S I I I	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	ft. to
GRAVEL P ROUT MATERIA It Intervals: Fr It is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O S I I I	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	ft. to
GRAVEL P ROUT MATERIA It Intervals: Fr It is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O S I I	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	tt. to pandoned water well well/Gas well her (specify below)
GRAVEL P GROUT MATERIA Intervals: From the intervals: From the intervals of the interval of the intervals	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	ft. to pandoned water well well/Gas well her (specify below)
GRAVEL P GROUT MATERIA at Intervals: From the ist the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OO S 1 8 100 100 100 100 100 100 100	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	tt. to pandoned water well well/Gas well her (specify below)
GRAVEL P GROUT MATERIA to Intervals: From the is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? TO STATE OF THE INTERVAL I	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	tt. to pandoned water well well/Gas well her (specify below)
GRAVEL P GROUT MATERIA to Intervals: From the is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? TO STATE OF THE INTERVAL I	ACK INTERVALS: AL: 1 Neat common. To p	From. From. From ement t. to	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	240 3 Benton ft. 1	ft., Froi ft., Froi nite 4 10	m	14 At 15 Oi 16 Ot	off. to pandoned water well I well/Gas well her (specify below)
GRAVEL P GROUT MATERIA tut Intervals: Frat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? FOM TO STATE AND TO T	ACK INTERVALS: AL: 1 Neat comm. To p	From. From. From ement t. to	ft. to ft. to Cement grout ft., From Pit privy Sewage lago Feedyard Feedyard	240 3 Bentoi ft. 1	ft., From tt., From t	n Other Other Other otock pens storage zer storage ticide storage by feet?	14 At 15 Oi 16 OI	ft. to pandoned water well I well/Gas well her (specify below) IVERVALS
GRAVEL P GRAVEL	ACK INTERVALS: AL: 1 Neat ce form. To p	From. From. From ement t. to	ft. to ft. to Cement grout ft., From Pit privy Sewage lago Feedyard Feedyard	Z40 3 Benton ft. to	tt., From tt., F	n	ft. to ft	ft. to
GRAVEL P ROUT MATERIA It Intervals: Fr t is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O 5 18 18 100 110 110 110 110 110 110 110 1	AL: 1 Neat ce from Top	From. From. From. From. Ement t. to	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lago Feedyard OG	Z40 3 Benton ft. The soon FROM as O construction	tted, (2) reco	on	ft. to ft	ft. to
GRAVEL P ROUT MATERIA It Intervals: Fr t is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO O 5 18 18 100 100 100 100 100 100 100 100 1	AL: 1 Neat comm. To p	From. From. From ement t. to	ft. to ft. to Cement grout ft., From Pit privy Sewage lago Feedyard Feedyard	Z40 3 Benton ft. The soon FROM as O construction	tted, (2) reco	on	ft. to ft	ft. to