		WATER WELL RECO	RD Form WWC-	5 KSA 82a-	1212		Maring Maring
LOCATION OF V	ATER WELL:	Fraction	Se	ection Number	Township Nur	mber	Range Number
County: Mead		NE 14 SE 14		35	T 32	S F	30 EW
		or city street address of well i East and 2 3/4 mi	-				
WATER WELL		Holmes	ies south or	riains.	Nocted.	Right ME	015
		noimes				=	
RR#, St. Address,		67060			-		on of Water Resources
city, State, ZIP Co		, Ks. 67869				Number: 14,	
AN "X" IN SECT	ION BOX:	DEPTH OF COMPLETED W ppth(s) Groundwater Encounte	ered 1	ft. 2		ft. 3	
	ı w	ELL'S STATIC WATER LEVE					
1	l l	Pump test data: W	ell water was2'	90 ft. af	ter	hours pumping	gpm
NW -	- NE Es	st. Yield . 1500 gpm: W	ell water was	ft. af	ter	hours pumping	
. '		ore Hole Diameter					
w 		ELL WATER TO BE USED A			8 Air conditioning		
i i		1 Domestic 3 Feedle			9 Dewatering	•	
SW _	SE						
	X	2 Irrigation 4 Indust			Observation well		······································
<u> </u>		as a chemical/bacteriological s	sample submitted to t				
		itted			er Well Disinfected		No X
TYPE OF BLAN	K CASING USED:	5 Wrought iro				ITS: Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-C	ement 9 Other	(specify below)	Welded . X	
2 PVC	4 ABS	7 Fiberglass				Threaded.	
lank casing diame	ter in.	to 531 ft., Dia .	in. t	0	ft., Dia	in. to	ft.
asing height abov	e land surface		42,05	Ibs./f	t. Wall thickness or	gauge No	
	OR PERFORATION	-	7 P'			stos-cement	
	3 Stainless st			MP (SR)			
1 Steel		_					
2 Brass	4 Galvanized			55		used (open ho	•
	ORATION OPENINGS		5 Gauzed wrapped		8 Saw cut	11	None (open hole)
1 Continuous	slot 3 Mill s		6 Wire wrapped		9 Drilled holes		
2 Louvered s	nutter 4 Key		7 Torch cut		10 Other (specify)		
CREEN-PERFOR	ATED INTERVALS:	From. 511'-531'					
		From. 479! - 499!					
GRAVEL	PACK INTERVALS:	From	ft. to 5.31	ft., Fron	n	ft. to	
		From	ft. to	ft., Fron	า	ft. to	ft.
GROUT MATER	IAL: 1 Neat cen	nent 2 Cement grou			Other		
rout Intervals:	romQft.	to 20 ft., From			ft From	ft.	to
	source of possible co			10 Livest	•		oned water well
1 Septic tank	•		rivo		•	15 Oil wel	
2 Sewer lines		•	•	11 Fuel storage 12 Fertilizer storage			specify below)
	•				•	None obs	
. •	ewer lines 6 Seepage	ерк 9 геес	iyard		•	. NOTE . ODS	&t.v.d.d
irection from well		. I T I IOI OOIO 1 OO	I FDOM	How man		TUO: 00:0 1	<u> </u>
FROM TO		LITHOLOGIC LOG	FROM	то	<u> </u>	ITHOLOGIC LO	<u>)G</u>
	See attach	ed log		-			
				ļ			
			1				
				1			
				 			
				 			
-				 			
							
CONTRACTOR	S OR LANDOWNER'S	CERTIFICATION: This water	well was (1) constr	ucted (2) reco	nstructed or (3) ob	laged under m	v jurisdiction and was
		8					
							ye anu bellet. Nansas
		145 This V		*	/*	1, + + 1, 8° · · ·	·p
ider the business	name of Henkle D	rilling & Supply C	ompany, Inc.	by (signat	ure) Umus	y auf	Smuth
INSTRUCTIONS: U		DI E40E DESCO E	DIAIT ALS A DI COLO	and the section of th	and a final and the	<i></i>	T.T. Tiles and
Department of Healt	e typewriter or ball point pe	en. PLEASE PRESS FIRMLY and Pl	PINT clearly. Please fill in	n blanks, underline	or circle the correct (#	Swers. Send top to	hree copies to Kansas
Department of Healt records.	se typewriter or ball point pe h and Environment, Bureau	en. <i>PLEASE PRESS FIRMLY</i> and <i>Pi</i> u of Water Protection, Topeka, Kans	<u>PINT</u> clearly. Please fill in sas 66620-7320, Telepho	n blanks, underline one: 913-862-9360	or circle the correct () D. Send one to WATEF	swers. Send top to WELL OWNER	hree copies to Kansas and retain one for your

DRILLERS TEST LOG

CUSTOMER'S NAME:	Howard Holmes	DATE:	6/18/88
STREET ADDRESS:	RFD	TEST # 2	E. LOG Yes
CITY & STATE:	Plains, Ks. 67869	DRILLER	Livingston
COUNTY Meade	QUARTER SW SECTION 35 TO	OWNSHIP 3	RANGE 30

LOCATION 580' South of Old Well.

WELL LOCATION

7.	FOOTAGE From Pay TO		то	DESCRIPTION OF STRATA Proposed Well Depth:
	0		2	Top Soil.
	2		52	Brown sandy clay. Caliche.
	52		64	Sand fine to medium. Small to medium gravel.
	64		88	Brown sandy clay & Caliche.
	88		96	Sand fine to medium. Small gravel.
	96		110	Brown sandy clay.
55	110	30	226	Sand fine to medium. Small gravel.
	226		253	Brown sandy clay. Limerock & fine sand streaks.
45	253	04	257	Sand fine to medium coarse.
	257		273	Brown sandy clay.
	273		283	Blue sandy clay.
50	283	14	297	Sand fine to medium coarse.
	297		334	Blue clay & Blue sand fine.
45	334	23	357	Sand fine to medium coarse & Brown sandy clay.
	357		373	Blue & Brown sandy clay & Limerock & fine sand streaks.
45	373	07	380	Sand fine to medium.
50	380	20	400	Sand fine to medium coarse & Limerock & Brown sandy
				clay.
65	400	26	426	Sand fine to medium coarse. Small gravel.
	426		450	Brown sandy clay & few Limerock streaks.
55	450		461	Sand fine to medium coarse. Small gravel.
	461	<u> </u>	479	Brown sandy clay & few Limerock streaks.
70	479	16	495	Sand fine to medium coarse. Small to medium gravel.
				Loose.
45	495	05	500	Sand fine to medium coarse. Limerock & sandy clay.
	500		517	Tan sandy clay with few Limerock & fine sand streaks.
25_	517	1_11_	528	Sand fine to small & Sandy clay.
ļ	528	 	530	Red bed.
		<u> </u>		Total Depth = 531'
				Set up West
				Pit on North
			-	
		-		
	-			

GARDEN CITY, KS 67846 3795 West Jones Ave. HENKLE DRILLING & SUPPLY CO., INC.

316-277-2389

IRRIGATION HEADQUARTERS