Pg 142

WATER WELL RE		Form WWC-5				ources App. No.			
1 LOCATION OF WA Mea		raction 4 sw 4 sw 4	SW 1/4	16		т 32	S	Range Number R 30 □E ⊠W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							nation:		
from nearest town or intersection: If at owner's address, check here \square .			La	Latitude: (in decimal degrees) Longitude: (in decimal degrees)					
			L	ongitude:				(in decimal degrees)	
2 WATER WELL OW		Elevation: Datum: □ WGS 84, □ NAD 83, □ NAD 27							
RR#, St. Address, Box				llection Me		+, 🗀 NAD 65,	□ IN.	AD 21	
City, State, ZIP Code									
Topeka, Ks 66620			[☐ GPS unit (Make/Model: ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
			Es	t. Accuracy	<i>t</i> : □ <3	m, 🗆 3-5 m, 🗆 5-	15 m,	□ >15 m	
3 LOCATE WELL									
WITH AN "X" IN	4 DEPTH OF C	OMPLETED WELL		240		ft.			
SECTION BOX:	Depth(s) Groundw	ater Encountered (1)		ft.	(2)	ft.	(3)	ft.	
N	WELL'S STATIC	WATER LEVEL	ft. b	elow land	surface	measured on mo	/day/y	r	
	Pump	test data: Well water	was	ft. a	after	hours	pumpi	ing gpm	
NWNE-	EST. YIELD	gpm: Well water	was	ft. a	after	hours	pumpi	ing gpm	
W HI E	WELL WATER T	O BE USED AS: \square P	ublic water su	ipply \square	Geother	rmal \square	Inject	ion well	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Domestic 🗆	Feedlot Oil field water	er supply		Dewate	ring 🗆	Other	r (Specify below)	
sw — se —	Irrigation 🗆	Industrial Domestic-	lawn & garde	en 🗵	M onite	oring well		MW101	
		cteriological sample sub-							
S	If yes, mo/da	y/yr sample was submitte	ed	-					
		ected? 🗵 Yes 🗆 N							
5 TYPE OF CASING US CASING JOINTS: Glue Casing diameter 4 Casing height above land	SED: Steel	☑ PVC ☐ Other	•						
CASING JOINTS: Glue	ed Clampe	d □ Welded	₩ Threaded						
Casing diameter 4	in. to 220	ft., Diameter	in. t	0	ft.,	Diameter		in. to ft.	
Casing height above land	surface 0	in., Weight	2.071	lbs	s./ft. Wa	all thickness or ga	uge N	lo237	
IT THE OF SCREEN OR PE	KPUKATIUN MA	IEKIAL:							
☐ Steel ☐ Brass ☐	Stainless Steel	☑ PVC	Other (S	Specity)					
SCREEN OR PERFORATI	Gaivanized Steel On Openings Al	None used (open hores	ne)						
☐ Continuous Slot		☐ Gauze wrapped [☐ Torch cut		Drilled h	noles 🗆 Non	e (ope	en hole)	
		☐ Wire wrapped [Saw cut		Other (s	noles			
SCREEN-PERFORATED I	NTERVALS:	From 220	ft. to	240	ft., Fr	om	ft. t	to tt.	
		From 218	ft. to		ft., Fr	om	ft. t	to ft.	
GRAVEL PACK IN	TERVALS:	From 218	ft. to	240	ft., Fr	om	ft. 1	iott.	
		From	it. to		_ II., Fr	om	II. I	Ю II.	
6 GROUT MATERIALS	□ Neat cement	Cement grout	■ Benton	nite 🗆	Other				
Grout Intervals From	U ft. to	216 ft. From	216 ft. to	213	8 it.	From		11. 10 11.	
What is the nearest source of Septic tank	or possible contamin		☐ Livestock	nens [☐ Insect	icide storage		Other (specify below)	
•			_	_		_	_	ther (speen) delow)	
☐ Sewer lines ☐ Watertight sewer lines	Cesspool		☐ Fuel storag			doned water well ell/gas well	Cor	ntaminated site	
D'		•	☐ Fertilizer s Distance from			_			
		OCIC I OC				LOG (cont.) or		GGING INTERVALS	
FROM TO Su	rface	OGIC LOG	FROM 92	TO 132		d & gravel w/c			
	ess		132			cemented sd	iay ia	iyers	
	ay & caliche		133			clay w/sand st	rks		
	liche & clay w/so	me sand	136			d w/clay			
	ed sd & gravel w		141		Hard	cemented sand			
	cal & cemented		142 160			med sd w/clay			
						d & gravel w/c	lay la	iyers	
					Sandy		d		
						clay w/med sa	na st	TKS	
89 92 Cemented sd w/sand Cont to pg 2 of 2 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or □ plugged									
under my jurisdiction and was completed on (mo/day/year) 3 - 29 - 11 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 554 . This Water Well Record was completed on (mo/day/year) 9-19-11									
under the business name of Woofter Pump & Well Inc. by (signature)									
INSTRUCTIONS: Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain									
Water, Geology Section, 1000 one for your records. Include	SW Jackson St., Suite	e 420, Topeka, Kansas 6661	2-1367. Telep	hone 785-2	296-5522. aterwell/	. Send one to WAT	IER W	ELL OWNER and retain	
one for your records. Include	CE OF BUILDING FOR EACH C	onstructed wen. Visit us at	mp.//www.kui	ICKS.BUV/W	atel WCII/	maca.mm.			

Continuous Slot Street Results Fraction Meade Manage Manage Meade Manage Meade Manage Meade Manage Manage Meade Manage	Pg 2 of 2							
Meade	Division of Water Resources App. No. Section Number Township Number Range Number							
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Global Positioning System (GPS) information: (in dec Longitude:	sw ¼ 16 T 32 s R 30 □E⊠W							
2 WATER WELL OWNER KDHE RR#, St. Address, Box # City, State, ZIP Code Topeka, Ks 66620 Topeka, Ks 6620 Topeka, Ks 66620 Topeka, Ks 66620 Topeka, Ks 6620 Topeka, Ks 66620 Topeka, Ks 66620 Topeka, Ks 66620 Topeka, Ks 6620 Topeka, Ks 66620 Topeka, Ks 6620 Topeka, Ks 6620 Topeka, Ks 66620 Topeka, Ks 66620 Topeka, Ks 6620 Topeka, Ks 6620 Topeka, Ks 66620 Topeka, Ks 6620 Topeka, Ks 6620 Top	n Global Positioning System (GPS) information: Latitude: (in decimal degrees) Longitude: (in decimal degrees)							
3 LOCATE WELL WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)	Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method: ☐ GPS unit (Make/Model: ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey							
Depth(s) Groundwater Encountered (1) ft. (2) ft. (3)								
SECTION BOX: N	240 ft.							
Pump test data: Well water was	Iwater Encountered (1) ft. (2) ft. (3) ft.							
NW	IC WATER LEVEL ft. below land surface measured on mo/day/yr							
Steel	r was ft. after hours pumping gpm Public water supply Geothermal Injection well Iter supply Dewatering Other (Specify below) Iter supply Monitoring well Iter supply Series Monitoring well Iter supply Serie							
Steel								
Steel	₩ Threaded							
Steel	10. 10 11., Diameter 10. 10 11. 2.071 lbs/ft Wall thickness or gauge No. 237							
□ Steel □ Stainless Steel □ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: □ Continuous Slot □ Mill slot □ Gauze wrapped □ Torch cut □ Drilled holes □ None (open hole) □ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify) SCREEN-PERFORATED INTERVALS: From 220 ft., From ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: Post of the contact of the con	20071 105./11. Wall tillekiless of gauge 110							
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill slot Gauze wrapped Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 220 ft. to 240 ft., From ft. to From ft. to ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to From ft. to 240 ft., From ft. to From ft. to 240 ft., From ft. to From ft. to ft., From ft. to From ft. to 240 ft., From ft. to From ft. to	☐ Steel ☐ Stainless Steel ☒ PVC ☐ Other (Specify)							
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify) SCREEN-PERFORATED INTERVALS: From 220 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. ft. from ft. to 218 ft. ft. from ft. to GRAVEL PACK INTERVALS: Prom 216 ft. to 218 ft. From Diterval 218 ft. ft. to 218	iole)							
SCREEN-PERFORATED INTERVALS: From 220 ft. to 240 ft., From ft. to From ft. to ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to From ft. to ft., From ft. to From ft. to ft., From ft. to 6 GROUT MATERIAL: Neat cement Cement grout Grout Intervals From 0 ft. to 216 ft. From 216 ft. to 218 ft. From ft. to What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (sp.) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well FROM TO LITHOLOGIC LOG FROM TO LITHOL LOG (cont.) or PLUGGING Cont from pg 1 of 2	☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
SCREEN-PERFORATED INTERVALS: From 220 ft. to 240 ft., From ft. to From ft. to ft., From ft. to GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to From ft. to ft., From ft. to From ft. to ft., From ft. to 6 GROUT MATERIAL: Neat cement Cement grout Grout Intervals From 0 ft. to 216 ft. From 216 ft. to 218 ft. From ft. to What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (sp.) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well FROM TO LITHOLOGIC LOG FROM TO LITHOL LOG (cont.) or PLUGGING Cont from pg 1 of 2	Saw cut ☐ Other (specify)							
GRAVEL PACK INTERVALS: From 218 ft. to 240 ft., From ft. to ft. from ft. to ft. to ft. from ft. to ft. ft. from ft. ft. to ft. ft. from ft. ft. ft. from ft. ft. ft. from ft.	ft. to 240 ft From ft. to ft.							
From It. to It., From It., From	ft. to ft., From ft. to ft.							
Grout Intervals From 0 ft. to 216 ft. From 216 ft. to 218 ft. From ft. to What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (sponsor) Sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Contamination: Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Contamination: Sewer lines Cesspool Sewage lagoon Fuel storage Oil well/gas well Contamination: From To Lithologic Log From To Lithologic Cont.) or Plugging Cont from pg 1 of 2	tt. to tt., From tt. to tt.							
Grout Intervals From 0 ft. to 216 ft. From 216 ft. to 218 ft. From ft. to What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (space of possible contamination) Sewer lines Sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Contamination: Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Contamination: FROM TO LITHOLOGIC LOG FROM TO LITHOLOG (cont.) or PLUGGING Cont from pg 1 of 2	☑ Bentonite ☐ Other							
□ Septic tank □ Lateral lines □ Pit privy □ Livestock pens □ Insecticide storage □ Other (spondard lines □ Cesspool □ Sewage lagoon □ Fuel storage □ Abandoned water well □ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well □ Contamin Distance from well □ Distance from well □ FROM □ TO □ LITHOLOGIC LOG □ FROM □ LITHOLOGIC Cont.) or PLUGGING □ Cont from pg 1 of 2 □ Contamin □ Co	Grout Intervals From 0 ft. to 216 ft. From 216 ft. to 218 ft. From ft. to ft.							
□ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well Contamin Direction from well □ Distance from well FROM TO LITHOLOGIC LOG FROM TO LITHOL LOG (cont.) or PLUGGING Cont from pg 1 of 2 □ Contamin								
FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING Cont from pg 1 of 2	☐ Fertilizer storage ☐ Oil well/gas well Contaminated site							
Cont from pg 1 of 2								
	FROM TO LITHO, LOG (cont.) or PLUGGING INTERVALS							
190 192 Hard cemented sand								
192 200 Sandy clay w/sand strks								
200 240 Tight med sd & gravel w/clay								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/year) 9								
under the business name of Woofter Pump & Well Inc. by (signature)								
INSTRUCTIONS: Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Enviro Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL Of one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.	12-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain							