WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.			
1 LOCATION OF WATERWELL.		Fraction	/	Section Number	Township No.	Range N	
County: Myade		1/4 MM/4 MV	N1/45W1/4	20	т <b>32</b> s		□E <b>X</b> W
Street/Rural Address of	ii unknown, distance e	x direction		ng System (GPS) in			
from nearest town or intersection: If at owner's address, check here .				Latitude:			
2 WATER WELL OWNER: Layne Angell RR#, Street Address, Box #: 16/22 3 Rd				Elevation: (in decimal degrees)			
1 11,19 Wes 1 87 1/9(N)				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Layne Mingel				Collection Method:			
City, State, ZIP Code : 16/22 3 RJ				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Plains, KS 67869			9	Est. Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m			
3 LOCATE WELL		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	47				
		COMPLETED WEL					
SECTION BOX: Depth(s) Groundwater Encountered (1)							
N WELL'S STATIC WATER LEVEL 2.7.6ft. below land surface measured on mo/day/yr							
	r was	ft. after hours pumping gpm					
NW NE	eter 7.7% in to	f	ft., andin. toft.				
			E USED AS: Public water supply Geothermal Injection well				
Domestic    Feedlot    Oil field water supply    Dewatering    Other (Speci							
Irrigation							
Was a chemical/bacteriological sample submitted to Department? Yes 🔯 No							
S If yes, mo/day/yr sample was submitted							
1 mile   Water well disinfected?							
5 TYPE OF CASING USED: Steel X PVC Other							
CASING JOINTS: A Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diam							
Casing diameter in. to							
Casing height above land surface							
Steel Stainless Steel PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From 19. Y. ft. to 200 ft., From ft. to ft., From ft. to ft.							
			1	tt. to #1 ft	., From	. ft. to	ft.
What is the nearest source			☐ Livestock n	ens     Insectició	le storage	er (specify	halow)
Septic tank       □ Lateral lines       □ Pit privy       □ Livestock pens       □ Insecticide storage       □ Other (specify below)         Sewer lines       □ Cesspool       □ Sewage lagoon       ➡ Fuel storage       □ Abandoned water well							ociow)
Watertight sewer lines Seepage pit Feedyard Fertilizer st					gas well		
Direction from well					5.0		
FROM TO	LITHOLOG	IC LOG	FROM		LOG (cont.) or PLU		
9 2 Jas	0;1		4/5	455 Med	Sand w/ Cla	ig 574	rats
2 27 794	clay,	~t	455	475 Clay	1	<u>/</u>	
27 52 Prou	n sanda	Clay	<del> </del>				
60 66 Sand	-and						
66 165 Mrd	y clay	Clay Laurers					
165 195 Coars	Jana W	-/ Clay Layer	-				
195 270 Fine to med Sand							
230 295 Clay W/ Find Squ/ Straks							
295 415 Fine to Med Soul al Clay Streets							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, $\Box$ reconstructed, or $\Box$ plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No							
under the business name of							
(white, blue, pink) to Kansas De							
Telephone 785-296-5524. Send	one copy to WAT						
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							