

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

Well ID

Well ID

1 LOCATION OF WATER WELL: County: Fraction Section Number Township Number Range Number

2 WELL OWNER: Last Name: Business: Address: City: State: ZIP: Street or Rural Address where well is located

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S

4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: WELL'S STATIC WATER LEVEL: Pump test data: Estimated Yield: Bore Hole Diameter:

5 Latitude: Longitude: Datum: Source for Latitude/Longitude: GPS (unit make/model): Land Survey Topographic Map Online Mapper:

6 Elevation: Ground Level TOC Source: Land Survey GPS Topographic Map Other

7 WELL WATER TO BE USED AS: 1. Domestic: 2. Irrigation: 3. Feedlot: 4. Industrial: 5. Public Water Supply: 6. Dewatering: 7. Aquifer Recharge: 8. Monitoring: 9. Environmental Remediation: 10. Oil Field Water Supply: 11. Test Hole: 12. Geothermal: 13. Other

Was a chemical/bacteriological sample submitted to KDHE? Water well disinfected?

8 TYPE OF CASING USED: CASING JOINTS: Casing diameter: Casing height above land surface: Weight: Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other: Brass Galvanized Steel None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other: Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other: Grout Intervals: From ft. to ft.

Nearest source of possible contamination: No potential source of contamination within 200 ft. Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage: Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well: Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well: Other (Specify): Direction from well? Distance from well?

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Daniel & Jamie Eakes
Doc ID	1489423

Lithology

From	To	LithologicLog
0	2	surface
2	55	brown clay, caliche fine sands
55	69	sand fine to med
69	95	brown-white clay, lime rock, few light gray clay
95	110	sand fine to med coarse small to few large gravel
110	160	sand fine to med, some coarse thin clay
160	171	brown clay, lime rock
171	240	sand fine to med few clay
240	303	sand fine to med, coarse
303	331	brown clay, sand mixed
331	340	sand fine to med coarse
340	350	blue sand, blue clay
350	408	sand fine to med, some coarse thin clay
408	440	sand fine to med coarse, thin clay
440	458	sand fine to med coarse some small-med gravel
458	467	brown clay
467	500	lime rock, brown clay
500	540	sand silty to fine, hard clay
540	554	sand silty, clay mixed
554	562	brown rock

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Daniel & Jamie Eakes
Doc ID	1489423

Lithology

From	To	LithologicLog
562	580	red bed