KOLAR Document ID: 1564971

	WELL R	ECORD Correction		WWC-5 e in Well Use				ion of Waterces App. N] Well I	_ [
	ION OF WA			Fraction	<u>'</u>			on Numbe		Township Numb			ge Number
County: 14 14 14							T S R \square E \square W						
					direction fro	irection from nearest town or intersection): If at owner's address, check here:							
Address:													
Address: City: State: ZIP:													
3 LOCATE	E WELL												
WITH "				IPLETED V			. ft.						
SECTIO	N BOX:			Encountered:			1			e:			
N				3) ft TER LEVEL:			l			WGS 84 □ NAI		_ N	AD 27
				, measured on						Latitude/Longitude unit make/model:	-		,
NW	NE			measured on						WAAS enabled?			
	i	_		ater was					Land Survey Topographic Map				
w	E	after		s pumping					Online Mapper:				
SW	SE	ofter		vater was									
	1	Estimated Y			gpm			6 Eleva	6 Elevation :ft. ☐ Ground Level ☐ TOC				
S	<u> </u>			gpm in. to ft. ar				Source: Land Survey GPS Topographic Map					
1 m	ile			in. to						Other			
7 WELL V	VATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: v						eld Water Supply: 16			
Househ				g: how many						: well ID			••••
Lawn &				echarge: well									
☐ Livesto 2. ☐ Irrigation				g: well ID									
3. ☐ Feedlot			Air Sparge		ll Remediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of W					
4. Industri			Recovery		jection					(specify):			
Was a chen	nical/bacteri	iological san	nple subm	itted to KD	HE ? □	Yes □ N	lo I	If yes, date	e sar	nple was submitte	d:		
	disinfected?				_	_		3 /		1			
8 TYPE O	F CASING	USED: □ S	teel PV	C 🔲 Other		CA	SINC	G JOINTS	S: 🗆	Glued Clamped	d ☐ We	lded	☐ Threaded
										in. to			
	t above land s					lbs./	ft.	Wall thick	kness	s or gauge No		•••	
	CREEN OR		I'ION MA'							a .c.)			
☐ Steel ☐ Brass	_	less Steel anized Steel			□ PVC	ısed (open l	olo)		ner (Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	•••••
	R PERFOR		NINGS AI		None (iscu (opcii i	1010)						
☐ Contin		☐ Mill Slot		auze Wrapped	l 🗆 To	orch Cut	Dri	lled Holes		Other (Specify)			
Louver		☐ Key Punch						ne (Open H					
										ft., From			
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft. from ft. to													
	ce of possible			ft., From potential sou	ree of cor	It. to	withi	It., From	••••	It. to	It.		
Septic 7			Lateral Line		it Privy			iii 200 it. ivestock Pe	ens	☐ Insection	cide Stor	age	
☐ Sewer L			Cess Pool					uel Storage		☐ Abando			Vell
	ght Sewer Lin			□F	eedyard		□ Fe	ertilizer Sto	orage	e □ Oil We	:ll/Gas W	/ell	
☐ Other (Specify)													
	m well? TO		ITHOLOG		ce from w					tt. HO. LOG (cont.) or		TINIC	CINTEDVALC
10 FROM	10	<u>L</u>	THOLUC	JIC LUG		FROM	L	TO	LH	HO. LOG (cont.) of	PLUGC	MINC	INTERVALS
							+						
							\neg						<u>, </u>
						1							
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wat	Kansas Water Well Contractor's License No												
under the business name of													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1564971

Lithology

From	То	LithologicLog
0	6	TOPSOIL
6	12	BR. CLAY
12	45	TAN CLAY W/ CALICHE LAYERS
45	83	MED/COARSE W/ SANDY CLAY
83	102	MED/COARSE SAND
102	116	SANDY CLAY
116	158	M/C SAND W/ FINE GRAVEL
158	170	M/C SAND W/ SANDY CLAY
170	184	FINE GRAVEL
184	191	CLAY
191	196	CLAY
196	205	M/C SAND TR. FINE GRAVEL
205	211	SANDY CLAY
211	215	CLAY
215	232	SANDY CLAY
232	236	CLAY
236	245	SANDY CLAY
245	263	M. SAND, TR. C. SAND, W/ SANDY CLAY LENSES
263	283	CLAY
283	291	SAND W/ CLAY
291	306	CLAY

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1564971

Lithology

From	То	LithologicLog
306	311	SANDY CLAY/ SAND
311	325	FINE GRAVEL
325	342	CLAY
342	436	M/C SAND W/ FINE GRAVEL
436	442	CLAY
442	459	M/C & VERY C. SAND
459	468	CLAY W/ VERY THIN SAND LENSES
468	477	CLAY
477	489	CLAY W/ VERY SAND LENSES
489	517	FINE SAND, TR MED
517	519	CLAY
519	528	RED BED