KOLAR Document ID: 1594193

	WELL R	ECORD Correction		WWC-5			ivision of Wate sources App. I			Well II	, []
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					rr.			ange Number			
County:					T S R DE W						
•					Street or R	reet or Rural Address where well is located (if unknown, distance and					
Business:						direction from	n nearest town o	r inte	rsection): If at owner	r's addres	s, check here:
Address:											
Address: City:			State:	ZIP:							
3 LOCAT	E WELL										
WITH "				IPLETED WE					:		
SECTIO	N BOX:			Encountered: 1)					le:		
N	2) ft. 3) ft., or 4) \[\sqrt{1} \] WELL'S STATIC WATER LEVEL:							WGS 84 □ NAI	· ·	, NAD 27	
					ared on (mo-day-yr)			Source for Latitude/Longitude: GPS (unit make/model:)			
NW	NF			measured on (me				(WAAS enabled? ☐ Yes ☐ No)			
	X	Pump test d	ata: Well w	ater was	f	t.			Survey Topogr		
w	E	after		s pumpinggpm				☐ Online Mapper:			
sw	SE	-6		ater was							
	ī	Estimated Y		pumping gpm			6 Elevatio		on:ft. Ground Level TOC		
	S			gpm in. to	ft. and		Source: Land Survey GPS Topographic Map				
1 n				in. to					Other		
7 WELL V	WATER TO	BE USED A	AS:								
1. Domestic:				ter Supply: well					eld Water Supply: 16		
Housel				g: how many we							
☐ Lawn &				echarge: well ID							
Livesto 2. Irrigati				g: well ID							
3. ☐ Feedlo] Air Sparge								
4. ☐ Industr			Recovery	☐ Injecti	_				(specify):		
Was a chei	nical/bacter	iological san	nple subm	itted to KDHE	?	Yes □ No			mple was submitte		
	disinfected?				·	100	11 900, 000		mpro was sasimos		
				C Other		CAS	ING JOINTS	S: [Glued Clamped	l 🗌 Weld	led Threaded
									in. to		
	t above land s					lbs./ft	Wall thic	kness	s or gauge No		•
	SCREEN OR		ΓΙΟΝ MA								
Steel	_	less Steel				17 1		her (Specify)		
☐ Brass	Gaiva NR PERFOR∆	anized Steel	NINGS AI		none u	ised (open ho	ne)				
		☐ Mill Slot		auze Wrapped	□та	orch Cut	Drilled Holes	П	Other (Specify)		
		☐ Key Puncl					None (Open I				
SCREEN-P									ft., From	ft.	to ft.
Gl	RAVEL PAC	K INTERV	ALS: Fron	n ft. to .		ft., From	ft. t	o	ft., From	ft.	to ft.
								• • • • • •	ft. to	ft.	
Nearest sour	rce of possible		on: No Lateral Line	potential source			nthin 200 ft. Livestock Pe		☐ Insection	aida Stora	gg.
☐ Septic			Cess Pool				Fuel Storage				
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
Other (Specify)										
Direction from well? Distance from well? .											
10 FROM	TO	I	ITHOLOG	GIC LOG		FROM	TO	LIT	THO. LOG (cont.) or	PLUGGI	NG INTERVALS
							+ -				
						Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year)											
Kansas Wa	ter Well Con	tractor's Lice	ense No	Th	is Wa	ater Well Re	ecord was con	nole	eted on (mo-day-y	ear)	age and belief.
under the business name of											
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
_	nent of Health ar ttp://www.kdhek			vater, Geology Sect	.10fl, 1(JOU S W JACKSO	ıı sı., suite 420,	торе	ска, канѕаѕ 00012-136		XSA 82a-1212
										-	

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	
Doc ID	1594193

Lithology

From	То	LithologicLog
0	2	top soil
		· ·
2	6	black dirt
6	37	brown sandy clay
37	48	brown sandy clay w/ few caliche layers
48	56	fine med coarse sand small gravel
56	62	brown sandy clay & caliche mixed
62	83	brown sandy clay w/ few caliche layers
83	90	caliche w/ some brown sandy clay & few coarse sand strips
90	100	brown sandy clay
100	154	fine med coarse sand small gravel
154	159	brown & yellow sandy clay
159	179	fine med coarse sand small gravel
179	185	brown sandy clay
185	199	fine med coarse sand
199	204	hard rock ledge w/ little brown clay
204	220	fine med sand
220	262	fine med some coarse sand
262	276	fine med coarse sand
276	279	gray sandy clay

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	
Doc ID	1594193

Lithology

From	То	LithologicLog
279	300	fine med coarse sand
300	360	fine med some coarse sand
360	427	fine med coarse sand
427	443	tan sandy clay
443	458	lime rock & fine sand w/ few tan clay stringers
458	505	fine sand w/ few thin lime rock layers
505	520	red bed