KOLAR Document ID: 1364921

				WWC-5		vision of Wa			W-II ID	
	Record			e in Well Use		ources App.		Tourship Numb	Well ID	ao Numbor
1 LOCATION OF WATER WELL: County:Fraction1/41/41/41/4					$\begin{array}{c c c c c c c c c c c c c c c c c c c $			$\Box E \Box W$		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and										
Business: Business town or intersection): If at owner's address, check										
Address:										
Address:										
City:		[State:	ZIP:						
	3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:								(decimal degrees)	
WITH "X" IN SECTION BOX: Depth(s) Groundwater Encountered: 1) ft.								e:		
N	N 2) ft. 3) ft., or 4) \Box Dry Well Datum: \Box WGS 84 \Box NAD 83 \Box NAD 27									
	WELL'S STATIC WATER LEVEL: ft.					Source for Latitude/Longitude:				
				, measured on (mo-day-			GPS (unit make/model:)			
NW	NWNE Pump test data: Well water was								io)	
w x	E			s pumping		□ Land Survey □ Topographic Map □ Online Mapper:				
	1			vater was f			Jinne		•••••	
SW	- SE	after	hours	s pumping	gpm					
		Estimated Y				6 Elevation:ft. [] Ground Level [] TOC				
S		Bore Hole I		in. to	Sour	Source: Land Survey GPS Topographic Map Other				
1 mi		DE LICED		in. to	It.			Ouler	•••••	
7 WELL W 1. Domestic:	ATER TO						1.1 17:-	1 J W/- t- n C 1 1-		
□ Househo	Jd			ter Supply: well ID g: how many wells?				ld Water Supply: le		
☐ Housend				echarge: well ID						
			· •	g: well ID				al: how many bores		
2. 🗌 Irrigation	n			al Remediation: well II				Loop Horizont		
3. 🗌 Feedlot			Air Sparge		Extraction					
4. 🗌 Industria	ıl		Recovery	Injection		13. 🗌 C	Other (specify):		
Was a chem	ical/bacteri	iological san	nple subm	nitted to KDHE?	Yes 🗌 No	If yes, dat	te san	nple was submitte	d:	
Water well d										
8 TYPE OF	CASING	USED: 🗆 S	teel 🗌 PV	C 🗌 Other	CASI	NG JOINT	S: □	Glued Clamped	Welded	1 🗌 Threaded
				Diameter						
				. Weight	lbs./ft.	Wall thic	kness	or gauge No	•••••	
TYPE OF SC							1 (6			
□ Steel □ Brass		less Steel	☐ Fiber ☐ Conc		sed (open hol		ther (S	Specify)	•••••	•••••
SCREEN OF		anized Steel			ised (open noi	e)				
		☐ Mill Slot			orch Cut	Drilled Holes		Other (Specify)		
		Key Puncl				None (Open]		other (speeny)		
				n ft. to				ft., From	ft. to	ft.
GR	AVEL PAC	K INTERV	ALS: Fron	n ft. to	ft., From	ft.	to	ft., From	ft. to	ft.
] Cement grout 🛛 Be						
				ft., From	ft. to	ft., Fron	1	ft. to	ft.	
Nearest source										
Septic Ta			Lateral Line			Livestock P			ide Storage	
Sewer Li	nes ht Sewer Lin		Cess Pool Seepage Pit	☐ Sewage La ☐ Feedyard		Fuel Storag Fertilizer St			oned Water ' ll/Gas Well	well
						i entilizer St	Jage		u Jas well	
				Distance from w				ft.		
10 FROM	TO		ITHOLOG		FROM	TO		HO. LOG (cont.) or	PLUGGIN	G INTERVALS
 										
 					.					
	Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No										
under the business name of										
	S	end one copy to) WATER W	ELL OWNER and retain	one for your rec	ords. Fee of \$	5.00 f	or each constructed we	11.	
-				Water, Geology Section, 10	00 SW Jackson	n St., Suite 420), Tope	ka, Kansas 66612-136		
visit us at htt	<u>)://www.kdhek</u>	s.gov/waterwel	<u>i/index.ntml</u>						NS NS	SA 82a-1212

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Clayton Befort
Doc ID	1364921

Litholgy

From	То	LithologicLog
0	2	surface
2	6	brown clay
6	12	fine sand
12	20	cemented sand, brown clay
20	41	brown clay, some cemented sand
41	54	sand fine
54	72	sand fine to med coarse small to few large gravel
72	94	brown clay, few red clay
94	134	sand fine to med coarse small to few med gravel
134	141	brown-yellow clay
141	155	brown and blue clay
155	173	brown clay, some sands
173	229	sand fine to med coarse small to few large gravel
229	300	blue clay
300	314	blue sand, blue clay mixed
314	336	blue clay
336	350	blue sand, thin blue clays
350	361	brown clay, few limerock
361	371	sand fine to med some clays
371	383	sand fine to med coarse few small gravel
383	407	brown clay, lime rock
		-

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Clayton Befort	
Doc ID	1364921	

Litholgy

From	То	LithologicLog
407	416	sand silty to very fine
416	420	brown-white clay