Lambert 21-								
WATER WELL RECORD			Form WWC	Form WWC-5 Division of Water Resou			20080200	
		F WATER WELL:	Fraction			Township Number		
Count	y: Sewa	rd			21	T 32 S	R 32 EW	
Distance and direction from nearest town or city street address of well if located within city? Liberal: N on 83 to 160, 3E, 1S, Latitude:						,		
•5E	.5E & S into w/w					Latitude:		
The state of the s					1Elevation:			
2 WATER WELL OWNER: EOG Resources Inc. Lambert 21 1 Elevation: Datum:								
City, State, ZIP Code : Oklahoma City, OK 73112-1483 Data Collection Method:								
	LOCATE WELL'S 4 DEPTH OF COMPLETED WELL							
	CATION TH AN "X" IN Depth(s) Groundwater Encountered (1)246 ft. (2) ft. (3) ft.							
	TION BO	DN BOX: Depth(s) Groundwater Encountered (1)						
OLC I	N Pump test data: Well water was256ft. after hours pumping100 gpm							
	Est. Yield 160gpm: Well water wasft. after hours pumping							
	WELL WATER TO BE USED AS: 5 Public water supply Note: The conditioning of the conditi							
w —	E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
CW CW								
sw	Was a chemical/bacteriological sample submitted to Department? Yes Nox; If yes, mo/day/yrs							
Sample was submitted								
S CASING HORIZON S.W. 141 OCCUPACION CASING HORIZON CL. 1 V. Cl. 1								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: GluedX Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded								
PVC 4 ABS 7 Fiberglass								
Blank casing diameter								
Casing height above land surface24								
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug								
Grout Intervals: From								
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage (13 Oil well/gas well								
		II?South				PLUGGING INT		
FROM 0		LITHOLOGIC Surface	LUU	FRON	M TO	FLUGGING INT	LKVALS	
2	116	Clay						
116	136	Sandy Clay						
136	155	Sand						
155	164	Sandy Clay & Clay			 			
164 416	416 448	Sand Sandstone	•					
448	460	Sand & Red Clay						
		The state of the s						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/07/08 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. KWWCL 430 This Water Well Record was completed by (the day/year)								
under the business name of Howard Drilling Co Box 806 Beaver by Oksignature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, under to or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								