KOLAR Document ID: 1539527

	WELL R	ECORD Correction		WWC-5 e in Well Use				ion of Waterces App. N] Well	m [
	TION OF WA			Fraction				on Numbe		Township Numb			ge Number
County		TIER WE		1/4 1/4	4 1/4		30011	on runnot		T S	R		□E □W
	OWNER: La	st Name:		First:		Street or	Rural	1 Address	whe	ere well is located			
Business:						direction fro	om nea	arest town or	r inte	rsection): If at owne	r's addre	ss, c	heck here:
Address: Address:													
City:			State:	ZIP:									
3 LOCAT	E WELL						_						
WITH "				IPLETED W			. ft.						
SECTIO	N BOX:			Encountered:						e:			
N	1			3) ft TER LEVEL:						WGS 84 □ NA	_	_ N.	AD 27
	X			measured on						<u>Latitude/Longitude</u> unit make/model:			,
NW	NF			measured on						WAAS enabled?			
	i l	Pump test d	ata: Well w	vater was ft.				☐ Land Survey ☐ Topographic Map				-/	
w	E	after		s pumpinggpm				Online Mapper:					
SW	SE	-6		ater was									
	ī	Estimated Y		pumping		gpm		6 Eleva	tion	ı:ft	. □ Gro	ound	Level ☐ TOC
	S			gpm in. to ft. aı					Source: Land Survey GPS Topographic Map				
1 n				in. to .						Other			
7 WELL V	WATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: we						eld Water Supply: 10			
Housel				g: how many						: well ID			
☐ Lawn &				echarge: well						☐ Uncased ☐			
Livesto 2. Irrigati				g: well ID al Remediation									
3. ☐ Feedlo] Air Sparge			Extraction	•••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wate					
4. ☐ Industr			Recovery	∏ Inje	_	Extraction				(specify):			
Was a chei	nical/bacter	iological san	nnle subm			Yes □ N	o I			mple was submitte			
	disinfected?			itted to IIDI	. 11 2.	105 🔲 1		ir yes, dan	c sui	npie was saoimue	· · · · · · · · · · · · · · · · · · ·		
				C □ Other		CA	SINC	G JOINTS	S: \Box	Glued Clamped	d □ We	lded	☐ Threaded
										in. to			_
Casing heigh	nt above land s	urface	in	. Weight		lbs./				s or gauge No			
	SCREEN OR		ΓΙΟΝ MA		_								
Steel	_	less Steel		_	PVC	17 1	1.	☐ Otl	ner (S	Specify)		• • • • • •	•••••
☐ Brass	Galva NR PERFOR∆	anized Steel	NINCS AT] None t	ised (open l	iole)						
		☐ Mill Slot		auze Wrapped	□та	orch Cut	l Dril	lled Holes		Other (Specify)			
		☐ Key Puncl						ne (Open H			•••••		•••••
SCREEN-P										ft., From	f	t. to	ft.
Gl	RAVEL PAC	K INTERV	ALS: Fron	1 ft. t	to	ft., Fro	m	ft. to	o	ft., From	f	t. to	ft.
9 GROUT	MATERIA	L: 🗌 Neat o	cement	Cement grout	t 🔲 Be	entonite [Oth	ner					
				. ft., From		ft. to		ft., From	••••	ft. to	ft.		
	rce of possible			potential sour							.1 0		
☐ Septic '☐ Sewer I			Lateral Line Cess Pool		t Privy			ivestock Pe uel Storage		☐ Insection			Wall
	ght Sewer Lin			☐ Fe				ertilizer Sto					VCII
Other (Specify)												
☐ Other (Specify)													
10 FROM	TO	I	LITHOLOG	GIC LOG		FROM	[TO	LIT	HO. LOG (cont.) or	t PLUGO	<u> </u>	3 INTERVALS
						+	-						
						+							
						1	-						
						Notes:		I					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my ju	under my jurisdiction and was completed on (mo-day-year)												
under the h	usiness name	of	110		1111S W	ater well i	VECOI	iu was coi	mpie	on (mo-day-y	cai)		
under the business name of													
KS Departn	nent of Health ar	nd Environment	, Bureau of V	Vater, Geology S	Section, 10	000 SW Jack	son St	., Suite 420,	Торе	eka, Kansas 66612-136	57. Telep	hone	785-296-3565.
Visit us at h	ttp://www.kdhek	s.gov/waterwel	ll/index.html									KS.	A 82a-1212

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	Dan Eakes
Doc ID	1539527

Lithology

Littiology		
From	То	LithologicLog
0	2	top soil
2	19	brown sandy clay
19	35	fine sand & clay mixed
35	80	brown sandy clay & caliche sand
80	86	fine med sand
86	98	brown & tan sandy clay
98	108	fine med coarse sand few small gravel
108	112	brown light blue & yellow sandy clay
112	147	fine med coarse sand small few med gravel
147	160	light blue & some brown clay mixed
160	220	fine med coarse sand small gravel
220	355	sand med coarse sand small some med gravel
355	373	fine med coarse sand small gravel w/ couple clay stringers
373	439	fine med coarse sand small few med gravel
439	454	fine sand w/ some clay stringers
454	476	sandstone w/ few soapstone stringers
476	490	sandstone

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	Dan Eakes
Doc ID	1539527

Lithology

From	То	LithologicLog
490	520	red bed