WATER	R WELL	RECORD	Form WWC-5		Division of Water Resources; App. No. 2008032			
1 LOCA	ATION O	WATER WELL:	Fraction		Section Numb			
Count	y: Sewa	rd	SW 1/4 NE 1/4 SW	1/4	7	T 32 S	R 33 E	
Distar	Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)							
locate	located within city? Liberal: N on 83 to Satanta cut- Latitude:							
thru	to Rd 1	6, 2.7W & N into			_			
		OWNED.	- II-CC m 1		Elevation:			
I	St. Addres	Boy# Oxy USA II	nc. Hoffman T-1		Datum:			
	State, ZIP	Code BOX 2028						
		Liberal, R	KS 67905-2528			ion Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL240								
	ATION							
1	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)70 ft. (2) ft. (3) ft. SECTION BOX: WELL'S STATIC WATER LEVEL70 ft. below land surface measured on mo/day/yr.							
SECT	SECTION BOX: WELL'S STATIC WATER LEVEL70 ft. below land surface measured on mo/day/yr							
	N Pump test data: Well water was80ft. after1 hours pumping100 gpm							
Est. Yield100gpm: Well water wasft. after								
WELL WATER TO BE USED AS: 5 Public water supply NETHORSON WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot Oil field water supply Oil field water supply 9 Dewatering 11 Injection well 12 Other (Specify below								
$ \mathbf{w} $	W							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
swXse								
Sample was submitted								
S								
5 TVPF	OF CAS	NG USED: 5 Wrought	Iron 8 Concrete	e tile	CA	SING JOINTS: Glued	X Clamped	
1		3 RMP (SR) 6 Asbestos					Clampea	
		4 ABS 7 Fiberglas				Threaded		
Plants	aina diama							
Blank casing diameter								
Casing height above land surface								
1			CKIAL:	0.4	DC	11 Other (Specific)		
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)								
				10 F	Asbestos-Cem	ent 12 None used (oper	i noie)	
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped Saw cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From40 ft. to240 ft., From ft. to ft.								
From ft. to ft., From ft. to ft.								
6 CPO	IIT MATE	RIAL: (1) Neat cement 2	Coment grout 2 Pento	nito /	Dother he	ole plua		
		From 1 A to	25 & Erom	mie (ft to	4 From	ft to ft	
Grout Intervals: From								
What is the nearest source of possible contamination:								
							16 Other (specify	
1	Sewer line		2 2		_	14 Abandoned water well	below)	
		sewer lines 6 Seepage pit	9 reedyard 12 I	r ertiii2	er storage	Oil well/gas well		
		1?Northwest					****	
FROM	TO	LITHOLOGIC	LUG	FROM	TO	PLUGGING INT	EKVALS	
0	2	Surface						
2	21	Sandy Clay						
21	84	Sand & Gravel						
84	92	Clay					•	
92	216	Sand & Gravel						
216	220	Sand & Clay Streaks						
220	240	Clay Tan	•					
		,						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 8/04/08 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. KWWCI430 This Water Well Record was complete on (mo/day/year) /8/14/08								
under the business name of Howard Drilling Box 806 Beaver, Oky 73932 ure)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in branks, type in the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								