WATER WELL RECORD	Form WWC-5	Division of Water Resources A	upp. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township	
County: Spward	14 5C 14 SE 14 NE 14	6 T 72	And the second s
Street/Rural Address of Well Location; from nearest town or intersection: If at		Global Positioning System (G Latitude:	
		I ongitude:	`
13 Miles North \$ 5 Miles West of Liber Patron: WGS 84 1 NAD 87			
2 WATER WELL OWNER: RR#, Street Address, Box #: R+(Smith	Collection Method:	
1 C:- C 7ID C-1-		☐ GPS unit (Make/Model: ☐ Digital Map/Photo, ☐ Topo	
Chy, State, 211 code . Mose	ow, KS 67952	Est. Accuracy: 3 m, 3-5	
3 LOCATE WELL	COMPLETED WELL	76 ft.	
WITH AN "X" IN 4 DEPTH OF SECTION BOX: Depth(s) Groun	<u> </u>		
N WELL'S STAT	N WELL'S STATIC WATER LEVEL		
Pum	Pump test data: Well water wasft. after hours pumping gpm		
EST. YIELD	gpm, Well water was	ft. after hour	s pumping gpm
	Bore Hole Diameter		
NS Domostio	SW SE Domestic		
Irrigation Industrial Domestic-lawn & garden Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No			
S If yes, mo/day/yr sample was submitted 1 mile Water well disinfected? Yes			
5 TYPE OF CASING USED: Steel PVC Other Other CASING IOINTS: St Glued Clamped Welded Threaded			
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight Solution lbs./ft., Wall thickness or gauge No.			
Casing height above land surface			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
SCREEN OR PERFORATION OPENINGS ARE:			
☐ Continuous slot			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From			
From			
GRAVEL PACK INTERVALS: From			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 1.7.5 ft. to 1.7.5 ft. ft. to 1.7.5 ft. ft. ft. ft. ft. ft. ft. ft. ft.			
What is the nearest source of possible contamination:			
	ines Pit privy Livestock p		Other (specify below)
Sewer lines Cesspool Watertight sewer lines Seepage			
	Distance		***********
FROM TO LITHOLO	GIC LOG FROM		PLUGGING INTERVALS
4 95 500		#200 Casin	e J.Yom
	Clay	- Tof to "	144
150 260 Sand V Cla	Shoule	#200 Car	inc Your
260 290 Clay w/som	6 Sand Strate	146 %	506
290 945 Jan Clay			
745 390 Fine Sand w	Clay Strats		
380 395 Gray Clay			
395 475 Sand			
7 CONTRACTOR'S OR ANDOWNER'S CERTIFICATION: This water well was a constructed or or ningged			
under my jurisdiction and was completed on (mo/day/year) 10.2.1.1			
under the business name of			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 180 180 180 180 180 180 180 180 180 180			
KSA 82a-1212			