

1 LOCATION OF WATER WELL	Fraction	Section Number	Township Number	Range Number
County: <u>Seward</u>	<u>SE XX</u> 1/4 <u>SE XX</u> 1/4 SE <u>XX</u> 1/4	<u>17</u>	<u>T 32 S</u>	<u>R 34</u> <u>EW</u>

Distance and direction from nearest town or city? 4 1/2 S and 10 East of Moscow, Kansas
 Street address of well if located within city?


2 WATER WELL OWNER: Agnes Snyder
 RR#, St. Address, Box #: Moscow, Kansas 67952
 City, State, ZIP Code: Moscow, Kansas 67952
 Board of Agriculture, Division of Water Resources
 Application Number: -----

3 DEPTH OF COMPLETED WELL: 362 ft. Bore Hole Diameter: 9.7/8 in. to 362 ft. and in. to ft.
 Well Water to be used as:
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well 12 Other (Specify below)
 Well's static water level: 228 ft. below land surface measured on June month 12 day 1980 year
 Pump Test Data: Well water was ft. after hours pumping gpm
 Est. Yield 40-50 gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Casing Joints: Glued XXX Clamped
 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing dia: 5 in. to 2 3/4 ft., Dia: in. to ft., Dia: in. to ft.
 Casing height above land surface: in., weight 2.8 lbs./ft. Wall thickness or gauge No. 265
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 11 None (open hole)
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia: 5 in. to 362 ft., Dia: in. to ft., Dia: in. to ft.
 Screen-Perforated Intervals: From 282 ft. to 362 ft., From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From 14 ft. to 362 ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: XXXX Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 4 ft. to 14 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage XXXX Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 Direction from well: East How many feet: 20? Water Well Disinfected? Yes XX No
 Was a chemical/bacteriological sample submitted to Department? Yes No XXX If yes, date sample was submitted: month day year: Pump Installed? Yes XXX No
 If Yes: Pump Manufacturer's name: Aermotor Model No. SD12-100 HP 1 Volts 220
 Depth of Pump Intake: 277 ft. Pumps Capacity rated at 10 gal./min.
 Type of pump: XXX 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on June month 12 day 1980 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's license No. 252
 This Water Well Record was completed on June month 18 day 1980 year under the business name of Friesen Windmill & Supply by (signature) [Signature]

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG	
		0	8	Top Soil			
		8	30	Sandy Clay			
		30	145	Tan Clay			
		145	168	Sandy Clay			
	168	368	Med. to Lar. Sand				

ELEVATION: Upland

Depth(s) Groundwater Encountered 1. Not available ft. 3 ft. 4 ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
32
R
34
EW
SEC
17
SE 1/4
SE 1/4
SE 1/4
SE 1/4