


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County Seward	Township name NA	Fraction SW¹/₄, SE¹/₄, SE¹/₄	Section number 33	Town number - T 32 S	Range number R 34 W
Distance and direction from nearest town or city: <i>10 N, 6 W of Liberal</i>			3 Owner of well: Hitch Land & Cattle Co. Address: 118 W. 6th <i>Guyman, Okla</i>			
Locate with "X" in section below: N  W E S 1 Mile		Sketch map:		4 Well depth: 488 ft. Date of completion: 1-18-75 Well diameter 26 in.		
2 Type and color of material				5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>		
				7 Casing: Material Steel Height: above / below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 16 in. Diam. 488 Weight 42.5 lbs./ft. 16 in. to 100 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No — in. to — ft. depth		
				8 Screen: Manufacturer L. B. FOSTER, Peris. Type Steel Dia. 16" Slot/gauze 1/8 Length 253 Set between 235 ft. and 488 ft. Peris. Fittings: 1/8 to 1/4 Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material —		
				9 Static water level: 159 ft. below land surface Date 1/30/75		
				10 Pumping level below land surfaces: NA — ft. after — hrs. pumping — g.p.m. — ft. after — hrs. pumping — g.p.m. Estimated maximum yield — g.p.m.		
				11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date —		
				12 Well head completion: <input type="checkbox"/> Pitless adapter NA <input type="checkbox"/> Inches above grade		
				13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 10 ft.		
				14 Nearest source of possible contamination: ft. Pastureland Direction — Type — Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
(use a second sheet if needed)				15 Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name — Model number — HP — Volts — Length of drop pipe — ft. capacity — g.m.p. Type: PUMP SET BY THIRD PARTY <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
				16 Remarks: elevation Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		
17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. KTM DRILLING, INC. 225 Business name License No. Address Box 1385, Guyman, Okla. Signed <i>[Signature]</i> Date 2/27						

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.