## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	Country			T c		Township purchase	Pange number		
1. Location of well:	County	Fraction CE NE			number	Township number	Range number	.,,,	
	Stevens	SE 1/4 SE 1/4 NI		21		T S	R 23	XX <sub>E</sub> /W	
					ner of well: Jack Hamlin				
Street address of well location it in city:						F D 1			
4. Locate with "X" in section below: Sketch map:						oscow, Kansas 67952  6. Bore hole dia. —9 7i/8 Completion date			
4. Locate with "X" in section below:  N					Well depth 354 ft. 7-24-79				
					7 Cable tool X Rotary Driven Dug				
NW NE   X   E						8. Use: X Domestic Public supply Industry			
₩						Irrigation Air conditioning Stock Lawn Oil field water Other			
sw se						9. Casing: Material PVC Height: Above or DENOX			
						Threaded Welded Surface in .  RMP PVC Weight 2_8 lbs ./ft .			
S 1 M						Dia.5 in. to 354ft. de			
5. Type and color of		·		From	То	Dia in. to ft. dep	oth gage No2	65	
						10. Screen: Manufacturer's	name		
Top Soil					8	Type PVC Dia. 5!!			
				6	61	Slot/gauze _ 1 / 811	Length X_80_	274	
Clay (sticky)				8	61	Set between 254 ft. and 354 274 ft.			
Fine to medium sand				61	93	Gravel pack?Yes_ Size range of material #1 Fine			
Sandy clay				93	108	11. Static water level: 6-14-79			
Fine to medium sand				108	162	12. Pumping level below land surfaces:			
Fine to medium sand & clay streaks				162	308	ft. after hrs. pumping g.p.m g.p.m g.p.m.			
(sticky)				1		Estimated maximum yield X 20-30 g.p.m.			
(SEICKY)						13. Water sample submitted:	Date	no./day/yr.	
Fine to med sand (loose)				308	365	Yes YY No Date			
				365	388	X Pitless adapter Inches above grade			
Fine sand (cemented) with some clay				1 303	300	15. Well grouted? Yes			
Blue clay & fine sand -drilled very hard				388	430	With: X Neat cement Bentonite Concr Depth: From 4 ft. to 14 _ ft.		_ Concrete	
						16. Nearest source of possible		Vone	
						ft Direction	Туре		
						17. Pump:	Not installed	d	
WD-354!						Manufacturer's name	armotor	^	
WY-4-J-4					Model number SD19		/olts <u>220</u>		
						Length of drop pipe	F. ft. capacity 20	g.p.m.	
						XX Submersible	Turbi		
(Use a second sheet if needed)						Jet Centrifugal	Recij	procating er 6	
18. Elevation: 19. Remarks:						20. Water well contractor's	certification:	o o	
in new well.					l	This well was drilled under my jurisdiction and this report			
Oppography: He will install a windmill later on.						is true to the best of my knowledge and belief.			
— HIII	Refer to Water Well Record completed on					Business name License No.			
Slope December 21, 1979						Address Meada Kar	ısas 67864	11 01-70	
Valley						Signed Asthor zed re	presentative Da	te U-de	