

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

Blank box for application number

1 LOCATION OF WATER WELL: County: Stevens, Fraction: NE 1/4 NE 1/4 SW 1/4, Section Number: 27, Township Number: T 32 S, Range Number: R 36 EW, Distance and direction from nearest town or city street address of well if located within city? Liberal: N on Hwy 83 to the Jct of Hwy 83 & 51 W to Hooker/Moscow blacktop 5 N 1 W .5

2 WATER WELL OWNER: Bryne and Tina Sullins, RR#, St. Address, Box #: Rt. 1 Box 44, City, State, ZIP Code: Moscow, Ks 67952, 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a 3x3 grid with an 'X' in the top-left cell], 4 DEPTH OF COMPLETED WELL: 440 ft., Depth(s) Groundwater Encountered: (1) 260 ft., (2) ... ft., (3) ... ft., WELL'S STATIC WATER LEVEL: 260 ft. below land surface measured on mo/day/yr. 12-05-07, Pump test data: Well water was 305 ft. after 100 hours pumping 100 gpm, Est. Yield: 100 gpm, WELL WATER TO BE USED AS: 1 Domestic, 3 Feedlot, 6 Oil field water supply, 9 Dewatering, 12 Other (Specify below), 2 Irrigation, 4 Industrial, 7 Domestic (lawn & garden), 10 Monitoring well, Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr Sample was submitted. Water well disinfected? Yes X No

5 TYPE OF CASING USED: 1 Steel, 2 PVC, 3 RMP (SR), 4 ABS, 5 Wrought Iron, 6 Asbestos-Cement, 7 Fiberglass, 8 Concrete tile, 9 Other (specify below), CASING JOINTS: Glued X, Clamped, Welded, Threaded, Blank casing diameter: 6 in. to 340 ft., Diameter, Casing height above land surface: 24 in., Weight: 4.074 lbs./ft., Wall thickness or guage No. SDR 21.316, TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 2 Brass, 3 Stainless Steel, 4 Galvanized Steel, 5 Fiberglass, 6 Concrete tile, 7 PVC, 8 RM (SR), 9 ABS, 10 Asbestos-Cement, 11 Other (Specify), 12 None used (open hole), SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 2 Louvered shutter, 3 Mill slot, 4 Key punched, 5 Gauzed wrapped, 6 Wire wrapped, 7 Torch cut, 8 Saw Cut, 9 Drilled holes, 10 Other (specify), 11 None (open hole), SCREEN-PERFORATED INTERVALS: From 340 ft. to 440 ft., GRAVEL PACK INTERVALS: From 240 ft. to 440 ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 3 Bentonite, 4 Other hole plug, Grout Intervals: 1 From 25 ft. to ... ft., What is the nearest source of possible contamination: 1 Septic tank, 2 Sewer lines, 3 Watertight sewer lines, 4 Lateral lines, 5 Cess pool, 6 Seepage pit, 7 Pit privy, 8 Sewage lagoon, 9 Feedyard, 10 Livestock pens, 11 Fuel storage, 12 Fertilizer Storage, 13 Insecticide Storage, 14 Abandoned water well, 15 Oil well/gas well, 16 Other (specify below), Direction from well? How many feet?

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows show depth intervals and corresponding lithology (Surface, Sandy clay, Clay, Sand, etc.) and plugging materials (Sandy clay and clay, Sand, etc.).

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 12-05-07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KWWCL 430 This Water Well Record was completed on (mo/day/year) 12-05-07 under the business name of Howard Drilling Box 806 Beaver, Ok by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, and circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.