

VVAIER VVELL K		ge in Well Use			sion of Water		Well ID	
					rces App. No			NT1
1 LOCATION OF WA	AIER WELL:	Fraction 1/4 1/4	1/4 1/4	Secti	ion Number	Township Numbe T S		Number □ E □ W
2 WELL OWNER: La	at Nama:	First:		r Rura	1 Address w	where well is located (
Business:	ist ivallie.	THSt.				ntersection): If at owner'		
Address:			direction	mom ne	arest town of 1	ntersection). If at owner	s address, en	cek nere.
Address:								
City:	State:	ZIP:			1			
3 LOCATE WELL	4 DEPTH OF COM	IPLETED WEL	L:	ft.	5 Latitue	de:	(de	ecimal degrees)
WITH "X" IN	Depth(s) Groundwater							
SECTION BOX:		3) ft., or						
1,	WELL'S STATIC WA			ft. Source for Latitude/Longitude:				
	below land surface.)
NW NE	above land surface,			• • • • • • • • • • • • • • • • • • • •				1
	Pump test data: Well w							
W E		s pumpingvater was						
SW SE		s pumping						
	Estimated Yield:		дрш	6 Elevation:ft.			☐ Ground L	evel 🗌 TOC
S	Bore Hole Diameter:		ft. and		Source:	☐ Land Survey ☐ G	PS Topo	ographic Map
mile		in. to				☐ Other		
7 WELL WATER TO	BE USED AS:							
1. Domestic:	5. 🗌 Public Wa	ter Supply: well II)		10. 🔲 Oil	Field Water Supply: lea	ıse	
☐ Household		g: how many wells				ole: well ID		
Lawn & Garden		echarge: well ID				ed Uncased G		
Livestock		g: well ID				rmal: how many bores?		
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmenta	al Remediation: we	por Extraction					
4. ☐ Industrial	☐ Recovery			1	13. Other (specify):			
				NT 1				
Was a chemical/bacter Water well disinfected?		nited to KDHE?	□ res □	NO .	ii yes, date	sample was submitted		
		C 🗆 Other:		A CINI	C IOINTS.		□ W-11-1 [□ Tl
8 TYPE OF CASING Casing diameter								Inreaded
Casing diameter								
TYPE OF SCREEN OR				,,, 10.	v an anem	less of gauge 110		
	less Steel		'C		□ Othe	r (Specify)		
	anized Steel		ne used (ope	n hole)		(-1 - 3)		
SCREEN OR PERFORA	ATION OPENINGS A							
						☐ Other (Specify)		
	☐ Key Punched ☐ W		Saw Cut					
SCREEN-PERFORATE						· · · · · · · · · · · · · · · · · · ·		
	K INTERVALS: Fron							
9 GROUT MATERIA								
Grout Intervals: From Nearest source of possible		ft., From	ft. to	• • • • • • • • • • • • • • • • • • • •	ft., From	ft. to	It.	
Septic Tank	Lateral Line	es 🔲 Pit Priv	17X7	П	ivestock Pen	s 🔲 Insectici	de Storage	
Sewer Lines	☐ Cess Pool	☐ Sewage			uel Storage		ned Water We	ell
☐ Watertight Sewer Lin					ertilizer Stor	_		
Other (Specify)								
Direction from well?			m well?					
10 FROM TO	LITHOLOG	GIC LOG	FRO	M	TO I	LITHO. LOG (cont.) or l	PLUGGING !	INTERVALS
			NT 4					
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction an								
Kansas Water Well Con	a was completed on (II tractor's License No	This		anu u I Reco	ns record is	nleted on (mo-day-ve	ar)	and Denet.
under the business name	of					on (mo day you	<i>,</i>	
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Betty Lee	
Doc ID	1284372	

Litholgy

From	То	LithologicLog
0	2	top soil
2	35	brown sandy clay
35	45	fine sand
45	78	brown sandy clay
78	87	sand fine to med coarse, brown rock
87	105	brown clay
105	113	sand fine to med
113	140	brown clay
140	165	brown sandy clay
165	180	sand fine to med coarse w/ some clay ledges
180	200	sand fine to med coarse small gravel
200	205	brown clay
205	275	sand fine to med coarse w/ few clay ledges
275	285	brown clay
285	304	sand fine to med coarse
304	312	brown sandy clay w/ many sand beds
312	330	sand fine to med few coarse
330	336	brown sandy clay
336	404	sand fine to med coarse w/ brown & tan rock
404	413	brown clay

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Betty Lee	
Doc ID	1284372	

Litholgy

From	То	LithologicLog
413	425	sand fine to med coarse w/ brown & tan rock
425	449	brown clay
449	463	sand fine to med coarse w/ brown & tan rock
463	472	brown sandy clay w/ couple sand strips
472	490	sand fine to med coarse w/ tan rock
490	498	brown clay
498	509	sand fine to med coarse
509	514	brown sandy clay
514	523	sand fine to med coarse
523	540	brown sandy clay w/ few small sand strips
540	620	med coarse w/ few thin clay stringers
620	640	red bed