WALER WE	LL RECORD	rorm w	W C-3	Di	ivision of Wate	r Resources App. N	0.
	OF WATER WELL:	Fraction		1			Range Number
County: Ste		1/4 SW 1/4 SE			11	T 32 S	
Street/Rural		Globa	Global Positioning System (GPS) information:				
	town or intersection: If at	nere	Latit	Latitude: .37.2722			
6 North 2 E			Longitude: 101.3056 (in decimal degrees) Elevation:				
			Eleva	Datum: WGS 84, NAD 83, NAD 27			
2 WATER W		Collection Method:					
RR#, Street		☑ GPS unit (Make/Model: Garmin					
City, State,		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
	71040101	n, KS 67 6 51		Est. A	Accuracy: <	3 m, 🗌 3-5 m, 🗀] 5-15 m, 🔲 >15 m
3 LOCATE W			525				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 535 ft.							
SECTION BO			ft. (2)				
		test data: Well water					
NW	NE TI I D'	ter 9.7/8 in. to ft., and in. to ft. TO BE USED AS: Public water supply Geothermal Injection well					
w							
	Domastia						
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
1 mile	fected? Yes		,,,,,,,,,,	***********			
				-1			
	ASING USED: Stee					••••	
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter 5 in. to .535 ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface. 24 in., Weight SDR 17 lbs./ft., Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
	PERFORATION OPENING		oic)				
Continu	ious slot Mill slot	Gauze wrapped	Torch cut	□Dr	illed holes	☐ None (open hol	e)
Louvere	ed shutter Key punched	☐ Wire wrapped ☐	Saw cut	Otl	ner (specify)	•••••	**********
SCREEN-PER	FORATED INTERVALS:	From 475 f	t. to535.	********	ft., From	ft.	to ft.
		From t	ît. to		ft., From	ft.	to ft.
GRAVEL PACK INTERVALS: From 20 ft. to 535 ft., From ft. to ft. to ft.							
		From f	ft. to		ft., From	ft.	to ft.
6 GROUT MA	TERIAL: Neat ceme	ent Cement grout	Z Bento	nite [] Other	•••••	
Grout Intervals:	From . U ft. to	ft., From		ft. to	ft.,	From	ft. toft.
What is the near	rest source of possible conta	umination:					
☐ Septic t	ank	es Pit privy	Livestock		Insecticide		ner (specify below)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Waterti	ght sewer lines	it	Fertilizer		Oil well/ga		*************************
			*				ICONO DITERVALE
FROM TO	LITHOLOG	IC LOG	FROM	TO		······	UGGING INTERVALS
0 10			380	420	Sand Little	Shale	
10 18	Fine Sand		420	460	Sand		
18 77	Brown Clay		460	540	Sand Little	Shale	
77 120	Fine Sand Little Clay						
120 160	Clay Little Sand						
160 180	Fine Sand Little Clay						
180 200	Clay & Sand Streaks						
200 280	Fine Sand Little Clay						
280 300	Clay Little Sand						
300 380	Fine Sand & Shale Str	eaks					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{\omega} \) constructed, \(\sqrt{\omega} \) reconstructed, or \(\sqrt{\omega} \) plugged							
under my juried	liction and was completed of	n (mo/day/year) 6-15	-11	ind this	ecord is true	to the best of my l	knowledge and belief.
under my juriso	Well Contractor's License N	o 473 Thie V	Vater Well	Record v	vas completed	on (mo/day/year	6-19-11
Kansas Water \	ess name ofTyler Water	Well Inc	- utot 17 011 1	hv /	sionature)	010	7
THETDUCTIONS	Lies typewriter or hall noint ner	PLEASE PRESS FIRMLY	and PRINT c	learly. Ple	ease fill in blank	s and check the correct	miswers. Send three copies
(white blue nink)	to Kansas Denartment of Health	and Environment, Bureau	of Water, Geo	logy Secti	on, 1000 SW Ja	ckson St., Suite 406,	10peka, Kansas 00012-130/.
Telephone 785-296	6-5522. Send one copy to WAT	ER WELL OWNER and I	retain one for	your reco	rds. Include fe	e of \$5.00 for each g	constructed well. Visit us at
	.gov/waterwell/index.html.				1	aita Canti. [7] Di	wa Conv. Dink Conv
KSA 82a-1212				C	neck: W	nite Copy, 🔲 Bl	lue Copy, 🔲 Pink Copy