				R WELL RECORD	Form WWC-5	KSA 82a					
		ER WELL:	Fraction	1/0 [17]		tion Number		_	Range Numb	\sim	
ounty:	Steve		n or city street a	\mathcal{N} C $\frac{1}{4}$ $\mathbb{W}^{\frac{1}{2}}$ ddress of well if located		1	т 32	(S)	R 37	E(W)	
		SW of Mosc	•	ddiess of well if local	ed within city:						
	WELL OW								,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
			l Oil Corp	'•			Doord of A	aria de la T	Divinion of Water Da	0001150	
IR#, St. Ad Sity, State, 2			Box 5444	217			A 1! 4!	J	Division of Water Re 91–0033	esourc	
			er, CO 80		240						
AN "X" IN	SECTION			OMPLETED WELL water Encountered							
	1	-	WELL'S STATIC	WATER LEVEL	L60 ft. b	elow land su	face measured on	mo/day/yr	01-03-91		
	Nw	·	Pump	test data: Well wa	ter was2	200 ft. a	_{ifter} 1	hours pu	mping 90	gp	
	NW	NE	Est. Yield9	0 gpm: Well wa	ter was	ft. a	ıfter	hours pu	mping	gp	
w	v	1 .	Bore Hole Diame	eter11in. to	340		and	in.	to		
w	^		WELL WATER T	O BE USED AS:	5 Public water	er supply	8 Air conditioning	11	Injection well		
	. sw l	SE	1 Domestic	3 Feedlot	600il field wa	ter supply	9 Dewatering	12	Other (Specify below	w)	
	``i''	%	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well	,			
L	1		Was a chemical/h	oacteriological sample	submitted to D	epartment? Y	esNoX	; If yes,	mo/day/yr sample v	was s	
	S		mitted			Wa	ter Well Disinfecte	d? Yes	X No		
TYPE OF	BLANK C	ASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOI	NTS: Glued	XClamped.		
1 Steel		3 RMP (SF	?)	6 Asbestos-Cement	9 Other	(specify below	w)	Weld	ed <i></i>		
② P∨C		4 ABS	240	7 Fiberglass					aded		
				ft., Dia							
asing heigh	nt above la	and surface	. 24	.in., weight			ft. Wall thickness of	or gauge N	0		
YPE OF SO	CREEN OF	R PERFORATION	I MATERIAL:		⊘ PV			estos-ceme			
1 Steel	l	3 Stainless	steel	5 Fiberglass	8 RM	MP (SR)	11 Oth	er (specify)			
2 Brass	S	4 Galvanize	ed steel	6 Concrete tile	9 AB	S	12 Non	e used (op	en hole)		
CREEN OF	R PERFOR	RATION OPENING	GS ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (open ho	ole)	
1 Cont	inuous slo	t 3 Mi	II slot	6 Wire	wrapped		9 Drilled holes				
	ered shutt			7 Toro							
CREEN-PE	RFORATE	D INTERVALS:		240 ft. to .							
			From	ft. to .	240	ft., Fro	m	ft. to	o		
GR	AVEL PAG	CK INTERVALS:		100 ft. to							
			From	ft. to		ft., Fro	m N. II-1-	ft. to	0	1	
GROUT N			ement	2 Cement grout	3 Bento	onite 4	Other HOLE	· · brind · ·			
rout Interva				ft., From	ft.						
		urce of possible		 -			tock pens		bandoned water we) 	
1 Septic tank 4 Lateral line							11 Fuel storage 15 Oil well/Gas well				
2 Sewer lines 5 Cess poo 3 Watertight sewer lines 6 Seepage			-	• •			12 Fertilizer storage 16 Other (specify below)				
	_	•	• .	9 Feedyard			ticide storage				
rection from	m well?	Southwe	LITHOLOGIC	1.00	FROM	How ma			NTERVALS		
0		Ton anil		LOG	333	340	Clay	oddina ii	VILITALS		
2	2 26	Top soil Brown Cla				340	Стау				
26	30	White Cla								1 10 1 10 10 10 10 10 10 10 10 10 10 10	
30	82		-							an i come e como e	
82	143	Sandy Cla Sand	ı.y.								
143	160		277								
	183	White Cla		: Cand							
160 183	209		Streaks of	. Daliu							
	236	Sandy Cla	ту			tt					
209	258	Sand and	Ctroples of	: Clare					A		
236			Streaks of	стау							
258	266	Sand			MY (404					·	
266	278	-	iy								
278	297	Sand				l					
297	304	Clay		100							
304 1	333 I	Sand	00.000000000000000000000000000000000000	ON THE		LL					
CONTRA	CIOH'S C	JH LANDOWNER	rs Certifications 1391	ON: This water well	<u> </u>						
npieted or	n (mo/day/	year) 01-(シンニシナ・・・・・・			and this reco	rd is true to the be	st of my knot $01-0.5$	owledge and belief. 3-91	Kans	
ter Well (ontractor's	s License No !		This Water	Well Record wa	s completed	on (mo/day/yr)	00/	7. T. T	• : • • .	
				. Box 806 Bear				1/1	Maj		
				FIRMLY and PRINT clearly. 0-7320. Telephone: 913-296						nent	