WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

			Topeka, Kansas 00020
County Fraction	Section	number	Township number Range number
. Location of well: STerens no 1/4 no 1/4 no 1/4	4	!	т 32 s r 37 е/w
2. Distance and direction from nearest town or city: 2 72 of 3. C	Owner of well	· >	me-Jack Littrell
throat address of well location if in city.	or street:		HoGolon Ka 67951
7,100,961.	, state, zip o	code:	6. Bore hole dia. 10 in. Completion date 2-23-
4. Locate with "X" in section below: Sketch map:			Well depth 200 ft.
 			7 Cable tool Rotary Driven Dug
NW NE			Hollow rod Jetted Bored Reverse rotary
<u>•</u> ₩			8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock
			Lawn Oil field water Other
SW SE			9. Casing: Material 264.40 Height: Above or below Threaded Welded Surface in.
<u> </u>			RMPPVCWeightlbs./ft.
1 Mile ————————————————————————————————————			Dia. 5 in. to 200 ft. depth Wall Thickness: inches or
5. Type and color of material	From	То	Dia in. to ft. depth gage No 258 10. Screen: Manufacturer's name \$1000 m_
allt. I V a	6	12	
Silt dark cray		/~	Type Saw Col Dia. 5" Slot/gauze 18 Length 40
11 " " Sand dark	12	20	Set betweenft. andft.
" tan / calichie white	20	34	Gravel pack? Size range of material 1/4 - 1/4
		1	11. Static water level: mo./day/yr.
alay Shelf of joint clays	34	60	90 ft. below land surface Date 2-23-79
faint alays y some sand	60	80	12. Pumping level below land surfaces: ? ft. after hrs. pumping g.p.m.
sand Calcified Wsilts dark	80	95	ft. after hrs. pumping g.p.m.
no la loro		100	Estimated maximum yield
Sand Cors & Some Calichia Box	15 75	100	Yes X No Date
Sand Corse	100	108	14. Well head completion: Cosin & 24"
Clays & Grarz/	108	110	Pitless adapter X Inches above grade
			15. Well grouted? Bentonite Concrete
silts Vsilt balls + Sediment rock	110	120	Depth: From ft. to ft.
Calichie white I tan	120	140	16. Nearest source of possible contamination:
Clays tan I brawn sett	140	173	Well disinfected upon completion? Yes No
Silt balls tan & brown soft	120		17. Pump: X Not installed
3111 Dalls lan / Sand 1 Grarel	173	200	Manufacturer's name
			Length of drop pipe ft. capacityg.p.m.
	-		Type: Submersible Turbine
			Jet Reciprocating
(Use a second sheet if needed)		1	Centrifugal Other
18. Elevation: 19. Remarks:			Water well contractor's certification: This well was drilled under my jurisdiction and this report
			is true to the best of my knowledge and belief.
Topography: Hill			SloCom Drilling 12/ Business name License No.
			11 - 1
Slope Upland			Address Hugoton Signed Paul Slown Date 4-7-