WATER WELL R			sion of Water	1 1	Well ID	
Original Record Correction Change in Well Use 1 LOCATION QF/WATER WELL: Fraction			Resources 1351 1161			
County: (P		1/4 NE 1/4 Sect	29	T Z S	R ☐ E ATW	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and						
Business: direction from nearest town or intersection): If at owner's address, check here:						
Address: City: Hugo to	5 m. 6	5 Miles North of Feterita				
3 LOCATE WELL	I .	UIA				
WITH "X" IN	4 DEPTH OF COMPLETED WELL		1	de:		
SECTION BOX:	Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or,		Longitude:			
N	well's static water level:(.)			Source for Latitude/Longitude:		
	below land surface, measured on (mo-day-yr)					
NW NE	above land surface, measured on (mo-d Pump test data: Well water was	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
w	after hours pumping					
	Well water was	ft.				
SW SE	after hours pumping	gpm	6 Elevat	tion:ft. [☐ Ground Level ☐ TOC	
S	Estimated Yield:gpm Bore Hole Diameter:	ft. and		: Land Survey GP		
mile	in. to	ft.		☐ Other		
7 WELL WATER TO BE USED AS:						
1. Domestic: Household	5. □ Public Water Supply: well ID6. □ Dewatering: how many wells?			l Field Water Supply: leas		
Lawn & Garden	7. ☐ Aquifer Recharge: well ID		11. Test Hole: well ID			
Livestock	8. Monitoring: well ID		12. Geothermal: how many bores?			
2. Irrigation	9. Environmental Remediation: wel		,			
3. Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction b) Open Loop ☐ Surface Discharge ☐ Inj. of Water ☐ Recovery ☐ Injection 13. ☐ Other (specify):					
4. ☐ Industrial ☐ Recovery ☐ Injection ☐ 13. ☐ Other (specify):						
Water well disinfected? Yes No						
8 TYPE OF CASING USED: ☐ Steel ▶ PVC ☐ Other CASING JOINTS: ★ Glued ☐ Clamped ☐ Welded ☐ Threaded						
Casing diameter						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ Fiberglass						
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous Slot						
SCREEN-PERFORATED INTERVALS: From						
SCREEN-PERFORATED INTERVALS: From 12.0 ft. to 4.0 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 12.0 ft. to 4.0 ft., From ft. to ft., From ft. to ft.						
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other						
Grout Intervals: From						
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage						
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well						
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage 🛅 Oil Well/Gas Well						
Other (Specify) Direction from well?	£95 [†] Distance from	 1 well?	1000	ft.		
10 FROM TO	LITHOLOGIC LOG	FROM		LITHO. LOG (cont.) or Pl	LUGGING INTERVALS	
0 2	Topsoil	793	412	Saul & Clay		
2 6	Sandy Clay	412	422	Comented 5	and \$	
6 1/2	Sandy clay of Calichy Las	2 3025		Sandstonp		
172 (7)	39nd (
172 147	Sandy Clay of Sand & Crowd	5%/				
210 240	Soul's Clar Lands	Notes:				
240 780	Sanda day					
380 393 Much South and Soune (Gv						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged						
under my jurisdiction and was completed on (mo-day-year) 527.1						
under the business name of 20-t. 1. 1. 20-t. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.						
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas						

Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.