

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.


WATER WELL RECORD  
KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health  
(Water Well Contractors)  
Forbes-Bldg. 740  
Topeka, Kansas 66620

|                     |                   |               |  |                      |                       |                        |
|---------------------|-------------------|---------------|--|----------------------|-----------------------|------------------------|
| 1 Location of well: | County<br>Stevens | Township name | Fraction<br>Center of NE <sup>1</sup> / <sub>4</sub> | Section number<br>24 | Town number<br>T 32 S | Range number<br>R 38 W |
|---------------------|-------------------|---------------|--|----------------------|-----------------------|------------------------|

|  |  |
|--|--|
| Distance and direction from nearest town or city:<br>10 W. & 4 S. of Moscow, Kansas<br>Street address of well location if in city: | 3 Owner of well:<br>Keifer Farms #2<br>% Walter Beesley, Box 156<br>Hugoton, Ks. 67951 |
|--|--|

|   |             |   |
|---|-------------|---|
| Locate with "X" in section below:<br>N<br> | Sketch map: | 4 Well depth: <u>555</u> ft. Date of completion <u>3-28-75</u><br>Well diameter <u>26</u> in.   |
|   |             | 5 <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug<br><input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary   |
|   |             | 6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry<br><input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial<br><input type="checkbox"/> Test well <input type="checkbox"/>  |
|   |             | 7 Casing: Material <u>Steel</u> Height: <u>above</u> below<br>Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in.<br>Diam. _____ Weight <u>36</u> lbs./ft. _____<br><u>16</u> in. to <u>555</u> ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br>_____ in. to _____ ft. depth! |

| 2                              | Type and color of material | From | To |
|--------------------------------|----------------------------|------|----|
|                                | See Attached               |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
|                                |                            |      |    |
| (use a second sheet if needed) |                            |      |    |

|  |  |
|--|--|
| 16 Remarks: elevation<br><br>Topography:<br><input type="checkbox"/> Hill<br><input type="checkbox"/> Slope <u>Rolling</u><br><input type="checkbox"/> Upland<br><input type="checkbox"/> Valley | 17 Water well contractor's certification:<br>This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.<br><u>Henkle Drilling &amp; Supply 145</u><br>Business name _____ License No. _____<br>Address <u>Garden City, Ks. Box 639</u><br>Signed <u>Richard S. Henkle</u> date <u>4/1/75</u><br>Authorized representative |
|--|--|

DRILLERS TEST LOG

CUSTOMERS NAME Keefer Farms DATE 1-20-75  
 STREET ADDRESS Box 156 TEST # 1 E. Log Hole  
 CITY & STATE Hugoton, Kansas DRILLER Handerhan  
 COUNTY Stevens QUARTER NE SECTION 24 TOWNSHIP 32 RANGE 38

LOCATION 75 Ft. Northwest of Pivot

WELL LOCATION

| %  | Drilled from | Pay | Footage to | Description of Strata   | Static Water Level | Proposed Well Depth |
|----|--------------|-----|------------|---|--------------------|---------------------|
|    | 0            |     | 2          | Top soil  |                    |                     |
|    | 2            |     | 28         | Brown clay, caliche, limerock ledges and few fine sand st.  |                    |                     |
|    | 28           |     | 48         | Sand fine to med and clay st drills loose.  |                    |                     |
|    | 48           |     | 53         | Brow sandy clay and sand st.  |                    |                     |
|    | 53           |     | 64         | Brown clay, few sand st. sticky in places.  |                    |                     |
|    | 64           |     | 73         | Sand ffb to small, loose, few clay st.  |                    |                     |
|    | 73           |     | 85         | Brown sandy clay some sand st.  |                    |                     |
|    | 85           |     | 97         | Sand fine med. coarse, small med, gravel, brown gravel, brown rock. Loose. Used water. Few rock ledges. |                    |                     |
|    | 97           |     | 137        | Brown sandy clay, gyp and limerock, mixed, some sand st. drills firm.                                   |                    |                     |
|    | 137          |     | 158        | Brown clay, sticky, few limerock ledges.  |                    |                     |
|    | 158          |     | 175        | Brown sandy clay limerock ledges and sand st.   |                    |                     |
|    | 175          |     | 190        | Brown clay, few limerock ledges.  |                    |                     |
| 65 | 190          | 10  | 200        | Sand fine med. coarse, small gravel, few brown gravel. Loose. Used water. Few clay st.                  |                    |                     |
| 50 | 200          | 13  | 213        | Sand fine med. coarse, clay st. Limerock ledges. Loose in places. Used some water.                      |                    |                     |
|    | 213          |     | 228        | Brown clay, drills sticky   |                    |                     |
| 40 | 228          | 7   | 235        | Sand fine to small, loose. Used water. Some clay st.  |                    |                     |
|    | 235          |     | 252        | Brown clay, limerock ledges and fine sand st.   |                    |                     |
| 50 | 252          | 8   | 260        | Sand fine to med., few coarse, clay st. Loose in places. Used water.                                    |                    |                     |
| 60 | 260          | 19  | 279        | Sand fine med. coarse, some clay st. limerock ledges. Loose. Used water.                                |                    |                     |
|    | 279          |     | 300        | Brown clay and sand st. Mixed, limerock ledges.   |                    |                     |
| 50 | 300          | 32  | 332        | Sand fine med. some coarse. Loose in places. Hard limerock ledges. Used pulldown. Used water. clay st.  |                    |                     |
|    | 332          |     | 340        | Brown clay and sand st.   |                    |                     |
| 50 | 340          | 31  | 371        | Sand fine to med., few coarse, clay st. and hard limerock ledges  |                    |                     |
| 55 | 371          | 19  | 390        | Sand fine med. some coarse. Loose. Used water, some limerock ledges Clay st.                            |                    |                     |
| 60 | 390          | 10  | 400        | Sand fine med. coarse, loose. Used water. Some clay st. Limerock ledges.                                |                    |                     |
| 65 | 400          | 20  | 420        | Sand fine med. coarse, small gravel. Loose. Used water. Some clay st. Limerock ledges.                  |                    |                     |
| 55 | 420          | 40  | 480        | Sand fine med. coarse. Loose. Used water. Some clay & Limerock ledges Hard at 450'                      |                    |                     |
|    | 460          |     | 467        | Brown clay, limerock ledges and few sand st.  |                    |                     |
| 55 | 467          | 19  | 486        | Sand fine med. loose, few limerock ledges clay st.  |                    |                     |
|    | 486          |     | 491        | Brown clay, limerock ledges and sand st.  |                    |                     |
| 55 | 491          | 10  | 501        | Sand fine to med., some coarse, loose. Used water, Har limerock ledges some clay st.                    |                    |                     |
| 45 | 501          | 7   | 508        | Sand fine to med and sticky clay  |                    |                     |
| 60 | 508          | 45  | 553        | Sand fine med. coarse, small gravel, brown gravel, clay st. (over)                                      |                    |                     |

GARDEN CITY, KANSAS  
 PHONE 276-3278  
 test holes  
 stock wells

HENKLE DRILLING & SUPPLY CO., INC.  
 IRRIGATION HEADQUARTERS

SUBLETTE, KANSAS  
 PHONE 675-4311  
 irrigation  
 industrial

